
n=17,560 sequenced genomes, from 1 July 2026 up to 18 October 2026



This page shows the frequency of the top 6 "L2" lineages, across recent months.


The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "BA.2.86.*" group includes BA.2.86 and all it's descendants, e.g. the JN.* lineages.

The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page compares the relative frequency of 2 selected "Lineage L2" groups, over recent months. A challenging Lineage L2 is selected first, and compared to the incumbent.


The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.

The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.


n=2,672 sequenced genomes, from 1 July 2026 up to 16 October 2026

Asia




This page shows the frequency of the top lineages and intensity of samples, across recent months, for Asia.

Location of samples (approx)



n=1,557 sequenced genomes, from 1 August 2026 up to 16 October 2026




This page shows the growth rate of the top challenger lineage vs the incumbent, for Asia.

Samples by Country

Country	#	Latest Collection date	by Collection date
South Korea	513	07/10/2026	
Singapore	256	16/10/2026	
Japan	184	13/10/2026	
Taiwan	145	14/09/2026	
Thailand	122	14/09/2026	
Iran	73	02/09/2026	
Hong Kong	69	15/10/2026	
China	62	25/09/2026	
Israel	42	23/09/2026	
Laos	27	30/09/2026	
Cambodia	21	28/08/2026	
India	16	17/09/2026	
Pakistan	14	30/09/2026	
Malaysia	11	24/08/2026	
Afghanistan	1	21/09/2026	
Indonesia	1	11/08/2026	
Total	**1,557**	**16/10/2026**	


n=116 sequenced genomes, from 1 July 2026 up to 12 October 2026

Africa




This page shows the frequency of the top lineages and intensity of samples, across recent months, for Africa.

Location of samples (approx)



n=69 sequenced genomes, from 1 August 2026 up to 12 October 2026



This page shows the growth rate of the top challenger lineage vs the incumbent, for Africa.


Samples by Country

Country	#	Latest Collection date	by Collection date
Ghana	30	25/09/2026	
Cote d'Ivoire	29	12/10/2026	
Senegal	7	25/08/2026	
South Africa	3	06/10/2026	
Total	**69**	**12/10/2026**	

COVID-19 Genomic Sequencing analysis. Lineage Frequencies. Data from gisaid.org, with nextclade lineages. Source files and more info on github. Last Update: 2026-11-07 05:46 (UTC)


n=4,891 sequenced genomes, from 1 July 2026 up to 18 October 2026

Europe




This page shows the frequency of the top lineages and intensity of samples, across recent months, for Europe.

Location of samples (approx), excluding Russia



n=4,573 sequenced genomes, from 1 August 2026 up to 18 October 2026



This page shows the growth rate of the top challenger lineage vs the incumbent, for Europe.


Samples by Country

Country	#	Latest Collection date	by Collection date
Spain	2,197	18/10/2026	
France	681	17/10/2026	
Ireland	257	07/10/2026	
United Kingdom	244	12/10/2026	
Netherlands	239	18/10/2026	
Russia	195	13/10/2026	
Germany	185	17/10/2026	
Norway	138	11/10/2026	
Italy	84	12/10/2026	
Sweden	76	28/09/2026	
Portugal	73	31/08/2026	
Belgium	58	17/10/2026	
Slovenia	37	17/10/2026	
Ukraine	36	12/10/2026	
Luxembourg	22	31/08/2026	
Denmark	21	07/09/2026	
Czechia	19	16/10/2026	
Romania	6	14/10/2026	
Croatia	4	14/09/2026	
Slovakia	1	05/08/2026	
Total	**4,573**	**18/10/2026**	

COVID-19 Genomic Sequencing analysis. Lineage Frequencies. Data from gisaid.org, with nextclade lineages. Source files and more info on github. Last Update: 2026-11-07 05:46 (UTC)


n=7,919 sequenced genomes, from 1 July 2026 up to 18 October 2026

North America




This page shows the frequency of the top lineages and intensity of samples, across recent months, for North America

Location of samples (approx)



n=6,420 sequenced genomes, from 1 August 2026 up to 18 October 2026




This page shows the growth rate of the top challenger lineage vs the incumbent, for North America.

Samples by Country

Country	#	Latest Collection date	by Collection date
United States	4,683	18/10/2026	
Canada	1,460	18/10/2026	
Mexico	181	11/09/2026	
Costa Rica	67	09/09/2026	
Guatemala	13	27/08/2026	
Puerto Rico	10	14/09/2026	
Bonaire Sint ...	4	16/09/2026	
Dominican R...	2	21/08/2026	
Total	**6,420**	**18/10/2026**	


n=391 sequenced genomes, from 1 July 2026 up to 16 October 2026


South America



This page shows the frequency of the top lineages and intensity of samples, across recent months, for South America

Location of samples (approx)






This page shows the growth rate of the top challenger lineage vs the incumbent, for South America.

Samples by Country

Country	#	Latest Collection date	by Collection date
Brazil	211	16/10/2026	
French Guiana	18	06/10/2026	
Colombia	6	21/09/2026	
Chile	4	15/08/2026	
Paraguay	4	05/10/2026	
Ecuador	1	30/08/2026	
Total	**244**	**16/10/2026**	


n=1,571 sequenced genomes, from 1 July 2026 up to 18 October 2026

Oceania




This page shows the frequency of the top lineages and intensity of samples, across recent months, for Oceania.

Location of samples (approx)




n=1,016 sequenced genomes, from 1 August 2026 up to 18 October 2026



This page shows the growth rate of the top challenger lineage vs the incumbent, for Oceania.

Samples by Country

Country	#	Latest Collection date	by Collection date
Australia	923	18/10/2026	
New Zealand	91	02/10/2026	
Guam	2	17/08/2026	
Total	**1,016**	**18/10/2026**	



This page shows the frequency of the top 7 lineages, across recent months. The lineages are filtered for a "Lineage L2" group of interest - currently JN.1.* + DeFLuQE - the origin of the new wildly novel PJ.2.1 lineage.


The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=17,560 sequenced genomes, from 1 July 2026 up to 18 October 2026




This page shows the frequency of the top 7 lineages, across recent months.

The Lineage classifications are provided by Nextclade. The colour assignments are random.

The frequency shown at each point is based on the 7-day rolling average across all lineages.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.



This page shows the frequency of a selected "Lineage L2" group of interest, for the 7 countries reporting the most samples over recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "JN.1.* +FLiRT" group includes the descendants of JN.1.* with the mutations: F456L & R346T.


The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=17,560 sequenced genomes, from 1 July 2026 up to 18 October 2026



This page shows the frequency of a selected "Lineage L2" group of interest, for the 7 countries reporting the most samples over recent months.

The detailed Lineage classifications are provided by Nextclade. I roll those up into "L2" groups, which roughly follow the WHO Variant definitions. For example, my "JN.1.* +FLiRT" group includes the descendants of JN.1.* with the mutations: F456L & R346T.


The detailed Lineage classifications are quite numerous and dynamic, so the "Lineage L2" groups give a simpler and more stable basis for analysis and comparison.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=17,560 sequenced genomes, from 1 July 2026 up to 18 October 2026



This page shows the frequency of a selected Lineage, for the 7 countries reporting the most samples over recent months.


The detailed Lineage classifications are provided by Nextclade.

The frequency shown at each point is based on the 7-day rolling average across all lineages, for that country.

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

The frequency results calculated for the most recent dates might not be representative, due to those lower sample sizes.

n=13,879 sequenced genomes, from 1 August 2026 up to 18 October 2026



This page compares the relative frequency of a selected vs a "Lineage L2" group, over recent months. A challenging Lineage is selected first, and compared to the incumbent "Lineage L2" group.


The trend is shown as a green line and expressed as a daily growth % advantage. If the green line crosses over the 0.0 line, the date when that occurred or is predicted to occur will be shown. At that point the challenging Lineage L2 is considered to have "crossed over" or taken over dominance from the incumbent Lineage L2.

The Lineage classifications are provided by Nextclade. I add the "Lineage L2" groups, typically following common variant groupings, but occasionally being "creative".

The grey column chart across the bottom shows the volume of sequences available by date. As there can be long sample and data processing times, it is quite routine for recent dates to show lower sample sizes.

n=17,560 sequenced genomes, from 1 July 2026 up to 18 October 2026

Global



This page shows the hierarchy of the significant Lineages, over recent months.

The hierarchy can be read from left to right, starting with the earliest/highest Lineages being broken down into more detailed child Lineages.


The vertical height of each bar segment represents the relative volume of all the samples of that specific Lineage, as well as all it's descendants.

The full picture is typically quite busy, so insignificant Lineages (with few samples, or at the extreme top or bottom of the hierarchy) are not shown.

The Lineage classifications are provided by Nextclade.

COVID-19 Genomic Sequencing analysis - International Travellers only. Data from gisaid.org, with nextclade lineages. Source files and more info on github. Last Update: 2026-11-07 05:46 (UTC)

n=504 sequenced genomes, from 1 July 2026 up to 15 October 2026




This page shows the frequency of the top 7 "L2" lineages, across recent months, for "International Traveller" samples.

This is probably a more randomised sample than the "Global" aggregate of all samples submitted to GISAID, as those are dominated by the US
and Canada

These samples are mainly collected from arrivals into the US, Japan and Korea.

Origin of samples (approx)



Data Submitted in the last 8 weeks

Country	# Samples Sequenced	Latest Collection date	by Collection date	Latest Submission date	by Submission date
United States	4,112	18/10/2026		09/10/2026	
Spain	1,953	18/10/2026		09/10/2026	
Canada	1,469	18/10/2026		09/10/2026	
Australia	747	18/10/2026		09/10/2026	
France	678	17/10/2026		09/10/2026	
South Korea	440	07/10/2026		09/10/2026	
Mexico	293	11/09/2026		09/10/2026	
United Kingdom	251	12/10/2026		09/10/2026	
Netherlands	245	18/10/2026		09/10/2026	
Ireland	226	07/10/2026		09/10/2026	
Brazil	212	16/10/2026		09/10/2026	
Japan	208	13/10/2026		09/10/2026	
Russia	204	13/10/2026		09/10/2026	
Germany	181	17/10/2026		09/10/2026	
Singapore	142	16/10/2026		09/10/2026	
Norway	135	11/10/2026		09/10/2026	
Taiwan	119	14/09/2026		23/09/2026	
Thailand	110	14/09/2026		07/10/2026	
Portugal	99	31/08/2026		06/10/2026	
Italy	90	12/10/2026		09/10/2026	
Sweden	86	28/09/2026		09/10/2026	
China	83	25/09/2026		09/10/2026	
Israel	74	23/09/2026		09/10/2026	
Iran	71	02/09/2026		07/10/2026	
Costa Rica	64	09/09/2026		30/09/2026	
Cambodia	63	28/08/2026		01/10/2026	
Hong Kong	57	15/10/2026		09/10/2026	
Guatemala	56	27/08/2026		09/10/2026	
Total	**12,922**	**18/10/2026**		**09/10/2026**	

This page shows the volume and currency/timeliness of the genomic sequencing data shared via GISAID, over the last 8 weeks, for the countries sharing the most samples.

Each sample shared comes with a Collection date - when the PCR test for that sample was collected. The GISAID system also records a Submission date for each sample, which is typically the date that sample was uploaded.

The latest date of each type is shown, along with "sparkline"-style mini charts to give a flavour for the spread of recent data by Collection date and by Submission date.