

# Game Theory II

## COMP4418 Knowledge Representation and Reasoning

---

Patrick Lederer<sup>1</sup>

<sup>1</sup>School of Computer Science and Engineering, UNSW Australia

These slides are based on lecture slides by Prof. Felix Brandt.

# Maximin

Example: Battle of the Sexes

	boxing	ballet
boxing	2 1	0 0
ballet	0 0	1 2

The maximin strategy of the **row player** is to play "boxing" with probability  $\frac{1}{3}$  and "ballet" with probability  $\frac{2}{3}$ .

If the **column player** knows that the **row player** plays the maximin strategy, he can play "ballet" with probability 1 and achieve an expected utility of  $\frac{4}{3}$ !

# Best Responses and Nash Equilibria

---

## Best Responses

- A strategy  $s_i$  is a **best response** to a strategy profile  $s_{-i}$  if  $u_i(s_i, s_{-i}) \geq u_i(t_i, s_{-i})$  for all  $t_i \in S_i$ .
- The set of best responses for a strategy profile  $s_{-i}$  is  $B(s_{-i})$ .
- Theorem: In two-player games,  $s_i$  is never a best response if and only if it is dominated.
- Can we solve games by just letting players repeatedly change their strategy to a best response for the current strategy profile?

# Best Responses

Example: Matching pennies

		↓		↓	
			heads	tails	
→	heads	1	-1	-1	1
→	tails	-1	1	1	-1

- We start in the strategy profile where both players play heads.
- The best response of the **column player** is to play tails.
- The best response of the **row player** is to play tails.
- The best response of the **column player** is to play heads.
- The best response of the **row player** is to play heads.

# Nash Equilibria

- Are there strategy profiles where no player has an incentive to deviate?
- A strategy profile  $s = (s_1, \dots, s_n)$  is a **Nash equilibrium** if  $u_i(s_i, s_{-i}) \geq u_i(t_i, s_{-i})$  for all  $t_i \in S_i$  and all  $i \in N$ .
  - In a Nash equilibrium every player plays a best response to the strategies of the other players.
  - Nash equilibria are the predominant solution concept in game theory.
- A Nash equilibrium is **pure** if all players play an action with probability 1.
  - Pure Nash equilibria are not guaranteed to exist.
- Nash equilibria only randomize over actions that survive the iterated removal of dominated actions.

# Nash Equilibria

Example: Matching pennies

	heads	tails
heads	1   -1	-1   1
tails	-1   1	1   -1

The strategy profile given by  $s_1(\text{heads}) = s_1(\text{tails}) = 0.5$  and  $s_2(\text{heads}) = s_2(\text{tails}) = 0.5$  is a Nash equilibrium.

## Nash Equilibria

Example: Battle of the Sexes

	boxing	ballet
boxing	2 1	0 0
ballet	0 0	1 2


The strategy profile given by  $s_1(\text{boxing}) = \frac{2}{3}$ ,  $s_1(\text{ballet}) = \frac{1}{3}$  and  $s_2(\text{boxing}) = \frac{1}{3}$ ,  $s_2(\text{ballet}) = \frac{2}{3}$  is a Nash equilibrium.



# Indifference Principle

- Lemma: A strategy profile  $s$  is a Nash equilibrium if and only if  $u_i(a_i, s_{-i}) = u_i(b_i, s_{-i}) \geq u_i(c_i, s_{-i})$  for all players  $i \in N$  and actions  $a_i, b_i, c_i \in A_i$  with  $s_i(a_i) > 0$ ,  $s_i(b_i) > 0$ , and  $s_i(c_i) = 0$ .
  - In a Nash equilibrium, every player is indifferent between all actions in the support of his strategy, and weakly prefers these actions to actions outside of the support of his strategy.
- The payoff of player  $i$  is the same regardless how he randomizes over the actions in his support!
  - "Players randomize for other players!"
- Based on the indifference principle, one can efficiently verify whether a strategy profile is a Nash equilibrium.

# Existence of Nash equilibria



## **Theorem (Nash, 1950)**

*Every normal-form game has a Nash equilibrium.*

- Non-constructive proof via Brouwer's fix-point theorem.
- We finally have a nice solution concept that always exist!

## Problems of Nash Equilibria

---

# Computing Nash Equilibria

- Theorem (Daskalakis et al, Cheng and Deng, 2005): Finding a Nash equilibrium in a normal-form game is **PPAD-complete**.
  - Even holds if there are only two players.
  - It is believed that  $\text{PPAD} \neq \text{FP}$ , which would imply that there is no efficient algorithm for computing Nash equilibria.
- The following problems are **NP-hard**, even if there are only 2 players (Gilboa and Zemel, 1989; Abbott et al., 2005):  
Determine whether there is a Nash equilibrium
  - where player  $i$  gets a utility of  $x$ .
  - whose expected outcome is Pareto-optimal.
  - where player  $i$  plays action  $a_i$  with probability 0.
  - ...



## Multiplicity of Nash Equilibria

There may be multiple Nash equilibria in a game!

	boxing	ballet
boxing	2 1	0 0
ballet	0 0	1 2

- There are three Nash equilibria in this game:
  - $s_1(\text{boxing}) = \frac{2}{3}$ ,  $s_1(\text{ballet}) = \frac{1}{3}$  and  $s_2(\text{boxing}) = \frac{1}{3}$ ,  $s_2(\text{ballet}) = \frac{2}{3}$
  - $s_1(\text{boxing}) = s_2(\text{boxing}) = 1$
  - $s_1(\text{ballet}) = s_2(\text{ballet}) = 1$
- Which Nash equilibrium should we choose?


# Coalitions of Players

Example: Prisoner's Dilemma

	cooperate	defect
cooperate	2 2	0 3
defect	3 0	1 1

- The only Nash equilibrium is (defect, defect).
- If both players coordinate, they are both better off by playing (cooperate, cooperate).

# Refinements of Nash Equilibria



- One can consider related solution concepts to fix these flaws of Nash equilibria!
- A strategy profile  $s$  is a **quasi-strict Nash equilibrium** if it is a Nash equilibrium and  $u_i(a_i, s_{-i}) > u_i(b_i, s_{-i})$  for all  $i \in N$  and  $a_i, b_i \in S_i$  with  $s_i(a_i) > 0$ ,  $s_i(b_i) = 0$  (Harsanyi, 1973).
  - Guaranteed to exist in 2-player games (Norde, 1999).
  - Finding Quasi-strict equilibria is computationally hard.
- A strategy profile  $s$  is a **strong Nash equilibrium** if, for all coalitions of players  $C \subseteq N$ , there is no  $t_C$  such that  $u_i(t_C, s_{-C}) > u_i(s_C, s_{-C})$  for all  $i \in C$  (Aumann, 1959).
  - Coalitions of players cannot jointly deviate to improve the utility of all players in the coalition.
  - Not guaranteed to exist.

# Zero-sum Games

---



## Zero-sum games

- A **zero-sum game** is a two-player normal-form game such that  $u_1(a) + u_2(a) = 0$  for all action profiles  $a \in A$ .
  - The interests of the players are **diametrically opposed**: the benefit of player 1 is the loss of player 2.
  - Since  $u_1(a) = -u_2(a)$  for all  $a \in A$ , we can represent zero-sum games by matrices showing only  $u_1(a)$ .

	heads	tails
heads	1	-1
tails	-1	1

Matching pennies

	rock	paper	scissors
rock	0	-1	1
paper	1	0	-1
scissors	-1	1	0

Rock-paper-scissors

# The Minimax Theorem



- Let  $v_1$  denote the security level of player 1 and  $v_2$  the security of player 2.
  - $v_1 = \max_{s_1} \min_{s_2} u_1(s_1, s_2)$
  - $v_2 = \max_{s_2} \min_{s_1} u_2(s_1, s_2) = \max_{s_2} \min_{s_1} -u_1(s_1, s_2)$
- Theorem (von Neumann, 1928): It holds in every zero-sum game that  $v_1 = -v_2$ .
  - If player 1 can ensure to gain at least  $v_i$ , player 2 can ensure to lose at most  $-v_1$ .
- Zero-sum games are fully determined, i.e., there is a value  $v$  that is the unique rational outcome.
  - We define the **value** of a zero-sum game as  $v_1$ .

## Consequences of the Minimax Theorem


- All combinations of maximin strategies are Nash equilibria in zero-sum games.
- The set of Nash equilibria is convex for zero-sum games.
- All Nash equilibria yield the same outcome in zero-sum games.
- Nash equilibria can be efficiently computed in zero-sum games.
- For zero-sum games, Nash equilibria satisfy all desiderata!

# Extensive-form Games

---

## Sequential Moves


- So far we have assumed that all players choose their strategies simultaneously.
- In many real-world situations, players act sequential.



- These can, in principle, be modelled as normal-form game by defining actions as functions that map every game state to a move.
  - This results in an inefficient presentation and slow algorithms.
  - It is also counterintuitive.

## Sequential Moves

Example: Sequential Matching Pennies




## Extensive-Form Games

- An extensive-form game is a tuple  $(N, A, H, Z, \chi, \rho, \sigma, (u_i)_{i \in N})$ 
  - $N = \{1, \dots, n\}$  is the set of players.
  - $A = \{a_1, \dots, a_m\}$  is the set of all possible actions.
  - $H$  is a set of intermediate game states.
  - $Z$  is a set of terminal game states.
  - $\chi : H \rightarrow 2^A \setminus \{\emptyset\}$  states for every intermediate game state the set of feasible actions.
  - $\rho : H \rightarrow N$  states for every intermediate game state the player whose turn it is.
  - $\sigma : H \times A \rightarrow H \cup Z$  states the new game state when action  $a \in A$  is played at the game state  $h \in H$
  - $u_i : Z \rightarrow \mathbb{R}$  states the utility of player  $i$  for every terminal game state.
- The set of strategies of player  $i$  is  $S_i = \prod_{h \in H: \rho(h)=i} \chi(h)$ .

# Extensive-Form Games

## Example: Sequential Matching Pennies




- $N = \{1, 2\}$
- $A = \{\text{heads}, \text{tails}\}$
- $H = \{v_1, v_2, v_3\}$
- $Z = \{z_1, z_2, z_3, z_4\}$
- $S_2 = \{(\text{heads}, \text{heads}), (\text{heads}, \text{tails}), (\text{tails}, \text{heads}), (\text{tails}, \text{tails})\}$
- $\chi(v_1) = \chi(v_2) = \chi(v_3) = \{\text{heads}, \text{tails}\}$
- $\rho(v_1) = 1, \rho(v_2) = \rho(v_3) = 2$
- $\sigma(v_1, \text{heads}) = v_2, \sigma(v_2, \text{heads}) = z_1, \dots$
- $u_1(z_1) = 1, u_1(z_2) = -1, \dots$



# From Extensive-Form Games to Normal-Form Games

Example: Sequential Matching Pennies



	(h,h)		(h,t)		(t,h)		(t,t)	
h	1	-1	1	-1	-1	1	-1	1
	-1	1	1	-1	-1	1	1	-1


## Sub-game Perfect Nash Equilibrium



- Extensive-form games admit pure Nash equilibria!
- However, some Nash equilibria may contain **non-credible threats**, i.e., actions that no rational player would play.
- A strategy profile is a **subgame-perfect Nash equilibrium** if it is a Nash equilibrium for every subtree of  $G$ .
- Theorem (Selten, 1965): Every extensive-form game contains a subgame-perfect Nash equilibrium in pure strategies.

## Backwards induction

- For finding a subgame-perfect Nash equilibrium, we can use backwards induction.



## Outlook: Solving Real Games

- For real games, the utilities are much more structured
  - E.g.: For chess, a game ends either with a win, lose, or draw.  
We can formalize this by only using 1,  $-1$ , and 0 as utilities!
- Theorem (Zermelo, 1913): Every zero-sum extensive-form game is **uniquely determined**, i.e., there is a unique value obtainable by pure strategies.
- For, e.g., chess, one of the following claims holds:
  - There is a strategy for player 1 that guarantees him a win,
  - There is a strategy for player 2 that guarantees him a win,
  - Both players have a strategy that guarantees them a draw.

# Computers vs. Humans

- Today, computer programs are capable of beating grand masters in chess, Go, checkers etc.
  - 1992: Marion Tinsley (considered the greatest checkers player ever) wins 4 : 2 against Chinook (which marks 2 of his 7 official losses).
  - 2006: Wladimir Kramnik (the reigning chess world champion) loses against Deep Fritz (2:4)
  - 2016: Lee Sedol (considered one of the best Go players) loses against AlphaGo (4:1)
- Before AlphaGo, all of these computer programs were merely based on using clever heuristics for exploring the game tree.



- AlphaZero Go combines self-play with reinforcement learning:
  - Start with some initial set of (randomized) policies.
  - Use self-play (letting computer play against each other) to produce new data.
  - Feed the data to a neuronal network to get new policies.
  - Repeat to infer good policies.

## Further Reading

---

## Further Reading

- Y. Shoham and K. Leyton-Brown. Multiagent Systems: Algorithmic Game-Theoretic, and Logical Foundations. 2009. Section 3. <http://www.masfoundations.org/mas.pdf>
- N. Nisan, T. Roughgarden, E. Tardos, and V.V. Vazirani. Algorithmic Game Theory. Cambridge University Press, 2007. Section 1. <https://www.cs.cmu.edu/~sandholm/cs15-892F13/algorithmic-game-theory.pdf>
- M. Maschler, E. Solan, and S. Zamir. Game Theory. Cambridge University Press. 2015. Sections 2 to 5.



# Image References

- Slide 9: [https://commons.wikimedia.org/wiki/File:John\\_Forbes\\_Nash,\\_Jr.\\_by\\_Peter\\_Badge.jpg](https://commons.wikimedia.org/wiki/File:John_Forbes_Nash,_Jr._by_Peter_Badge.jpg)
- Slide 10: [https://upload.wikimedia.org/wikipedia/commons/thumb/0/0d/Christos\\_Papadimitriou\\_mg\\_7721-b.cr2.jpg/220px-Christos\\_Papadimitriou\\_mg\\_7721-b.cr2.jpg](https://upload.wikimedia.org/wikipedia/commons/thumb/0/0d/Christos_Papadimitriou_mg_7721-b.cr2.jpg/220px-Christos_Papadimitriou_mg_7721-b.cr2.jpg)
- Slide 13 (left): [https://upload.wikimedia.org/wikipedia/en/6/6b/John\\_Harsanyi.jpg](https://upload.wikimedia.org/wikipedia/en/6/6b/John_Harsanyi.jpg)
- Slide 13 (right): <https://www.nobelprize.org/images/aumann-13707-portrait-medium.jpg>
- Slide 15: <https://upload.wikimedia.org/wikipedia/commons/thumb/5/5e/JohnvonNeumann-LosAlamos.gif/460px-JohnvonNeumann-LosAlamos.gif?20120203092457>

This image comes from Los Alamos National Laboratory, a national laboratory privately operated under contract from the United States Department of Energy by Los Alamos National Security, LLC between October 1, 2007 and October 31, 2018. LANL allowed anyone to use it for any purpose, provided that the copyright holder is properly attributed. Redistribution, derivative work, commercial use, and all other use is permitted. LANL requires the following text be used when crediting images to it: Unless otherwise indicated, this information has been authored by an employee or employees of the Los Alamos National Security, LLC (LANL), operator of the Los Alamos National Laboratory under Contract No. DE-AC52-06NA25396 with the U.S. Department of Energy. The U.S. Government has rights to use, reproduce, and distribute this information. The public may copy and use this information without charge, provided that this Notice and any statement of authorship are reproduced on all copies. Neither the Government nor LANL makes any warranty, express or implied, or assumes any liability or responsibility for the use of this information.

- Slide 17 (left): [https://upload.wikimedia.org/wikipedia/commons/thumb/d/d9/Opening\\_chess\\_position\\_from\\_black\\_side.jpg/800px-Opening\\_chess\\_position\\_from\\_black\\_side.jpg?20080101102107](https://upload.wikimedia.org/wikipedia/commons/thumb/d/d9/Opening_chess_position_from_black_side.jpg/800px-Opening_chess_position_from_black_side.jpg?20080101102107)
- Slide 17 (right): [https://upload.wikimedia.org/wikipedia/commons/a/a2/Tic\\_Tac\\_Toe.jpg?20060520145452](https://upload.wikimedia.org/wikipedia/commons/a/a2/Tic_Tac_Toe.jpg?20060520145452)
- Slide 22: <https://www.nobelprize.org/images/selten-13458-portrait-medium.jpg>
- Slide 25 (left): [https://afflictor.com/wp-content/uploads/2015/12/OB-MJ455-Jeopard\\_G\\_20110204194146.jpg](https://afflictor.com/wp-content/uploads/2015/12/OB-MJ455-Jeopard_G_20110204194146.jpg)
- Slide 25 (mid): [https://cdn.prod.www.spiegel.de/images/fa734470-0001-0005-0000-000000746008\\_w335\\_r1.52727272727273\\_fpx66.91\\_fpy49.82.jpg](https://cdn.prod.www.spiegel.de/images/fa734470-0001-0005-0000-000000746008_w335_r1.52727272727273_fpx66.91_fpy49.82.jpg)
- Slide 25 (right): <https://cdn.geekwire.com/wp-content/uploads/2016/03/160309-sedol.jpg>