


Getting the « Reference Vertex »

This tutorial guides you to discover the « Reference Vertex » of a D-Former, for use in Character Splitter



Note : starting from Version 4 of Character Splitter, the « Reference Vertex » is automatically inferred from the D-Former.


Use this tutorial only if it failed or if you prefer to use another vertex




Tools menu items:


- Scene Navigator (Alt+Shift+F)
- Node Selection (Alt+Shift+V)
- Universal (Alt+Shift+U)
- Rotate (Alt+Shift+R)
- Translate (Alt+Shift+T)
- Scale (Alt+Shift+S)
- Surface Selection (Alt+Shift+M)
- Region Navigator (Alt+Shift+N)
- Joint Editor (Alt+Shift+J)
- Geometry Editor (Alt+Shift+G)
- Spot Render (Alt+Shift+C)
- Node Weight Map Brush (Alt+Shift+W)**
- ActivePose (Alt+Shift+P)
- aniMate2 (Alt+Shift+A)


Select the « Node Weight Map Brush » tool from the « Tools » menu




Enable the « Tool Settings » panel
from the Window > Panes menu









- 1) Select the base figure in the Scene tab
- 2) Select the vertex located at the center of the neck edge loop
- 3) Select the « Details » tab to get the indice of the selected vertex (3222) : this is our « Reference Vertex »

Setting the « Reference Vertex » in Character Splitter

In the « Body » tab, simply set the « Vertex » field to the vertex indice you identified previously.

