





This script splits a full character morph in 2 parts (Head & Body), using both :

- a D-Former preset (automatically applied, unless you apply one to your character before running the script)
- a reference vertex (eg. #3127 for G8F), located on the cutting edge loop. This vertex height position is used to align the morphed figure to the base (unmorphed) figure. It is inferred from the applied D-Former preset.

Morphs for head components (eyelashes, eyes, tear, mouth & eyebrow) are also created.

Optionally a controller morph that drives the 2 split morphs can be created. This controller allows to apply the full character (head + body), with an optional scaling factor.

Two methods are available for the split process :

- a 'normalized' method (default) that creates 'scaled' head & body morphs, with 'standard' height
- a 'WYSIWYG' method that 'simply' separates head & body morphs

The choice of the method, controlled by the 'Normalize Figure' checkbox option available in the 'Settings' Tab, depends both on your morph characteristics & the way you intend to use the split morphs.

Extensive detailed explanation of what the 2 methods perform and achieve is available in the 2 'Under the hood' documents.

As a bonus, although it is not optimized for this task, this script also allows to save current shape as a morph. To do so, uncheck 'Split Shape Using a D-Former' in the GUI ('Settings' Tab). This disables the 'Body' & 'CTRL' Tabs. This can be handy to 'normalize' existing morphs.

As an optimization, a threshold of 0.001 is used to discard insignificant displacements when freezing properties.

The progress report, displayed when the splitting process is running, is mainly used to centralize events and pop-up windows. As the full process takes only a few seconds, we don't use a progress bar.

In case of issue, you'll see an error pop-up. You'll have to inspect the 'Log Report' (found in the 'Log' Tab) for possible clues as to when, where & why it failed. You can also have a look at the log file by clicking on the 'Show Log' button (found at the bottom of the 'Log' Tab). Also refer to 'Setup Validation' & 'DAZ Studio Plugins Validation' sections.

Even if everything went fine, always check the 'Log Report', which is automatically displayed (you can only look for lines that are prepended by a '💀'). You can also test your morphs before leaving (refer to 'Morph Sliders' section).

Finally note that if your character has corrective morphs before splitting, you'll have to recreate them manually for your split character.



The rest of this user manual presents the different tabs of the user interface, along with the corresponding Studio GUI ('Parameter Settings', 'Shaping' & 'Content Library' panes, assets save options).

It concludes with the 5 steps workflow for a successful split and some tips for troubleshooting.

'Head' Tab

Note that **you are not allowed to overwrite a morph** (could happen if Name is already in use by another morph) **or use an existing Label**. In both cases, your input gets discarded and replaced by a placeholder notification.



For G8, G8.1 & G9, 'Morphed Attachments' allows to select the attachments (eyelashes, tear, eyes, mouth, eyebrows) for which you want to create a morph. Attachments with a morph applied are checked by default.



- ❖ Label inherits Name value, but can be changed freely
- ❖ Card Image (optional, 91x91 pixels transparent png file) can be located anywhere and named freely. If your card is not ready, you can drop it later in your product folder. You can use last tab (💀) to open the folder, by clicking on its path.

Note : morphs for head attachments are hidden & driven by the head morph. Hence they don't need cards.


'Body' Tab



- ❖ Label inherits Name value, but can be changed freely
- ❖ Card Image (optional, 147x185 pixels transparent png file) can be located anywhere and named freely. If your card is not ready, you can drop it later in your product folder
- ❖ Vertex is a reference vertex located on the 'cutting' edge loop that separates body & head. Leave as-is in most cases

Note that **you are not allowed to overwrite a morph** (could happen if Name is already in use by another morph) or **use an existing Label**. In both cases, your input gets discarded and replaced by a placeholder notification.

'CTRL' Tab







- ❖ Label inherits Name value, but can be changed freely
- ❖ Card Image (optional, 147x185 pixels transparent png file) can be located anywhere and named freely. If your card is not ready, you can drop it later in your product folder
- ❖ Scale is the target scale (100% is current scale). Useful for non-adult characters or anime / fantasy creatures, with uncommon height

Note that **you are not allowed to overwrite a morph** (could happen if Name is already in use by another morph) **or use an existing Label**. In both cases, your input gets discarded and replaced by a placeholder notification.

'Settings' Tab




File > Save As > Support Asset > Morph Asset(s)...



- ❖ Split Shape sets whether to use a D-Former to split figure in 2 parts (e.g. head & body). If unchecked, a morph is created from full current figure shape, and 'Body' and 'CTRL' tabs become unavailable
- ❖ Create Controller (available when 'Split' is checked) sets whether to create a controller that drives both morphs and scale. When unchecked, 'CTRL' tab is disabled
- ❖ Normalize Figure allows to rescale the morphs to match base figure proportions
- ❖ Color A & Color B : these settings apply to head & body morphs & to the controller. They set the background gradient for your sliders in the Parameters & Shaping panes. Color A is top/left gradient & Color B is bottom/right
- ❖ Hit Save Morph(s) button when you're ready to create your morphs

'Preset' Tab (Character)

File > Save As > Character Preset...






When a controller has been created, the 'Preset' tab becomes available to allow creating a character preset

- ❖ Output Directory : click to select where to save your character preset (press Shift key to open directory)
- ❖ Material Settings : whether to save current material settings (should be left checked in most cases)
- ❖ Name is inferred from 'Product' in 'Settings' tab, but can be changed freely
- ❖ Card Image (optional, 256x256 & 91x91 pixels png files) can be located anywhere and named freely. If your cards are not ready, you can drop them later in your product folder (which can be opened by clicking the 'Output Directory' while pressing Shift key), to replace those generated by the script from a viewport snapshot
- ❖ Not exposed : 'Compress File' is inferred from 'Settings' tab & 'Shape Settings' can't be unchecked (nonsensical)

'Preset' Tab (Shaping)


File > Save As > Shaping Preset...



When no controller is created, the 'Preset' tab becomes available to allow creating a shaping preset for each morph


- ❖ Output Directory : click to select where to save your character preset (press Shift key to open directory)
- ❖ Current Frame Only (not exposed) : always on
- ❖ Compress File (not exposed) is inferred from 'Settings' tab (where it can be modified if need be)
- ❖ Each shaping preset name is inferred from its morph label
- ❖ If you have image cards available, put them in the export folder (click on 'Output Directory' with Shift key pressed to open it) to replace those automatically generated by the script (viewport snapshots)

'Log' Tab




Always have a look at the Log Report when the script finishes, whether successfully or not. Successful steps are prepended with a '✓' and failures/errors are prepended with a '💀'.

If need be, you can click on the 'Show Log' button to display Studio log file




- 1 Fill the name of the morphs you want to find. Labels (Head, Body & CTRL) are just reminders, you can actually fill fields as you please. Once done, hit the 'Find Morph(s)' button. You can do it many times, for example if you made a typo.
- 2 The list of matching morphs appears. You can verify its content and uncheck morphs you want to keep (in case you intend to delete some morphs). Note that head components (eyelashes, eyes...) have the same name as the Head morph. 'Path' column may be empty for morphs that have not been saved to file. When available, you can click on path to open their location, for example to drop image cards into them. If you want to delete selected morphs, hit the 'Delete Morph(s)' button. This definitively deletes the files & cached data, as well as empty directories and card images, for a clean removal.
- 3 If everything went fine, you end up with an empty list (as pictured). Otherwise, you see the list of the morphs for which deletion failed. Successes & failures are logged in the 'Log' Tab. Note that there is no clue as to why it failed.

Morph Sliders





- ❖ Once morphs are created, a slider appears at the bottom of each tab (Head, Body & CTRL)
- ❖ These sliders allow to test the morphs without leaving Character Splitter
- ❖ In case something went awry, you can delete junk morphs from last tab (💀)

Setup Validation







- ❖ When hitting the 'Save Morph(s)' button, a few checks are performed to ensure that all the mandatory fields have been set. If the '💀 💀' pop-up appears, take note of the missing fields, close the popup, fill the missing fields and hit the 'Save Morph(s)' button again
- ❖ A warning pop-up (💀 D-Former Issue) is also displayed at start in case a D-Former issue is detected. You can ignore this warning if you don't want to split your character. Otherwise you have to close the pop-up & the GUI, put a valid D-Former in Scripts/Character Splitter folder (or apply it manually), and launch the script again

- ❖ The script uses features that require the activation of 5 plugins. **If you're using the 'pro' version of Studio then your config should be OK, unless some plugins have been disabled**
- ❖ To ensure that these mandatory plugins are available, the first task of the script is to perform a check-up
- ❖ If the 'Customize Interface' plugin is not available you will see an error message inviting you to check the log file (accessible via Help > Troubleshooting > View Log File). In the log file you will see : "[FATAL ERROR] To use Character Splitter the 'Customize Interface' plugin must be enabled". Enable this plugin and restart Studio
- ❖ If other plugins are missing, you will see a pop-up indicating the name of the plugins and their current state (see top image, here the plugins exist but are not enabled)
- ❖ Simply take note of these names or take a snapshot of the pop-up before closing it
- ❖ The 'About Installed Plugins' dialog shows up so you can enable the disabled plugins
- ❖ Note that enabling plugins require a restart of Studio. If you forget to do that then the plugins will remain in issue, with the 'RequiresRestart' state (see bottom image)
- ❖ If your version of Studio doesn't include some plugins then you will have to install the 'pro' version (or another version that includes these plugins)



Workflow



- 1 Load your base figure in the Scene
- 2 Zero the figure from the main menu : Edit > Figure > Zero > Zero Figure & click 'Zero'
- 3 Apply your morph(s) to the base figure
- 4 Run the 'Character Splitter' script located in the 'Scripts/Character Splitter' folder of your Content Library.
For G8, G8.1 & G9, press 'Esc' when prompted to apply the D-Former to other fitted figures ( D-Former Load Options)
- 5 Configure 'Character Splitter' GUI and hit the 'Save Morph(s)' button when ready to create your morphs