

Share-With-Your-Doctor BP & Glucose Log

Home readings, organized for your next appointment

SHARE-WITH-YOUR-DOCTOR

BP & GLUCOSE LOG

Four weeks of home readings, organized into the one page your doctor will actually read.

From Carnivore Weekly | carnivoreweekly.com

How to use this log

If your doctor said "monitor at home and bring me the numbers," this log is the paper they were hoping you'd bring. It's built for one job: turning a month of home readings into something clear, consistent, and easy to hand across the desk.

Here's how it works:

Page 2 teaches you how to take consistent readings. Read it before day one, because consistency is what makes home readings useful. A pile of numbers taken different ways at different times is hard for anyone to read. The same routine, twice a day, tells a story.

Pages 3 to 6 are your four weekly log pages. Morning and evening readings, a simple checkbox for whether you took your medications as prescribed that day, and one line at the bottom for what changed in your eating that week. That last line is the part most logs skip, and it's the part that matters most when you're changing how you eat. It gives your doctor the context beside the numbers.

Page 7 is the doctor summary sheet. At the end of your four weeks, you'll condense everything onto this single page. It's the page your doctor will actually look at, with your weekly logs behind it as backup.

Page 8 covers when to call your doctor, plus my full disclaimer.

Two things before you start. First, this log records numbers. It never interprets them. What your readings mean is your doctor's call, always. Second, if you take blood pressure or blood sugar medication, keep taking it exactly as prescribed while you log. If you ever have questions about your medications, that call goes to your doctor, not to a printable.

You only track BP, or only glucose? No problem. Use the columns you need and leave the rest blank.

Sarah, Health Coach, Carnivore Weekly

How to Take Consistent Readings

Same way, same times, every day

This page is education on standard measurement technique, the kind recommended by groups like the American Heart Association and taught in doctors' offices. It's about how to measure, not what your numbers should be. Targets and interpretation belong to your doctor, and if they've given you specific instructions, theirs win over anything printed here.

Blood pressure: the standard technique

- **Pick two consistent times**, morning and evening, and stick with them. Many people choose before breakfast and before bed.
- **For 30 minutes beforehand**, skip caffeine, exercise, and smoking. They can all nudge readings.
- **Empty your bladder first**. A full bladder can affect the number.
- **Sit quietly for 5 minutes before measuring**. No phone, no TV, no conversation. Just sit.
- **Position matters**: back supported against the chair, both feet flat on the floor, legs uncrossed.
- **Cuff on a bare arm**, not over a sleeve, with your arm resting on a table at about heart level.
- **Use the right cuff size**. A cuff that's too small or too large gives unreliable readings. Your pharmacist can help you check the fit.
- **Don't talk during the reading**, and don't watch the screen like a hawk. Just breathe normally.
- **Take two readings, about one minute apart**, and record both. Use the same arm every time.
- **Measure before taking your morning medications**, unless your doctor tells you otherwise. When in doubt, ask them what timing they prefer.

Blood glucose: consistency counts here too

- Follow the instructions that came with your meter, and ask your pharmacist or doctor to check your technique if you're new to it.
- **Wash and dry your hands first**. Food residue on a fingertip can throw a reading off.
- **Log the timing context**, because glucose readings only make sense with it. Note whether the reading was fasting (first thing, before food) or taken after a meal, and your doctor may tell you exactly when they want you testing.
- Use test strips that aren't expired, and store them the way the package says.

For both

- Bring your home monitor to an appointment once and ask the office to check it against theirs. It's a five-minute favor that makes your whole log more trustworthy.
- A single odd reading happens to everyone. Don't panic over one number, and don't round numbers or skip the readings you don't like. Your doctor needs the real picture, and patterns matter more than any single reading. (Page 8 covers when a reading or symptom means you should pick up the phone.)

My monitor make and model _____

Cuff size, if known _____

Arm I always use _____

My two daily reading times _____

Glucose timing my doctor asked for, if any _____

Week 1 Log

Week of (start date) _____

to (end date) _____

Record readings at your two consistent times. If you take two BP readings a minute apart, jot both in the box (for example "138/86, 134/84"). Leave any column you don't use blank. The medications checkbox simply records whether you took everything as your doctor prescribed that day. It's information for your doctor, not a judgment.

DAY	AM TIME	AM BLOOD PRESSURE	AM PULSE	AM GLUCOSE (NOTE FASTING OR AFTER MEAL)	PM TIME	PM BLOOD PRESSURE	PM PULSE	PM GLUCOSE (NOTE TIMING)	TOOK ALL MEDS AS PRESCRIBED TODAY (CHECKBOX)

Diet context for this week

(This is what makes this log different. One or two lines: what changed in your eating this week? "Started week one of carnivore." "Added more salt." "Ate out twice, off plan once." Plain and honest.)

What changed in my eating this week

Anything else my doctor should know about this week

(Poor sleep, illness, stress, travel, missed readings and why.)

Notes for my doctor

Week 2 Log

Week of (start date) _____

to (end date) _____

Same routine as last week: same times, same arm, same chair if you can manage it. Consistency is doing the heavy lifting here. If you missed days last week, don't quit. A log with gaps still beats no log, and your doctor would rather see an honest patchy month than a perfect-looking fake one.

DAY	AM TIME	AM BLOOD PRESSURE	AM PULSE	AM GLUCOSE (NOTE FASTING OR AFTER MEAL)	PM TIME	PM BLOOD PRESSURE	PM PULSE	PM GLUCOSE (NOTE TIMING)	TOOK ALL MEDS AS PRESCRIBED TODAY (CHECKBOX)

Diet context for this week

What changed in my eating this week

Anything else my doctor should know about this week

Notes for my doctor

Week 3 Log

Week of (start date) _____

to (end date) _____

Halfway there. A quick technique check: are you still sitting quietly for five minutes first? Still using the same arm, cuff on bare skin, feet flat? It's easy to get casual by week three, and casual technique makes noisy numbers. Two minutes of care keeps your log worth handing over.

DAY	AM TIME	AM BLOOD PRESSURE	AM PULSE	AM GLUCOSE (NOTE FASTING OR AFTER MEAL)	PM TIME	PM BLOOD PRESSURE	PM PULSE	PM GLUCOSE (NOTE TIMING)	TOOK ALL MEDS AS PRESCRIBED TODAY (CHECKBOX)

Diet context for this week

What changed in my eating this week

Anything else my doctor should know about this week

Notes for my doctor

Week 4 Log

Week of (start date) _____

to (end date) _____

Last week of this set. When it's done, take ten minutes with a cup of coffee and fill in the summary sheet on the next page. That's the page that turns your month of work into something your doctor can absorb in one look. If you're continuing past four weeks, just print pages 3 to 7 again and start a fresh set.

DAY	AM TIME	AM BLOOD PRESSURE	AM PULSE	AM GLUCOSE (NOTE FASTING OR AFTER MEAL)	PM TIME	PM BLOOD PRESSURE	PM PULSE	PM GLUCOSE (NOTE TIMING)	TOOK ALL MEDS AS PRESCRIBED TODAY (CHECKBOX)

Diet context for this week

What changed in my eating this week

Anything else my doctor should know about this week

Notes for my doctor

Doctor Summary Sheet

One page. This is the one to hand over.

Fill this in after week 4, copying from your weekly logs. For "my usual readings," look over each week and write the range you saw most often (for example "130s over 80s" or "typically 105 to 118 fasting"). You're organizing your own recorded numbers, not grading them. What they mean, and whether anything should change because of them, is your doctor's job. Hand them this sheet and let them do it.

Name _____ Date prepared _____

Date range covered (4 weeks) _____ Monitor used (make and model) _____

Cuff size and arm used _____ My usual reading times (AM and PM) _____

Glucose readings were mostly: fasting / after meals / mixed _____

Four weeks at a glance

WEEK	DATES	MY USUAL AM BP	MY USUAL PM BP	MY USUAL AM GLUCOSE	MY USUAL PM GLUCOSE	DAYS ALL MEDS TAKEN AS PRESCRIBED (OUT OF 7)

Diet context across these four weeks

(Two or three lines. Example: "Started a low-carb, meat-based way of eating on the 3rd. Cut out bread, sugar, and snacks. Added salt to meals.")
What changed in my eating over these four weeks

Readings or days that stood out to me

(Unusually high or low readings, odd days, anything you flagged in your weekly notes. Just point them out. Your doctor interprets.)
Readings I want to point out

Symptoms I noticed during these four weeks, if any

Symptoms and when they happened

My questions about these readings

Question 1

Question 2

Question 3

How I'd like to share future readings (portal, printout, phone), per my doctor's preference _____

When to Call Your Doctor

"Call your doctor if" is a feature, not fine print

This log records numbers, and numbers sometimes come with moments where the right move is to stop logging and pick up the phone. This page is education on when that is, the same framing I use in my hub guide. It's not a diagnosis tool, and it can't cover every situation. When in doubt, call. Nobody ever regretted a phone call to their doctor's office.

Call emergency services (911) right away for:

- Chest pain or pressure
- Severe shortness of breath
- Signs of stroke: face drooping, arm weakness, slurred speech, sudden confusion
- Fainting or collapse
- A sudden, severe headache unlike any you've had, especially with vision changes or confusion

Don't take a reading first. Don't wait to see if it passes. Call.

Call your doctor's office if:

- Your readings keep landing well above or well below your usual pattern, for more than a day or two
- You feel dizzy or lightheaded, especially when standing up
- You take blood sugar medication and get symptoms of low blood sugar: shakiness, sweating, sudden hunger, confusion, or feeling faint. Follow the plan your doctor gave you for lows, and let their office know it happened
- You notice new swelling in your feet, ankles, or hands
- You have a racing, pounding, or irregular heartbeat that's new for you
- You feel unusually weak, fatigued, or just "off" in a way that worries you
- You're unsure whether something is worth a call. That's a call.

Why does this matter extra during a diet change? Because changing how you eat can shift how your body behaves, and if you take medications, your doctor is the one who watches that intersection. Medical conditions and medication interactions are complex. If you're under medical care, any dietary changes require your doctor's input, and your job in the meantime is simple: keep taking your medications exactly as prescribed, keep logging honestly, and report what you see.

My doctor's office phone number _____

After-hours or nurse line number, if my clinic has one _____

My pharmacy phone number _____

The Part I Won't Skip

The part I won't skip

I'm not a doctor. I've researched this deeply and worked with many people, but I'm not your doctor. If you have health conditions, take medications, or need specific guidance, talk to someone who knows your full medical picture. Everything in this log is educational, based on research and what I've seen work. Your situation might be different.

Nothing in these pages tells you what your readings mean, what to take, or what to change. It's a recording tool plus plain-language education, and every decision about your health belongs to you and your doctor together.

If you'd like more support: my free guide, *Carnivore With Health Conditions and Medications*, walks through doctor coordination step by step, including how to talk with a skeptical doctor. It's at **carnivoreweekly.com**, along with our free protein and macros calculator. This log also pairs naturally with our Doctor Visit Prep Kit if you have an appointment coming up.

Take care of yourself, and let your doctor help you do it.

Sarah

Health Coach, Carnivore Weekly

© Carnivore Weekly. For personal use. Educational content only, not medical advice. Not intended to diagnose or treat any condition.