2D Max Projection − Single−Cell Aggregate Profiles − Replicate Correlation (Clustered)

Treatment
Patient
TumorType

Treatment
- ARV−825
- Binimetinib
- Cabozantinib
- Copanlisib
- Digoxin
- DMSO
- Everolimus
- Fimepinostat
- Imatinib
- Ketotifen
- Linsitinib
- Mirdametinib
- Nilotinib
- Onalespib
- Panobinostat
- Rapamycin
- Sapanisertib
- Selumetinib
- Staurosporine
- Trabectedin
- Trametinib
- Vistusertib

Patient
- NF0014_T1
- NF0014_T2
- NF0016_T1
- NF0018_T6
- NF0021_T1
- NF0030_T1
- NF0035_T1
- NF0037_T1
- NF0040_T1
- NF0055_T1
- SARCO219_T2
- SARCO361_T1

Tumor type
- cNF
- MPNST
- Other
- pNF

Pearson correlation
1
0.5
0
−0.5
−1

2D Max Projection − Single−Cell Aggregate Profiles − Replicate Correlation (Unclustered)




Treatment
- ARV−825
- Binimetinib
- Cabozantinib
- Copanlisib
- Digoxin
- DMSO
- Everolimus
- Fimepinostat
- Imatinib
- Ketotifen
- Linsitinib
- Mirdametinib
- Nilotinib
- Onalespib
- Panobinostat
- Rapamycin
- Sapanisertib
- Selumetinib
- Staurosporine
- Trabectedin
- Trametinib
- Vistusertib

Patient
- NF0014_T1
- NF0014_T2
- NF0016_T1
- NF0018_T6
- NF0021_T1
- NF0030_T1
- NF0035_T1
- NF0037_T1
- NF0040_T1
- NF0055_T1
- SARCO219_T2
- SARCO361_T1

Tumor type
- cNF
- MPNST
- Other
- pNF

Pearson correlation
- 1
- 0.5
- 0
- −0.5
- −1

2D Middle Slice − Single−Cell Aggregate Profiles − Replicate Correlation (Clustered)



Treatment

- ARV−825
- Binimetinib
- Cabozantinib
- Copanlisib
- Digoxin
- DMSO
- Everolimus
- Fimepinostat
- Imatinib
- Ketotifen
- Linsitinib
- Mirdametinib
- Nilotinib
- Onalespib
- Panobinostat
- Rapamycin
- Sapanisertib
- Selumetinib
- Staurosporine
- Trabectedin
- Trametinib
- Vistusertib

Patient

- NF0014_T1
- NF0014_T2
- NF0016_T1
- NF0018_T6
- NF0021_T1
- NF0030_T1
- NF0035_T1
- NF0037_T1
- NF0040_T1
- NF0055_T1
- SARCO219_T2
- SARCO361_T1

Tumor type

- cNF
- MPNST
- Other
- pNF

Pearson correlation

1
0.5
0
−0.5
−1

2D Middle Slice − Single−Cell Aggregate Profiles − Replicate Correlation (Unclustered)



2D Middle N Slice − Single−Cell Aggregate Profiles − Replicate Correlation (Clustered)

Treatment
Patient
TumorType

Treatment
- ARV−825
- Binimetinib
- Cabozantinib
- Copanlisib
- Digoxin
- DMSO
- Everolimus
- Fimepinostat
- Imatinib
- Ketotifen
- Linsitinib
- Mirdametinib
- Nilotinib
- Onalespib
- Panobinostat
- Rapamycin
- Sapanisertib
- Selumetinib
- Staurosporine
- Trabectedin
- Trametinib
- Vistusertib

Patient
- NF0014_T1
- NF0014_T2
- NF0016_T1
- NF0018_T6
- NF0021_T1
- NF0030_T1
- NF0035_T1
- NF0037_T1
- NF0040_T1
- NF0055_T1
- SARCO219_T2
- SARCO361_T1

Tumor type
- cNF
- MPNST
- Other
- pNF

Pearson correlation
1
0.5
0
−0.5
−1

2D Middle N Slice − Single−Cell Aggregate Profiles − Replicate Correlation (Unclustered)

Treatment
Patient
TumorType

Treatment
- ARV−825
- Binimetinib
- Cabozantinib
- Copanlisib
- Digoxin
- DMSO
- Everolimus
- Fimepinostat
- Imatinib
- Ketotifen
- Linsitinib
- Mirdametinib
- Nilotinib
- Onalespib
- Panobinostat
- Rapamycin
- Sapanisertib
- Selumetinib
- Staurosporine
- Trabectedin
- Trametinib
- Vistusertib

Patient
- NF0014_T1
- NF0014_T2
- NF0016_T1
- NF0018_T6
- NF0021_T1
- NF0030_T1
- NF0035_T1
- NF0037_T1
- NF0040_T1
- NF0055_T1
- SARCO219_T2
- SARCO361_T1

Tumor type
- cNF
- MPNST
- Other
- pNF

Pearson correlation
- 1
- 0.5
- 0
- −0.5
- −1