

2D Max Projection – Single-Cell Aggregate Profiles – Replicate Correlation (Clustered)

Treatment

Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib

Patient


2D_analysis

Tumor type


NA

Pearson correlation

1
0.5
0
-0.5
-1



2D Max Projection – Single-Cell Aggregate Profiles – Replicate Correlation (Unclustered)



2D Middle Slice – Single-Cell Aggregate Profiles – Replicate Correlation (Clustered)

Treatment

Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib

Patient


2D_analysis

Tumor type


NA

Pearson correlation

1
0.5
0
-0.5
-1



2D Middle Slice – Single-Cell Aggregate Profiles – Replicate Correlation (Unclassified)



2D Middle N Slice – Single-Cell Aggregate Profiles – Replicate Correlation (Clustered)

Treatment

Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib

Patient

2D_analysis


Tumor type

NA

Pearson correlation

1
0.5
0
-0.5
-1

Treatment
Patient
TumorType



2D Middle N Slice – Single-Cell Aggregate Profiles – Replicate Correlation (Unclustered)

