



treatment + manhattan_distance_from_center | Binimetinib_10uM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)




treatment + manhattan_distance_from_center | Binimetinib_1uM

Features significant for exactly these variates, by the patients they occur in (bars: number of features shared by exactly that patient combination)




treatment + manhattan_distance_from_center | Cabozantinib_1uM

Features significant for exactly these variates, by the patients they occur in (bars: number of features shared by exactly that patient combination)




treatment + manhattan_distance_from_center | Copanlisib_1uM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)




treatment + manhattan_distance_from_center | Digoxin_1uM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)




treatment + manhattan_distance_from_center | Everolimus_1uM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)




treatment + manhattan_distance_from_center | Fimepinostat_1uM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)




treatment + manhattan_distance_from_center | Imatinib_1uM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)




treatment + manhattan_distance_from_center | Ketotifen_1uM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)




treatment + manhattan_distance_from_center | Mirdametinib_10uM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)




treatment + manhattan_distance_from_center | Mirdametinib_1uM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)




treatment + manhattan_distance_from_center | Nilotinib_1uM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)




treatment + manhattan_distance_from_center | Onalespib_1uM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)




treatment + manhattan_distance_from_center | Panobinostat_1uM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)




treatment + manhattan_distance_from_center | Rapamycin_1uM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)




treatment + manhattan_distance_from_center | Selumetinib_10uM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)




treatment + manhattan_distance_from_center | Selumetinib_1uM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)




treatment + manhattan_distance_from_center | Staurosporine_10nM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)




treatment + manhattan_distance_from_center | Trabectedin_1uM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)




treatment + manhattan_distance_from_center | Trametinib_10uM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)



treatment + manhattan_distance_from_center | Trametinib_1uM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)



treatment + manhattan_distance_from_center | Vistusertib_1uM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)

