



treatment + manhattan_distance_from_center + cell_x_position | Binimetinib_10uM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)




treatment + manhattan_distance_from_center + cell_x_position | Cabozantinib_1uM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)




treatment + manhattan_distance_from_center + cell_x_position | Fimepinostat_1uM
Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)




treatment + manhattan_distance_from_center + cell_x_position | Imatinib_1uM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)




treatment + manhattan_distance_from_center + cell_x_position | Ketotifen_1uM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)




treatment + manhattan_distance_from_center + cell_x_position | Nilotinib_1uM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)



treatment + manhattan_distance_from_center + cell_x_position | Rapamycin_1uM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)



treatment + manhattan_distance_from_center + cell_x_position | Selumetinib_10uM

Features significant for exactly these variates, by the patients they occur in
(bars: number of features shared by exactly that patient combination)

