

```
├─ abbrev@1.0.7
│   ├── licenses: ISC
│   ├── repository: https://github.com/isaacs/abbrev-js
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/abbrev/LICENSE
├─ accepts@1.2.13
│   ├── licenses: MIT
│   ├── repository: https://github.com/jshttp/accepts
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/accepts/LICENSE
├─ accepts@1.3.1
│   ├── licenses: MIT
│   ├── repository: https://github.com/jshttp/accepts
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/compression/node_modules/accepts/LICENSE
├─ ansi@0.3.1
│   ├── licenses: MIT
│   ├── repository: https://github.com/TooTallNate/ansi.js
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/fsevents/node_modules/ansi/LICENSE
├─ ansi-regex@0.2.1
│   ├── licenses: MIT
│   └── repository: https://github.com/sindresorhus/ansi-regex
├─ ansi-regex@2.0.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/sindresorhus/ansi-regex
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/ansi-regex/license
├─ ansi-styles@1.1.0
│   ├── licenses: MIT
│   └── repository: https://github.com/sindresorhus/ansi-styles
├─ ansi-styles@2.1.0
│   ├── licenses: MIT
│   └── repository: https://github.com/chalk/ansi-styles
├─ ansi-styles@2.2.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/chalk/ansi-styles
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/ansi-styles/license
├─ anymatch@1.3.0
│   ├── licenses: ISC
│   ├── repository: https://github.com/es128/anymatch
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/anymatch/LICENSE
├─ archy@1.0.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/substack/node-archy
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/archy/LICENSE
├─ are-we-there-yet@1.0.6
```

```
|   | licenses: ISC
|   | repository: https://github.com/iarna/are-we-there-yet
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/fsevents/node_modules/are-we-there-yet/LICENSE
|   | arr-diff@2.0.0
|   |   | licenses: MIT
|   |   | repository: https://github.com/jonschlinkert/arr-diff
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/arr-diff/LICENSE
|   | arr-flatten@1.0.1
|   |   | licenses: MIT
|   |   | repository: https://github.com/jonschlinkert/arr-flatten
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/arr-flatten/LICENSE
|   | array-differ@1.0.0
|   |   | licenses: MIT
|   |   | repository: https://github.com/sindresorhus/array-differ
|   | array-find-index@1.0.1
|   |   | licenses: MIT
|   |   | repository: https://github.com/sindresorhus/array-find-index
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/array-find-index/license
|   | array-flatten@1.1.1
|   |   | licenses: MIT
|   |   | repository: https://github.com/blakeembrey/array-flatten
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/array-flatten/LICENSE
|   | array-union@1.0.1
|   |   | licenses: MIT
|   |   | repository: https://github.com/sindresorhus/array-union
|   | array-uniq@1.0.2
|   |   | licenses: MIT
|   |   | repository: https://github.com/sindresorhus/array-uniq
|   | array-unique@0.2.1
|   |   | licenses: MIT
|   |   | repository: https://github.com/jonschlinkert/array-unique
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/array-unique/LICENSE
|   | arrify@1.0.1
|   |   | licenses: MIT
|   |   | repository: https://github.com/sindresorhus/arrify
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/arrify/license
|   | asn1@0.2.3
|   |   | licenses: MIT
|   |   | repository: https://github.com/mcavage/node-asn1
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/asn1/LICENSE
|   | assert-plus@0.2.0
|   |   | licenses: MIT
```

- └─ repository: https://github.com/mcavage/node-assert-plus
- ─ assert-plus@1.0.0
  - └─ licenses: MIT
  - └─ repository: https://github.com/mcavage/node-assert-plus
- ─ async@1.5.2
  - └─ licenses: MIT
  - └─ repository: https://github.com/caolan/async
  - └─ licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/async/LICENSE
- ─ async-each@1.0.0
  - └─ licenses: MIT
  - └─ repository: https://github.com/paulmillr/async-each
- ─ aws-sign2@0.6.0
  - └─ licenses: Apache-2.0
  - └─ repository: https://github.com/mikeal/aws-sign
  - └─ licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/aws-sign2/LICENSE
- ─ aws4@1.2.1
  - └─ licenses: MIT
  - └─ repository: https://github.com/mhart/aws4
  - └─ licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/fsevents/node\_modules/aws4/LICENSE
- ─ aws4@1.3.1
  - └─ licenses: MIT
  - └─ repository: https://github.com/mhart/aws4
  - └─ licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/aws4/LICENSE
- ─ balanced-match@0.3.0
  - └─ licenses: MIT
  - └─ repository: https://github.com/juliangruber/balanced-match
  - └─ licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/balanced-match/LICENSE.md
- ─ base64-url@1.2.1
  - └─ licenses: ISC
  - └─ repository: https://github.com/joaquimserafim/base64-url
  - └─ licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/base64-url/LICENSE
- ─ basic-auth@1.0.3
  - └─ licenses: MIT
  - └─ repository: https://github.com/jshttp/basic-auth
  - └─ licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/basic-auth/LICENSE
- ─ beeper@1.1.0
  - └─ licenses: MIT
  - └─ repository: https://github.com/sindresorhus/beeper
  - └─ licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/beeper/license
- ─ binary-extensions@1.4.0
  - └─ licenses: MIT
  - └─ repository: https://github.com/sindresorhus/binary-extensions

```
|   └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/binary-extensions/license
└─ bl@1.0.2
  └─ licenses: MIT
  └─ repository: https://github.com/rvagg/bl
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/fsevents/node_modules/bl/LICENSE.md
└─ bl@1.0.3
  └─ licenses: MIT
  └─ repository: https://github.com/rvagg/bl
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/bl/LICENSE.md
└─ block-stream@0.0.8
  └─ licenses: ISC
  └─ repository: https://github.com/isaacs/block-stream
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/fsevents/node_modules/block-stream/LICENSE
└─ bluebird@2.10.2
  └─ licenses: MIT
  └─ repository: https://github.com/petkaantonov/bluebird
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/bluebird/LICENSE
└─ body-parser@1.14.2
  └─ licenses: MIT
  └─ repository: https://github.com/expressjs/body-parser
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/body-parser/LICENSE
└─ boom@2.10.1
  └─ licenses: BSD-3-Clause
  └─ repository: https://github.com/hapijs/boom
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/boom/LICENSE
└─ brace-expansion@1.1.3
  └─ licenses: MIT
  └─ repository: https://github.com/juliangruber/brace-expansion
└─ braces@1.8.3
  └─ licenses: MIT
  └─ repository: https://github.com/jonschlinkert/braces
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/braces/LICENSE
└─ builtin-modules@1.1.1
  └─ licenses: MIT
  └─ repository: https://github.com/sindresorhus/builtin-modules
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/builtin-modules/license
└─ bytes@2.2.0
  └─ licenses: MIT
  └─ repository: https://github.com/visionmedia/bytes.js
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/bytes/LICENSE
```

```

├─ camelcase@2.1.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/sindresorhus/camelcase
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/camelcase/license
├─ camelcase-keys@2.0.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/sindresorhus/camelcase-keys
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/camelcase-keys/license
├─ camelize@1.0.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/substack/camelize
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/camelize/LICENSE
├─ caseless@0.11.0
│   ├── licenses: Apache-2.0
│   ├── repository: https://github.com/mikeal/caseless
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/caseless/LICENSE
├─ chalk@0.5.1
│   ├── licenses: MIT
│   └── repository: https://github.com/sindresorhus/chalk
├─ chalk@1.1.1
│   ├── licenses: MIT
│   ├── repository: https://github.com/chalk/chalk
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/chalk/license
├─ chokidar@1.4.3
│   ├── licenses: MIT
│   └── repository: https://github.com/paulmillr/chokidar
├─ cli@0.6.6
│   ├── licenses: MIT
│   └── repository: https://github.com/chriso/cli
├─ clone@0.2.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/pvorb/node-clone
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/vinyl-fs/node_modules/clone/LICENSE
├─ clone@1.0.2
│   ├── licenses: MIT
│   ├── repository: https://github.com/pvorb/node-clone
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/clone/LICENSE
├─ clone-stats@0.0.1
│   ├── licenses: MIT
│   ├── repository: https://github.com/hughsk/clone-stats
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/clone-stats/LICENSE.md
├─ color-convert@1.0.0

```

- ├─ licenses: MIT
- ├─ repository: <https://github.com/qix-/color-convert>
- └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/color-convert/LICENSE

- ├─ colors@1.1.2
- ├─ licenses: MIT
- ├─ repository: <https://github.com/Marak/colors.js>
- └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/colors/LICENSE

- ├─ combined-stream@1.0.5
- ├─ licenses: MIT
- ├─ repository: <https://github.com/felixge/node-combined-stream>
- └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/combined-stream/License

- ├─ commander@2.9.0
- ├─ licenses: MIT
- ├─ repository: <https://github.com/tj/commander.js>
- └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/commander/LICENSE

- ├─ compressible@2.0.7
- ├─ licenses: MIT
- ├─ repository: <https://github.com/jshttp/compressible>
- └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/compressible/LICENSE

- ├─ compression@1.6.1
- ├─ licenses: MIT
- ├─ repository: <https://github.com/expressjs/compression>
- └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/compression/LICENSE

- ├─ concat-map@0.0.1
- ├─ licenses: MIT
- ├─ repository: <https://github.com/substack/node-concat-map>
- └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/concat-map/LICENSE

- ├─ configstore@1.4.0
- ├─ licenses: BSD-2-Clause
- └─ repository: <https://github.com/yeoman/configstore>

- ├─ connect@3.4.1
- ├─ licenses: MIT
- ├─ repository: <https://github.com/senchalabs/connect>
- └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/connect/LICENSE

- ├─ console-browserify@1.1.0
- ├─ licenses: MIT
- ├─ repository: <https://github.com/Raynos/console-browserify>
- └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/console-browserify/LICENCE

- ├─ content-disposition@0.5.1
- ├─ licenses: MIT
- └─ repository: <https://github.com/jshttp/content-disposition>

```

|   └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/content-disposition/LICENSE
└─ content-security-policy-builder@1.0.0
  └─ licenses: MIT
  └─ repository: https://github.com/helmetjs/content-security-policy-builder
    └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/content-security-policy-builder/LICENSE
└─ content-type@1.0.1
  └─ licenses: MIT
  └─ repository: https://github.com/jshttp/content-type
    └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/content-type/LICENSE
└─ cookie@0.1.5
  └─ licenses: MIT
  └─ repository: https://github.com/jshttp/cookie
    └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/express/node_modules/cookie/LICENSE
└─ cookie@0.2.3
  └─ licenses: MIT
  └─ repository: https://github.com/jshttp/cookie
    └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/cookie/LICENSE
└─ cookie-parser@1.4.1
  └─ licenses: MIT
  └─ repository: https://github.com/expressjs/cookie-parser
    └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/cookie-parser/LICENSE
└─ cookie-signature@1.0.6
  └─ licenses: MIT
  └─ repository: https://github.com/visionmedia/node-cookie-signature
└─ core-util-is@1.0.2
  └─ licenses: MIT
  └─ repository: https://github.com/isaacs/core-util-is
    └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/core-util-is/LICENSE
└─ crc@3.4.0
  └─ licenses: MIT
  └─ repository: https://github.com/alexgorbatchev/node-crc
    └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/crc/LICENSE
└─ cryptiles@2.0.5
  └─ licenses: BSD-3-Clause
  └─ repository: https://github.com/hapijs/cryptiles
    └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/cryptiles/LICENSE
└─ dashdash@1.12.2
  └─ licenses: MIT
  └─ repository: https://github.com/trentm/node-dashdash
└─ dashdash@1.13.0

```

```
|   |   | licenses: MIT
|   |   | repository: https://github.com/trentm/node-dashdash
|   | dashify@0.2.1
|   |   | licenses: MIT
|   |   | repository: https://github.com/jonschlinkert/dashify
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/dashify/LICENSE
|   | date-now@0.1.4
|   |   | licenses: MIT
|   |   | repository: https://github.com/Colingo/date-now
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/date-now/LICENSE
|   | date-utils@1.2.18
|   |   | licenses: MIT
|   |   | repository: https://github.com/JerrySievert/date-utils
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/date-utils/LICENSE
|   | dateformat@1.0.12
|   |   | licenses: MIT
|   |   | repository: https://github.com/felixge/node-dateformat
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/dateformat/LICENSE
|   | debug@2.2.0
|   |   | licenses: MIT
|   |   | repository: https://github.com/visionmedia/debug
|   | decamelize@1.1.2
|   |   | licenses: MIT
|   |   | repository: https://github.com/sindresorhus/decamelize
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/decamelize/license
|   | deep-extend@0.4.1
|   |   | licenses: MIT
|   |   | repository: https://github.com/unclechu/node-deep-extend
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/deep-extend/LICENSE
|   | defaults@1.0.3
|   |   | licenses: MIT
|   |   | repository: https://github.com/tmpvar/defaults
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/defaults/LICENSE
|   | delayed-stream@1.0.0
|   |   | licenses: MIT
|   |   | repository: https://github.com/felixge/node-delayed-stream
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/delayed-stream/License
|   | delegates@1.0.0
|   |   | licenses: MIT
|   |   | repository: https://github.com/visionmedia/node-delegates
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/fsevents/node_modules/delegates/License
```



```
├─ depd@1.1.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/dougwilson/nodejs-depd
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/depd/LICENSE
├─ deprecated@0.0.1
│   ├── licenses: MIT
│   ├── repository: https://github.com/wearefractal/deprecated
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/deprecated/LICENSE
├─ destroy@1.0.4
│   ├── licenses: MIT
│   ├── repository: https://github.com/stream-utils/destroy
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/destroy/LICENSE
├─ dns-prefetch-control@0.1.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/helmetjs/dns-prefetch-control
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/dns-prefetch-control/LICENSE
├─ dom-serializer@0.1.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/cheeriojs/dom-renderer
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/dom-serializer/LICENSE
├─ domelementtype@1.1.3
│   ├── licenses: BSD*
│   ├── repository: https://github.com/FB55/domelementtype
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/dom-serializer/node_modules/domelementtype/LICENSE
├─ domelementtype@1.3.0
│   ├── licenses: BSD*
│   ├── repository: https://github.com/FB55/domelementtype
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/domelementtype/LICENSE
├─ domhandler@2.3.0
│   ├── licenses: BSD*
│   ├── repository: https://github.com/fb55/DomHandler
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/domhandler/LICENSE
├─ domutils@1.5.1
│   ├── licenses: BSD*
│   ├── repository: https://github.com/FB55/domutils
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/domutils/LICENSE
├─ dont-sniff-mimetype@1.0.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/helmetjs/dont-sniff-mimetype
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/dont-sniff-mimetype/LICENSE
```

```
├─ duplexer@0.1.1
│   ├── licenses: MIT
│   ├── repository: https://github.com/Raynos/duplexer
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/duplexer/LICENSE
├─ duplexer2@0.0.2
│   ├── licenses: BSD
│   ├── repository: https://github.com/deoxxa/duplexer2
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/duplexer2/LICENSE.md
├─ duplexify@3.4.3
│   ├── licenses: MIT
│   ├── repository: https://github.com/mafintosh/duplexify
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/duplexify/LICENSE
├─ ecc-jsbn@0.1.1
│   ├── licenses: MIT
│   ├── repository: https://github.com/quartzjer/ecc-jsbn
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/ecc-jsbn/LICENSE
├─ ee-first@1.1.1
│   ├── licenses: MIT
│   ├── repository: https://github.com/jonathanong/ee-first
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/ee-first/LICENSE
├─ ejs@2.4.1
│   ├── licenses: Apache-2.0
│   └── repository: https://github.com/mde/ejs
├─ end-of-stream@0.1.5
│   ├── licenses: MIT
│   └── repository: https://github.com/mafintosh/end-of-stream
├─ end-of-stream@1.0.0
│   ├── licenses: MIT
│   └── repository: https://github.com/mafintosh/end-of-stream
├─ entities@1.0.0
│   ├── licenses: BSD-like
│   ├── repository: https://github.com/fb55/node-entities
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/entities/LICENSE
├─ entities@1.1.1
│   ├── licenses: BSD-like
│   ├── repository: https://github.com/fb55/node-entities
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/dom-serializer/node_modules/entities/LICENSE
├─ error-ex@1.3.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/qix-/node-error-ex
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/error-ex/LICENSE
├─ es6-promise@3.1.2
```

```
|   | licenses: MIT
|   | repository: https://github.com/jakearchibald/ES6-Promises
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/es6-promise/LICENSE
|   | escape-html@1.0.3
|   |   | licenses: MIT
|   |   | repository: https://github.com/component/escape-html
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/escape-html/LICENSE
|   | escape-string-regexp@1.0.4
|   |   | licenses: MIT
|   |   | repository: https://github.com/sindresorhus/escape-string-regexp
|   | escape-string-regexp@1.0.5
|   |   | licenses: MIT
|   |   | repository: https://github.com/sindresorhus/escape-string-regexp
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/escape-string-regexp/license
|   | etag@1.7.0
|   |   | licenses: MIT
|   |   | repository: https://github.com/jshttp/etag
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/etag/LICENSE
|   | event-stream@3.3.2
|   |   | licenses: MIT
|   |   | repository: https://github.com/dominictarr/event-stream
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/event-stream/LICENSE
|   | exit@0.1.2
|   |   | licenses: MIT
|   |   | repository: https://github.com/cowboy/node-exit
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/exit/LICENSE-MIT
|   | expand-brackets@0.1.4
|   |   | licenses: MIT
|   |   | repository: https://github.com/jonschlinkert/expand-brackets
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/expand-brackets/LICENSE
|   | expand-range@1.8.1
|   |   | licenses: MIT
|   |   | repository: https://github.com/jonschlinkert/expand-range
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/expand-range/LICENSE
|   | express@4.13.4
|   |   | licenses: MIT
|   |   | repository: https://github.com/expressjs/express
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/express/LICENSE
|   | express-session@1.13.0
|   |   | licenses: MIT
|   |   | repository: https://github.com/expressjs/session
```

```
|   └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/express-session/LICENSE
└─ extend@2.0.1
  └─ licenses: MIT
  └─ repository: https://github.com/justmoon/node-extend
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/liftoff/node_modules/extend/LICENSE
└─ extend@3.0.0
  └─ licenses: MIT
  └─ repository: https://github.com/justmoon/node-extend
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/extend/LICENSE
└─ extglob@0.3.2
  └─ licenses: MIT
  └─ repository: https://github.com/jonschlinkert/extglob
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/extglob/LICENSE
└─ extsprintf@1.0.2
  └─ licenses: MIT*
  └─ repository: https://github.com/davepacheco/node-extsprintf
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/extsprintf/LICENSE
└─ fancy-log@1.2.0
  └─ licenses: MIT
  └─ repository: https://github.com/phated/fancy-log
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/fancy-log/LICENSE
└─ faye-websocket@0.7.3
  └─ licenses: MIT
  └─ repository: https://github.com/faye/faye-websocket-node
└─ filename-regex@2.0.0
  └─ licenses: MIT
  └─ repository: https://github.com/regexps/filename-regex
└─ fill-range@2.2.3
  └─ licenses: MIT
  └─ repository: https://github.com/jonschlinkert/fill-range
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/fill-range/LICENSE
└─ finalhandler@0.4.1
  └─ licenses: MIT
  └─ repository: https://github.com/pillarjs/finalhandler
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/finalhandler/LICENSE
└─ find-index@0.1.1
  └─ licenses: MIT
  └─ repository: https://github.com/jsdf/find-index
└─ find-up@1.1.0
  └─ licenses: MIT
  └─ repository: https://github.com/sindresorhus/find-up
  └─ licenseFile: /development/github/rewards-api-reference-app/
```

```
node_modules/find-up/license
├─ findup-sync@0.3.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/cowboy/node-findup-sync
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/findup-sync/LICENSE-MIT
├─ first-chunk-stream@1.0.0
│   ├── licenses: MIT
│   └── repository: https://github.com/sindresorhus/first-chunk-stream
├─ flagged-respawn@0.3.1
│   ├── licenses: MIT
│   ├── repository: https://github.com/tkellen/node-flagged-respawn
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/flagged-respawn/LICENSE
├─ for-in@0.1.4
│   ├── licenses: MIT
│   ├── repository: https://github.com/jonschlinkert/for-in
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/for-in/LICENSE
├─ for-own@0.1.3
│   ├── licenses: MIT
│   ├── repository: https://github.com/jonschlinkert/for-own
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/for-own/LICENSE
├─ forever-agent@0.6.1
│   ├── licenses: Apache-2.0
│   ├── repository: https://github.com/mikeal/forever-agent
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/forever-agent/LICENSE
├─ form-data@1.0.0-rc3
│   ├── licenses: MIT
│   ├── repository: https://github.com/form-data/form-data
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/form-data/License
├─ forwarded@0.1.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/jshttp/forwarded
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/forwarded/LICENSE
├─ frameguard@1.1.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/helmetjs/frameguard
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/frameguard/LICENSE
├─ fresh@0.3.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/jshttp/fresh
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/fresh/LICENSE
└─ from@0.1.3
```

- ├─ licenses: MIT
- ├─ repository: <https://github.com/dominictarr/from>
- └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/from/LICENSE.MIT

- ├─ fsevents@1.0.8
  - ├─ licenses: MIT
  - ├─ repository: <https://github.com/strongloop/fsevents>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/fsevents/LICENSE

- ├─ fstream@1.0.8
  - ├─ licenses: ISC
  - ├─ repository: <https://github.com/isaacs/fstream>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/fsevents/node\_modules/fstream/LICENSE

- ├─ fstream-ignore@1.0.3
  - ├─ licenses: ISC
  - ├─ repository: <https://github.com/isaacs/fstream-ignore>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/fsevents/node\_modules/fstream-ignore/LICENSE

- ├─ gauge@1.2.5
  - ├─ licenses: ISC
  - ├─ repository: <https://github.com/iarna/gauge>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/fsevents/node\_modules/gauge/LICENSE

- ├─ gaze@0.5.2
  - ├─ licenses: MIT
  - ├─ repository: <https://github.com/shama/gaze>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/gaze/LICENSE-MIT

- ├─ generate-function@2.0.0
  - ├─ licenses: MIT
  - └─ repository: <https://github.com/mafintosh/generate-function>
- ├─ generate-object-property@1.2.0
  - ├─ licenses: MIT
  - ├─ repository: <https://github.com/mafintosh/generate-object-property>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/generate-object-property/LICENSE

- ├─ get-stdin@4.0.1
  - ├─ licenses: MIT
  - └─ repository: <https://github.com/sindresorhus/get-stdin>
- ├─ glob@3.1.21
  - ├─ licenses: BSD
  - ├─ repository: <https://github.com/isaacs/node-glob>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/globule/node\_modules/glob/LICENSE

- ├─ glob@3.2.11
  - ├─ licenses: BSD
  - ├─ repository: <https://github.com/isaacs/node-glob>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

```
node_modules/cli/node_modules/glob/LICENSE
├─ glob@4.5.3
│   ├── licenses: ISC
│   ├── repository: https://github.com/isaacs/node-glob
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/glob-stream/node_modules/glob/LICENSE
├─ glob@5.0.15
│   ├── licenses: ISC
│   ├── repository: https://github.com/isaacs/node-glob
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/findup-sync/node_modules/glob/LICENSE
├─ glob@6.0.4
│   ├── licenses: ISC
│   ├── repository: https://github.com/isaacs/node-glob
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/glob/LICENSE
├─ glob-base@0.3.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/jonschlinkert/glob-base
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/glob-base/LICENSE
├─ glob-parent@2.0.0
│   ├── licenses: ISC
│   ├── repository: https://github.com/es128/glob-parent
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/glob-parent/LICENSE
├─ glob-stream@3.1.18
│   ├── licenses: MIT
│   ├── repository: https://github.com/wearefractal/glob-stream
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/glob-stream/LICENSE
├─ glob-stream@4.1.1
│   ├── licenses: MIT
│   ├── repository: https://github.com/wearefractal/glob-stream
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/main-bower-files/node_modules/glob-stream/LICENSE
├─ glob-watcher@0.0.6
│   ├── licenses: MIT
│   ├── repository: https://github.com/wearefractal/glob-watcher
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/glob-watcher/LICENSE
├─ glob-watcher@0.0.8
│   ├── licenses: MIT
│   ├── repository: https://github.com/wearefractal/glob-watcher
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/main-bower-files/node_modules/glob-watcher/LICENSE
├─ glob2base@0.0.12
│   ├── licenses: MIT
│   ├── repository: https://github.com/wearefractal/glob2base
│   └── licenseFile: /development/github/rewards-api-reference-app/
```

```
node_modules/glob2base/LICENSE
├─ globby@2.1.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/sindresorhus/globby
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/globby/license
├─ globule@0.1.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/cowboy/node-globule
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/globule/LICENSE-MIT
├─ glogg@1.0.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/undertakerjs/glogg
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/glogg/LICENSE
├─ got@3.3.1
│   ├── licenses: MIT
│   └── repository: https://github.com/sindresorhus/got
├─ graceful-fs@1.2.3
│   ├── licenses: BSD
│   ├── repository: https://github.com/isaacs/node-graceful-fs
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/globule/node_modules/graceful-fs/LICENSE
├─ graceful-fs@3.0.8
│   ├── licenses: ISC
│   ├── repository: https://github.com/isaacs/node-graceful-fs
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/vinyl-fs/node_modules/graceful-fs/LICENSE
├─ graceful-fs@4.1.3
│   ├── licenses: ISC
│   ├── repository: https://github.com/isaacs/node-graceful-fs
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/graceful-fs/LICENSE
├─ graceful-readlink@1.0.1
│   ├── licenses: MIT
│   ├── repository: https://github.com/zhiyeelee/graceful-readlink
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/graceful-readlink/LICENSE
├─ gulp@3.9.1
│   ├── licenses: MIT
│   ├── repository: https://github.com/gulpjs/gulp
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/gulp/LICENSE
├─ gulp-jshint@2.0.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/spalger/gulp-jshint
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/gulp-jshint/LICENSE
├─ gulp-livereload@3.8.1
```



- ├─ licenses: MIT
- ├─ repository: https://github.com/vohof/gulp-livereload
- ├─ gulp-nodemon@2.0.6
  - ├─ licenses: BSD-2-Clause
  - ├─ repository: https://github.com/JacksonGariety/gulp-nodemon
- ├─ gulp-plumber@1.1.0
  - ├─ licenses: MIT
  - ├─ repository: https://github.com/floatdrop/gulp-plumber
  - └─ licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/gulp-plumber/LICENSE
- ├─ gulp-util@3.0.7
  - ├─ licenses: MIT
  - ├─ repository: https://github.com/gulpjs/gulp-util
  - └─ licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/gulp-util/LICENSE
- ├─ gulplog@1.0.0
  - ├─ licenses: MIT
  - ├─ repository: https://github.com/gulpjs/gulplog
  - └─ licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/gulplog/LICENSE
- ├─ har-validator@2.0.6
  - ├─ licenses: ISC
  - ├─ repository: https://github.com/ahmadnassri/har-validator
  - └─ licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/har-validator/LICENSE
- ├─ has-ansi@0.1.0
  - ├─ licenses: MIT
  - └─ repository: https://github.com/sindresorhus/has-ansi
- ├─ has-ansi@2.0.0
  - ├─ licenses: MIT
  - ├─ repository: https://github.com/sindresorhus/has-ansi
  - └─ licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/has-ansi/license
- ├─ has-gulplog@0.1.0
  - ├─ licenses: MIT
  - ├─ repository: https://github.com/gulpjs/has-gulplog
  - └─ licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/has-gulplog/LICENSE
- ├─ has-unicode@2.0.0
  - ├─ licenses: ISC
  - ├─ repository: https://github.com/iarna/has-unicode
  - └─ licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/fsevents/node\_modules/has-unicode/LICENSE
- ├─ hawk@3.1.3
  - ├─ licenses: BSD-3-Clause
  - ├─ repository: https://github.com/hueniverse/hawk
  - └─ licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/hawk/LICENSE
- ├─ helmet@1.2.0
  - ├─ licenses: MIT

```
|   | repository: https://github.com/helmetjs/helmet
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/helmet/LICENSE
|   | helmet-csp@1.1.0
|   |   | licenses: MIT
|   |   | repository: https://github.com/helmetjs/csp
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/helmet-csp/LICENSE
|   | hide-powered-by@1.0.0
|   |   | licenses: MIT
|   |   | repository: https://github.com/helmetjs/hide-powered-by
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/hide-powered-by/LICENSE
|   | hoek@2.16.3
|   |   | licenses: BSD-3-Clause
|   |   | repository: https://github.com/hapijs/hoek
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/hoek/LICENSE
|   | hosted-git-info@2.1.4
|   |   | licenses: ISC
|   |   | repository: https://github.com/npm/hosted-git-info
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/hosted-git-info/LICENSE
|   | hpkp@1.0.0
|   |   | licenses: MIT
|   |   | repository: https://github.com/helmetjs/hpkp
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/hpkp/LICENSE
|   | hsts@1.0.0
|   |   | licenses: MIT
|   |   | repository: https://github.com/helmetjs/hsts
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/hsts/LICENSE
|   | htmlparser2@3.8.3
|   |   | licenses: MIT
|   |   | repository: https://github.com/fb55/htmlparser2
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/htmlparser2/LICENSE
|   | http-errors@1.3.1
|   |   | licenses: MIT
|   |   | repository: https://github.com/jshttp/http-errors
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/http-errors/LICENSE
|   | http-signature@1.1.1
|   |   | licenses: MIT
|   |   | repository: https://github.com/joyent/node-http-signature
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/http-signature/LICENSE
|   | iconv-lite@0.4.13
|   |   | licenses: MIT
```

- ├─ repository: <https://github.com/ashtuchkin/iconv-lite>
- └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/iconv-lite/LICENSE

- ├─ [ienoopen@1.0.0](#)
  - ├─ licenses: MIT
  - ├─ repository: <https://github.com/helmetjs/ienoopen>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/ienoopen/LICENSE

- ├─ [ignore-by-default@1.0.1](#)
  - ├─ licenses: ISC
  - ├─ repository: <https://github.com/novemberborn/ignore-by-default>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/ignore-by-default/LICENSE

- ├─ [imurmurhash@0.1.4](#)
  - ├─ licenses: MIT
  - └─ repository: <https://github.com/jensyt/imurmurhash-js>
- ├─ [indent-string@2.1.0](#)
  - ├─ licenses: MIT
  - ├─ repository: <https://github.com/sindresorhus/indent-string>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/indent-string/license

- ├─ [infinity-agent@2.0.3](#)
  - ├─ licenses: MIT
  - └─ repository: <https://github.com/floatdrop/infinity-agent>
- ├─ [inflight@1.0.4](#)
  - ├─ licenses: ISC
  - ├─ repository: <https://github.com/isaacs/inflight>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/inflight/LICENSE

- ├─ [inherits@1.0.2](#)
  - ├─ licenses: ISC\*
  - ├─ repository: <https://github.com/isaacs/inherits>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/globule/node\_modules/inherits/LICENSE

- ├─ [inherits@2.0.1](#)
  - ├─ licenses: ISC
  - ├─ repository: <https://github.com/isaacs/inherits>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/inherits/LICENSE

- ├─ [ini@1.3.4](#)
  - ├─ licenses: ISC
  - ├─ repository: <https://github.com/isaacs/ini>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/ini/LICENSE

- ├─ [interpret@1.0.0](#)
  - ├─ licenses: MIT
  - ├─ repository: <https://github.com/tkellen/node-interpret>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/interpret/LICENSE

- ├─ [ipaddr.js@1.0.5](#)

```

|   |   | licenses: MIT
|   |   | repository: https://github.com/whitequark/ipaddr.js
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/ipaddr.js/LICENSE
|   |   | irregular-plurals@1.1.0
|   |   |   |   | licenses: MIT
|   |   |   |   | repository: https://github.com/sindresorhus/irregular-plurals
|   |   |   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/irregular-plurals/license
|   |   | is-arrayish@0.2.1
|   |   |   |   | licenses: MIT
|   |   |   |   | repository: https://github.com/qix-/node-is-arrayish
|   |   |   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/is-arrayish/LICENSE
|   |   | is-binary-path@1.0.1
|   |   |   |   | licenses: MIT
|   |   |   |   | repository: https://github.com/sindresorhus/is-binary-path
|   |   |   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/is-binary-path/license
|   |   | is-buffer@1.1.2
|   |   |   |   | licenses: MIT
|   |   |   |   | repository: https://github.com/feross/is-buffer
|   |   |   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/is-buffer/LICENSE
|   |   | is-builtin-module@1.0.0
|   |   |   |   | licenses: MIT
|   |   |   |   | repository: https://github.com/sindresorhus/is-builtin-module
|   |   |   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/is-builtin-module/license
|   |   | is-dotfile@1.0.2
|   |   |   |   | licenses: MIT
|   |   |   |   | repository: https://github.com/jonschlinkert/is-dotfile
|   |   |   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/is-dotfile/LICENSE
|   |   | is-equal-shallow@0.1.3
|   |   |   |   | licenses: MIT
|   |   |   |   | repository: https://github.com/jonschlinkert/is-equal-shallow
|   |   |   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/is-equal-shallow/LICENSE
|   |   | is-extendable@0.1.1
|   |   |   |   | licenses: MIT
|   |   |   |   | repository: https://github.com/jonschlinkert/is-extendable
|   |   |   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/is-extendable/LICENSE
|   |   | is-extglob@1.0.0
|   |   |   |   | licenses: MIT
|   |   |   |   | repository: https://github.com/jonschlinkert/is-extglob
|   |   |   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/is-extglob/LICENSE
|   |   | is-finite@1.0.1

```

```

|   | licenses: MIT
|   | repository: https://github.com/sindresorhus/is-finite
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/is-finite/license
|   | is-glob@2.0.1
|   | | licenses: MIT
|   | | repository: https://github.com/jonschlinkert/is-glob
|   | | licenseFile: /development/github/rewards-api-reference-app/
node_modules/is-glob/LICENSE
|   | is-my-json-valid@2.12.4
|   | | licenses: MIT
|   | | repository: https://github.com/mafintosh/is-my-json-valid
|   | | licenseFile: /development/github/rewards-api-reference-app/
node_modules/fsevents/node_modules/is-my-json-valid/LICENSE
|   | is-my-json-valid@2.13.1
|   | | licenses: MIT
|   | | repository: https://github.com/mafintosh/is-my-json-valid
|   | | licenseFile: /development/github/rewards-api-reference-app/
node_modules/is-my-json-valid/LICENSE
|   | is-npm@1.0.0
|   | | licenses: MIT
|   | | repository: https://github.com/sindresorhus/is-npm
|   | is-number@2.1.0
|   | | licenses: MIT
|   | | repository: https://github.com/jonschlinkert/is-number
|   | | licenseFile: /development/github/rewards-api-reference-app/
node_modules/is-number/LICENSE
|   | is-primitive@2.0.0
|   | | licenses: MIT
|   | | repository: https://github.com/jonschlinkert/is-primitive
|   | | licenseFile: /development/github/rewards-api-reference-app/
node_modules/is-primitive/LICENSE
|   | is-property@1.0.2
|   | | licenses: MIT
|   | | repository: https://github.com/mikolajsenko/is-property
|   | | licenseFile: /development/github/rewards-api-reference-app/
node_modules/is-property/LICENSE
|   | is-redirect@1.0.0
|   | | licenses: MIT
|   | | repository: https://github.com/sindresorhus/is-redirect
|   | | licenseFile: /development/github/rewards-api-reference-app/
node_modules/is-redirect/license
|   | is-stream@1.0.1
|   | | licenses: MIT
|   | | repository: https://github.com/sindresorhus/is-stream
|   | is-typedarray@1.0.0
|   | | licenses: MIT
|   | | repository: https://github.com/hughsk/is-typedarray
|   | | licenseFile: /development/github/rewards-api-reference-app/
node_modules/is-typedarray/LICENSE.md

```

- └─ is-utf8@0.2.1
  - └─ licenses: MIT
  - └─ repository: https://github.com/wayfind/is-utf8
  - └─ licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/is-utf8/LICENSE
- └─ isarray@0.0.1
  - └─ licenses: MIT
  - └─ repository: https://github.com/juliangruber/isarray
- └─ isobject@2.0.0
  - └─ licenses: MIT
  - └─ repository: https://github.com/jonschlinkert/isobject
  - └─ licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/isobject/LICENSE
- └─ isstream@0.1.2
  - └─ licenses: MIT
  - └─ repository: https://github.com/rvagg/isstream
  - └─ licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/isstream/LICENSE.md
- └─ jodid25519@1.0.2
  - └─ licenses: MIT
  - └─ repository: https://github.com/meganz/jodid25519
  - └─ licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/jodid25519/LICENSE
- └─ jsbn@0.1.0
  - └─ licenses: BSD
  - └─ repository: https://github.com/andyperlitch/jsbn
  - └─ licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/jsbn/LICENSE
- └─ jshint@2.9.1
  - └─ licenses: (MIT AND JSON)
  - └─ repository: https://github.com/jshint/jshint
  - └─ licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/jshint/LICENSE
- └─ jshint-stylish@2.1.0
  - └─ licenses: MIT
  - └─ repository: https://github.com/sindresorhus/jshint-stylish
  - └─ licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/jshint-stylish/license
- └─ json-schema@0.2.2
  - └─ licenses
    - └─ 0: AFLv2.1
    - └─ 1: BSD
  - └─ repository: https://github.com/kriszyp/json-schema
- └─ json-stable-stringify@1.0.1
  - └─ licenses: MIT
  - └─ repository: https://github.com/substack/json-stable-stringify
  - └─ licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/json-stable-stringify/LICENSE
- └─ json-stringify-safe@5.0.1
  - └─ licenses: ISC

- | repository: <https://github.com/isaacs/json-stringify-safe>
- | licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/json-stringify-safe/LICENSE
- | jsonify@0.0.0
  - | licenses: Public Domain
  - | repository: <https://github.com/substack/jsonify>
- | jsonpointer@2.0.0
  - | licenses: MIT
  - | repository: <https://github.com/janl/node-jsonpointer>
- | jsprim@1.2.2
  - | licenses: MIT
  - | repository: <https://github.com/davepacheco/node-jsprim>
  - | licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/jsprim/LICENSE
- | kind-of@3.0.2
  - | licenses: MIT
  - | repository: <https://github.com/jonschlinkert/kind-of>
  - | licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/kind-of/LICENSE
- | latest-version@1.0.1
  - | licenses: MIT
  - | repository: <https://github.com/sindresorhus/latest-version>
  - | licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/latest-version/license
- | liftoff@2.2.0
  - | licenses: MIT
  - | repository: <https://github.com/tkellen/node-liftoff>
  - | licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/liftoff/LICENSE
- | livereload-js@2.2.2
  - | licenses: MIT
  - | repository: <https://github.com/zaius/livereload-js>
  - | licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/livereload-js/LICENSE
- | load-json-file@1.1.0
  - | licenses: MIT
  - | repository: <https://github.com/sindresorhus/load-json-file>
  - | licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/load-json-file/license
- | lodash@1.0.2
  - | licenses: MIT
  - | repository: <https://github.com/lodash/lodash>
  - | licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/lodash/LICENSE.txt
- | lodash@2.4.2
  - | licenses: MIT
  - | repository: <https://github.com/lodash/lodash>
  - | licenseFile: /development/github/rewards-api-reference-app/
- node\_modules/rcloader/node\_modules/lodash/LICENSE.txt
- | lodash@3.10.1

```
|   | licenses: MIT
|   | repository: https://github.com/lodash/lodash
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/gulp-jshint/node_modules/lodash/LICENSE
|   | lodash@3.7.0
|   |   | licenses: MIT
|   |   | repository: https://github.com/lodash/lodash
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/jshint/node_modules/lodash/LICENSE.txt
|   | lodash._baseassign@3.2.0
|   |   | licenses: MIT
|   |   | repository: https://github.com/lodash/lodash
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash._baseassign/LICENSE.txt
|   | lodash._basecopy@3.0.1
|   |   | licenses: MIT
|   |   | repository: https://github.com/lodash/lodash
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash._basecopy/LICENSE.txt
|   | lodash._baseeach@4.1.0
|   |   | licenses: MIT
|   |   | repository: https://github.com/lodash/lodash
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash._baseeach/LICENSE
|   | lodash._baseiteratee@4.5.1
|   |   | licenses: MIT
|   |   | repository: https://github.com/lodash/lodash
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash._baseiteratee/LICENSE
|   | lodash._basereduce@3.0.2
|   |   | licenses: MIT
|   |   | repository: https://github.com/lodash/lodash
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash._basereduce/LICENSE
|   | lodash._basetostring@3.0.1
|   |   | licenses: MIT
|   |   | repository: https://github.com/lodash/lodash
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash._basetostring/LICENSE
|   | lodash._basevalues@3.0.0
|   |   | licenses: MIT
|   |   | repository: https://github.com/lodash/lodash
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash._basevalues/LICENSE.txt
|   | lodash._bindcallback@3.0.1
|   |   | licenses: MIT
|   |   | repository: https://github.com/lodash/lodash
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash._bindcallback/LICENSE.txt
|   | lodash._createassigner@3.1.1
```



```

|   |   | licenses: MIT
|   |   | repository: https://github.com/lodash/lodash
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash._createassigner/LICENSE.txt
|   |   | lodash._createpadding@3.6.1
|   |   | | licenses: MIT
|   |   | | repository: https://github.com/lodash/lodash
|   |   | | licenseFile: /development/github/rewards-api-reference-app/
node_modules/fsevents/node_modules/lodash._createpadding/LICENSE
|   |   | lodash._getnative@3.9.1
|   |   | | licenses: MIT
|   |   | | repository: https://github.com/lodash/lodash
|   |   | | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash._getnative/LICENSE
|   |   | lodash._isiterateecall@3.0.9
|   |   | | licenses: MIT
|   |   | | repository: https://github.com/lodash/lodash
|   |   | | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash._isiterateecall/LICENSE.txt
|   |   | lodash._reescape@3.0.0
|   |   | | licenses: MIT
|   |   | | repository: https://github.com/lodash/lodash
|   |   | | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash._reescape/LICENSE.txt
|   |   | lodash._reevaluate@3.0.0
|   |   | | licenses: MIT
|   |   | | repository: https://github.com/lodash/lodash
|   |   | | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash._reevaluate/LICENSE.txt
|   |   | lodash._reinterpolate@3.0.0
|   |   | | licenses: MIT
|   |   | | repository: https://github.com/lodash/lodash
|   |   | | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash._reinterpolate/LICENSE.txt
|   |   | lodash._root@3.0.0
|   |   | | licenses: MIT
|   |   | | repository: https://github.com/lodash/lodash
|   |   | | licenseFile: /development/github/rewards-api-reference-app/
node_modules/fsevents/node_modules/lodash._root/LICENSE
|   |   | lodash._root@3.0.1
|   |   | | licenses: MIT
|   |   | | repository: https://github.com/lodash/lodash
|   |   | | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash._root/LICENSE
|   |   | lodash.assign@3.2.0
|   |   | | licenses: MIT
|   |   | | repository: https://github.com/lodash/lodash
|   |   | | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash.defaults/node_modules/lodash.assign/LICENSE.txt
|   |   | lodash.assign@4.0.4

```

```
|   |   | licenses: MIT
|   |   | repository: https://github.com/lodash/lodash
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash.assign/LICENSE
|   |   | lodash.defaults@3.1.2
|   |   |   |   | licenses: MIT
|   |   |   |   | repository: https://github.com/lodash/lodash
|   |   |   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash.defaults/LICENSE
|   |   | lodash.escape@3.2.0
|   |   |   |   | licenses: MIT
|   |   |   |   | repository: https://github.com/lodash/lodash
|   |   |   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash.escape/LICENSE
|   |   | lodash.isarguments@3.0.7
|   |   |   |   | licenses: MIT
|   |   |   |   | repository: https://github.com/lodash/lodash
|   |   |   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash.isarguments/LICENSE
|   |   | lodash.isarray@3.0.4
|   |   |   |   | licenses: MIT
|   |   |   |   | repository: https://github.com/lodash/lodash
|   |   |   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash.isarray/LICENSE
|   |   | lodash.isfunction@3.0.8
|   |   |   |   | licenses: MIT
|   |   |   |   | repository: https://github.com/lodash/lodash
|   |   |   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash.isfunction/LICENSE
|   |   | lodash.isstring@4.0.1
|   |   |   |   | licenses: MIT
|   |   |   |   | repository: https://github.com/lodash/lodash
|   |   |   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash.isstring/LICENSE
|   |   | lodash.keys@3.1.2
|   |   |   |   | licenses: MIT
|   |   |   |   | repository: https://github.com/lodash/lodash
|   |   |   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash.template/node_modules/lodash.keys/LICENSE
|   |   | lodash.keys@4.0.4
|   |   |   |   | licenses: MIT
|   |   |   |   | repository: https://github.com/lodash/lodash
|   |   |   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash.keys/LICENSE
|   |   | lodash.pad@3.3.0
|   |   |   |   | licenses: MIT
|   |   |   |   | repository: https://github.com/lodash/lodash
|   |   |   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/fsevents/node_modules/lodash.pad/LICENSE
|   |   | lodash.padleft@3.1.1
```

```
|   | licenses: MIT
|   | repository: https://github.com/lodash/lodash
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/fsevents/node_modules/lodash.padleft/LICENSE.txt
|   | lodash.padright@3.1.1
|   |   | licenses: MIT
|   |   | repository: https://github.com/lodash/lodash
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/fsevents/node_modules/lodash.padright/LICENSE.txt
|   | lodash.reduce@4.2.0
|   |   | licenses: MIT
|   |   | repository: https://github.com/lodash/lodash
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash.reduce/LICENSE
|   | lodash.repeat@3.2.0
|   |   | licenses: MIT
|   |   | repository: https://github.com/lodash/lodash
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/fsevents/node_modules/lodash.repeat/LICENSE
|   | lodash.rest@4.0.1
|   |   | licenses: MIT
|   |   | repository: https://github.com/lodash/lodash
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash.rest/LICENSE
|   | lodash.restparam@3.6.1
|   |   | licenses: MIT
|   |   | repository: https://github.com/lodash/lodash
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash.restparam/LICENSE.txt
|   | lodash.some@4.2.0
|   |   | licenses: MIT
|   |   | repository: https://github.com/lodash/lodash
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash.some/LICENSE
|   | lodash.template@3.6.2
|   |   | licenses: MIT
|   |   | repository: https://github.com/lodash/lodash
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash.template/LICENSE
|   | lodash.templatesettings@3.1.1
|   |   | licenses: MIT
|   |   | repository: https://github.com/lodash/lodash
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/lodash.templatesettings/LICENSE
|   | log-symbols@1.0.2
|   |   | licenses: MIT
|   |   | repository: https://github.com/sindresorhus/log-symbols
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/log-symbols/license
|   | loud-rejection@1.3.0
```

- ├─ licenses: MIT
- ├─ repository: <https://github.com/sindresorhus/loud-rejection>
- └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/loud-rejection/license

- ├─ lowercase-keys@1.0.0
  - ├─ licenses: MIT
  - ├─ repository: <https://github.com/sindresorhus/lowercase-keys>
- ├─ lru-cache@2.7.3
  - ├─ licenses: ISC
  - ├─ repository: <https://github.com/isaacs/node-lru-cache>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/globule/node\_modules/lru-cache/LICENSE

- ├─ lru-cache@4.0.0
  - ├─ licenses: ISC
  - ├─ repository: <https://github.com/isaacs/node-lru-cache>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/lru-cache/LICENSE

- ├─ main-bower-files@2.11.1
  - ├─ licenses: MIT
  - └─ repository: <https://github.com/ck86/main-bower-files>
- ├─ map-obj@1.0.1
  - ├─ licenses: MIT
  - ├─ repository: <https://github.com/sindresorhus/map-obj>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/map-obj/license

- ├─ map-stream@0.1.0
  - ├─ licenses: UNKNOWN
  - ├─ repository: <https://github.com/dominictarr/map-stream>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/map-stream/LICENSE

- ├─ media-typer@0.3.0
  - ├─ licenses: MIT
  - ├─ repository: <https://github.com/jshttp/media-typer>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/media-typer/LICENSE

- ├─ meow@3.7.0
  - ├─ licenses: MIT
  - ├─ repository: <https://github.com/sindresorhus/meow>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/meow/license

- ├─ merge-descriptors@1.0.1
  - ├─ licenses: MIT
  - ├─ repository: <https://github.com/component/merge-descriptors>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/merge-descriptors/LICENSE

- ├─ merge-stream@0.1.8
  - ├─ licenses: MIT
  - └─ repository: <https://github.com/grncdr/merge-stream>
- ├─ method-override@2.3.5
  - ├─ licenses: MIT

```

|   | repository: https://github.com/expressjs/method-override
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/method-override/LICENSE
|   methods@1.1.2
|   | licenses: MIT
|   | repository: https://github.com/jshttp/methods
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/methods/LICENSE
|   micromatch@2.3.7
|   | licenses: MIT
|   | repository: https://github.com/jonschlinkert/micromatch
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/micromatch/LICENSE
|   mime@1.3.4
|   | licenses: MIT
|   | repository: https://github.com/broofa/node-mime
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/mime/LICENSE
|   mime-db@1.21.0
|   | licenses: MIT
|   | repository: https://github.com/jshttp/mime-db
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/fsevents/node_modules/mime-db/LICENSE
|   mime-db@1.22.0
|   | licenses: MIT
|   | repository: https://github.com/jshttp/mime-db
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/mime-db/LICENSE
|   mime-types@2.1.10
|   | licenses: MIT
|   | repository: https://github.com/jshttp/mime-types
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/mime-types/LICENSE
|   mime-types@2.1.9
|   | licenses: MIT
|   | repository: https://github.com/jshttp/mime-types
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/fsevents/node_modules/mime-types/LICENSE
|   mini-lr@0.1.9
|   | licenses: MIT
|   | repository: https://github.com/elwayman02/mini-lr
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/mini-lr/LICENSE-MIT
|   minimatch@0.2.14
|   | licenses: MIT
|   | repository: https://github.com/isaacs/minimatch
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/globule/node_modules/minimatch/LICENSE
|   minimatch@0.3.0
|   | licenses: MIT

```

```

|   | repository: https://github.com/isaacs/minimatch
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/cli/node_modules/minimatch/LICENSE
|   minimatch@2.0.10
|   | licenses: ISC
|   | repository: https://github.com/isaacs/minimatch
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/readdirp/node_modules/minimatch/LICENSE
|   minimatch@3.0.0
|   | licenses: ISC
|   | repository: https://github.com/isaacs/minimatch
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/minimatch/LICENSE
|   minimist@0.0.8
|   | licenses: MIT
|   | repository: https://github.com/substack/minimist
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/mkdirp/node_modules/minimist/LICENSE
|   minimist@1.2.0
|   | licenses: MIT
|   | repository: https://github.com/substack/minimist
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/minimist/LICENSE
|   mkdirp@0.5.1
|   | licenses: MIT
|   | repository: https://github.com/substack/node-mkdirp
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/mkdirp/LICENSE
|   morgan@1.7.0
|   | licenses: MIT
|   | repository: https://github.com/expressjs/morgan
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/morgan/LICENSE
|   ms@0.7.1
|   | licenses: MIT*
|   | repository: https://github.com/guille/ms.js
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/ms/LICENSE
|   multimatch@2.1.0
|   | licenses: MIT
|   | repository: https://github.com/sindresorhus/multimatch
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/multimatch/license
|   multipipe@0.1.2
|   | licenses: MIT
|   | repository: https://github.com/juliangruber/multipipe
|   nan@2.2.0
|   | licenses: MIT
|   | repository: https://github.com/nodejs/nan
|   | licenseFile: /development/github/rewards-api-reference-app/

```

```

node_modules/nan/LICENSE.md
├─ negotiator@0.5.3
│   ├── licenses: MIT
│   ├── repository: https://github.com/jshttp/negotiator
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/negotiator/LICENSE
├─ negotiator@0.6.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/jshttp/negotiator
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/compression/node_modules/negotiator/LICENSE
├─ nested-error-stacks@1.0.2
│   ├── licenses: MIT
│   ├── repository: https://github.com/mdlavin/nested-error-stacks
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/nested-error-stacks/LICENSE
├─ nocache@1.0.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/helmetjs/nocache
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/nocache/LICENSE
├─ node-pre-gyp@0.6.21
│   ├── licenses: BSD
│   ├── repository: https://github.com/mapbox/node-pre-gyp
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/fsevents/node_modules/node-pre-gyp/LICENSE
├─ node-uuid@1.4.7
│   ├── licenses: MIT
│   ├── repository: https://github.com/broofa/node-uuid
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/node-uuid/LICENSE.md
├─ nodemon@1.9.1
│   ├── licenses: MIT
│   └── repository: https://github.com/remy/nodemon
├─ nopt@1.0.10
│   ├── licenses: MIT
│   ├── repository: https://github.com/isaacs/nopt
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/nopt/LICENSE
├─ nopt@3.0.6
│   ├── licenses: ISC
│   ├── repository: https://github.com/npm/nopt
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/fsevents/node_modules/node-pre-gyp/node_modules/nopt/
LICENSE
├─ normalize-package-data@2.3.5
│   ├── licenses: BSD-2-Clause
│   ├── repository: https://github.com/npm/normalize-package-data
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/normalize-package-data/LICENSE

```

```
├─ normalize-path@2.0.1
│   ├── licenses: MIT
│   ├── repository: https://github.com/jonschlinkert/normalize-path
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/normalize-path/LICENSE
├─ npmlog@2.0.2
│   ├── licenses: ISC
│   ├── repository: https://github.com/npm/npmlog
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/fsevents/node_modules/npmlog/LICENSE
├─ number-is-nan@1.0.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/sindresorhus/number-is-nan
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/number-is-nan/license
├─ oauth-sign@0.8.1
│   ├── licenses: Apache-2.0
│   ├── repository: https://github.com/mikeal/oauth-sign
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/oauth-sign/LICENSE
├─ object-assign@2.1.1
│   ├── licenses: MIT
│   ├── repository: https://github.com/sindresorhus/object-assign
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/main-bower-files/node_modules/object-assign/license
├─ object-assign@3.0.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/sindresorhus/object-assign
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/object-assign/license
├─ object-assign@4.0.1
│   ├── licenses: MIT
│   ├── repository: https://github.com/sindresorhus/object-assign
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/meow/node_modules/object-assign/license
├─ object.omit@2.0.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/jonschlinkert/object.omit
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/object.omit/LICENSE
├─ on-finished@2.3.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/jshttp/on-finished
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/on-finished/LICENSE
├─ on-headers@1.0.1
│   ├── licenses: MIT
│   ├── repository: https://github.com/jshttp/on-headers
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/on-headers/LICENSE
```



```
├─ once@1.3.3
│   ├── licenses: ISC
│   ├── repository: https://github.com/isaacs/once
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/once/LICENSE
├─ orchestrator@0.3.7
│   ├── licenses: MIT
│   ├── repository: https://github.com/robrich/orchestrator
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/orchestrator/LICENSE
├─ ordered-read-streams@0.1.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/armed/ordered-read-streams
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/ordered-read-streams/LICENSE
├─ os-homedir@1.0.1
│   ├── licenses: MIT
│   ├── repository: https://github.com/sindresorhus/os-homedir
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/os-homedir/license
├─ os-tmpdir@1.0.1
│   ├── licenses: MIT
│   ├── repository: https://github.com/sindresorhus/os-tmpdir
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/os-tmpdir/license
├─ osenv@0.1.3
│   ├── licenses: ISC
│   ├── repository: https://github.com/npm/osenv
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/osenv/LICENSE
├─ package-json@1.2.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/sindresorhus/package-json
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/package-json/license
├─ parse-glob@3.0.4
│   ├── licenses: MIT
│   ├── repository: https://github.com/jonschlinkert/parse-glob
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/parse-glob/LICENSE
├─ parse-json@2.2.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/sindresorhus/parse-json
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/parse-json/license
├─ parseurl@1.3.1
│   ├── licenses: MIT
│   ├── repository: https://github.com/pillarjs/parseurl
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/parseurl/LICENSE
```

```

├─ path-exists@1.0.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/sindresorhus/path-exists
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/main-bower-files/node_modules/path-exists/license
├─ path-exists@2.1.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/sindresorhus/path-exists
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/path-exists/license
├─ path-is-absolute@1.0.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/sindresorhus/path-is-absolute
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/path-is-absolute/license
├─ path-to-regexp@0.1.7
│   ├── licenses: MIT
│   ├── repository: https://github.com/component/path-to-regexp
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/path-to-regexp/LICENSE
├─ path-type@1.1.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/sindresorhus/path-type
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/path-type/license
├─ pause-stream@0.0.11
│   ├── licenses
│   │   ├── 0: Apache2
│   │   └── 1: MIT
│   ├── repository: https://github.com/dominictarr/pause-stream
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/pause-stream/LICENSE
├─ pify@2.3.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/sindresorhus/pify
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/pify/license
├─ pinkie@2.0.4
│   ├── licenses: MIT
│   ├── repository: https://github.com/floatdrop/pinkie
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/pinkie/license
├─ pinkie-promise@2.0.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/floatdrop/pinkie-promise
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/pinkie-promise/license
├─ platform@1.3.1
│   ├── licenses: MIT
│   └── repository: https://github.com/bestiejs/platform.js

```

```

|   └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/platform/LICENSE
└─ plur@2.1.2
  └─ licenses: MIT
  └─ repository: https://github.com/sindresorhus/plur
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/plur/license
└─ prepend-http@1.0.3
  └─ licenses: MIT
  └─ repository: https://github.com/sindresorhus/prepend-http
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/prepend-http/license
└─ preserve@0.2.0
  └─ licenses: MIT
  └─ repository: https://github.com/jonschlinkert/preserve
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/preserve/LICENSE
└─ pretty-hrtime@1.0.2
  └─ licenses: MIT
  └─ repository: https://github.com/robrich/pretty-hrtime
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/pretty-hrtime/LICENSE
└─ process-nextick-args@1.0.6
  └─ licenses: MIT
  └─ repository: https://github.com/calvinmetcalf/process-nextick-
args
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/process-nextick-args/license.md
└─ proxy-addr@1.0.10
  └─ licenses: MIT
  └─ repository: https://github.com/jshttp/proxy-addr
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/proxy-addr/LICENSE
└─ ps-tree@1.0.1
  └─ licenses: MIT
  └─ repository: https://github.com/indexzero/ps-tree
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/ps-tree/LICENSE
└─ pseudomap@1.0.2
  └─ licenses: ISC
  └─ repository: https://github.com/isaacs/pseudomap
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/pseudomap/LICENSE
└─ qs@2.2.5
  └─ licenses: BSD
  └─ repository: https://github.com/hapijs/qs
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/mini-lr/node_modules/qs/LICENSE
└─ qs@4.0.0
  └─ licenses: BSD-3-Clause

```

```
|   | repository: https://github.com/hapijs/qs
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/qs/LICENSE
|   | qs@5.2.0
|   |   | licenses: BSD-3-Clause
|   |   | repository: https://github.com/hapijs/qs
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/simple-oauth2/node_modules/qs/LICENSE
|   | qs@6.0.2
|   |   | licenses: BSD-3-Clause
|   |   | repository: https://github.com/ljharb/qs
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/request/node_modules/qs/LICENSE
|   | randomatic@1.1.5
|   |   | licenses: MIT
|   |   | repository: https://github.com/jonschlinkert/randomatic
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/randomatic/LICENSE
|   | range-parser@1.0.3
|   |   | licenses: MIT
|   |   | repository: https://github.com/jshttp/range-parser
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/range-parser/LICENSE
|   | raw-body@2.1.5
|   |   | licenses: MIT
|   |   | repository: https://github.com/stream-utils/raw-body
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/raw-body/LICENSE
|   | rc@1.1.6
|   |   | licenses: (BSD-2-Clause OR MIT OR Apache-2.0)
|   |   | repository: https://github.com/dominictarr/rc
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/rc/LICENSE.MIT
|   | rcfinder@0.1.8
|   |   | licenses: MIT
|   |   | repository: https://github.com/spenceralger/rcfinder
|   | rcloader@0.1.2
|   |   | licenses: MIT
|   |   | repository: https://github.com/spenceralger/rcloader
|   | read-all-stream@3.1.0
|   |   | licenses: MIT
|   |   | repository: https://github.com/floatdrop/read-all-stream
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/read-all-stream/license
|   | read-pkg@1.1.0
|   |   | licenses: MIT
|   |   | repository: https://github.com/sindresorhus/read-pkg
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/read-pkg/license
|   | read-pkg-up@1.0.1
```

```
|   | licenses: MIT
|   | repository: https://github.com/sindresorhus/read-pkg-up
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/read-pkg-up/license
|   | readable-stream@1.0.33
|   |   | licenses: MIT
|   |   | repository: https://github.com/isaacs/readable-stream
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/glob-stream/node_modules/readable-stream/LICENSE
|   | readable-stream@1.1.13
|   |   | licenses: MIT
|   |   | repository: https://github.com/isaacs/readable-stream
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/duplexer2/node_modules/readable-stream/LICENSE
|   | readable-stream@2.0.5
|   |   | licenses: MIT
|   |   | repository: https://github.com/nodejs/readable-stream
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/readable-stream/LICENSE
|   | readdirp@2.0.0
|   |   | licenses: MIT
|   |   | repository: https://github.com/thlorenz/readdirp
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/readdirp/LICENSE
|   | rechoir@0.6.2
|   |   | licenses: MIT
|   |   | repository: https://github.com/tkellen/node-rechoir
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/rechoir/LICENSE
|   | redent@1.0.0
|   |   | licenses: MIT
|   |   | repository: https://github.com/sindresorhus/redent
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/redent/license
|   | regex-cache@0.4.2
|   |   | licenses: MIT
|   |   | repository: https://github.com/jonschlinkert/regex-cache
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/regex-cache/LICENSE
|   | registry-url@3.0.3
|   |   | licenses: MIT
|   |   | repository: https://github.com/sindresorhus/registry-url
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/registry-url/license
|   | repeat-element@1.1.2
|   |   | licenses: MIT
|   |   | repository: https://github.com/jonschlinkert/repeat-element
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/repeat-element/LICENSE
|   | repeat-string@1.5.4
```

```
|   | licenses: MIT
|   | repository: https://github.com/jonschlinkert/repeat-string
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/repeat-string/LICENSE
|   | repeating@1.1.3
|   |   | licenses: MIT
|   |   | repository: https://github.com/sindresorhus/repeating
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/update-notifier/node_modules/repeating/license
|   | repeating@2.0.0
|   |   | licenses: MIT
|   |   | repository: https://github.com/sindresorhus/repeating
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/repeating/license
|   | replace-ext@0.0.1
|   |   | licenses: MIT
|   |   | repository: https://github.com/wearefractal/replace-ext
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/replace-ext/LICENSE
|   | request@2.67.0
|   |   | licenses: Apache-2.0
|   |   | repository: https://github.com/request/request
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/simple-oauth2/node_modules/request/LICENSE
|   | request@2.69.0
|   |   | licenses: Apache-2.0
|   |   | repository: https://github.com/request/request
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/request/LICENSE
|   | resolve@1.1.7
|   |   | licenses: MIT
|   |   | repository: https://github.com/substack/node-resolve
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/resolve/LICENSE
|   | rimraf@2.5.1
|   |   | licenses: ISC
|   |   | repository: https://github.com/isaacs/rimraf
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/fsevents/node_modules/rimraf/LICENSE
|   | semver@4.3.6
|   |   | licenses: ISC
|   |   | repository: https://github.com/npm/node-semver
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/semver/LICENSE
|   | semver@5.1.0
|   |   | licenses: ISC
|   |   | repository: https://github.com/npm/node-semver
|   |   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/semver-diff/node_modules/semver/LICENSE
|   | semver-diff@2.1.0
```

- ├─ licenses: MIT
- ├─ repository: <https://github.com/sindresorhus/semver-diff>
- └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/semver-diff/license

- ├─ **send@0.13.1**
  - ├─ licenses: MIT
  - ├─ repository: <https://github.com/pillarjs/send>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/send/LICENSE

- ├─ **sequencify@0.0.7**
  - ├─ licenses: MIT
  - ├─ repository: <https://github.com/robrich/sequencify>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/sequencify/LICENSE

- ├─ **serve-favicon@2.3.0**
  - ├─ licenses: MIT
  - ├─ repository: <https://github.com/expressjs/serve-favicon>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/serve-favicon/LICENSE

- ├─ **serve-static@1.10.2**
  - ├─ licenses: MIT
  - ├─ repository: <https://github.com/expressjs/serve-static>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/serve-static/LICENSE

- ├─ **shelljs@0.3.0**
  - ├─ licenses: BSD\*
  - ├─ repository: <https://github.com/arturadib/shelljs>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/shelljs/LICENSE

- ├─ **sigmund@1.0.1**
  - ├─ licenses: ISC
  - ├─ repository: <https://github.com/isaacs/sigmund>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/sigmund/LICENSE

- ├─ **signal-exit@2.1.2**
  - ├─ licenses: ISC
  - ├─ repository: <https://github.com/bcoe/signal-exit>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/signal-exit/LICENSE.txt

- ├─ **simple-oauth2@0.5.1**
  - ├─ licenses: Copyright (c) 2013 Lelylan
  - ├─ repository: <https://github.com/andreareginato/simple-oauth2>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/simple-oauth2/LICENSE.md

- ├─ **slide@1.1.6**
  - ├─ licenses: ISC
  - ├─ repository: <https://github.com/isaacs/slide-flow-control>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/slide/LICENSE

- ├─ **sntp@1.0.9**

- ├─ licenses: BSD
- ├─ repository: <https://github.com/hueniverse/sntp>
- └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/sntp/LICENSE

- ├─ sparkles@1.0.0
- ├─ licenses: MIT
- ├─ repository: <https://github.com/phated/sparkles>
- └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/sparkles/LICENSE

- ├─ spdx-correct@1.0.2
- ├─ licenses: Apache-2.0
- ├─ repository: <https://github.com/kemitchell/spdx-correct.js>
- └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/spdx-correct/LICENSE

- ├─ spdx-exceptions@1.0.4
- ├─ licenses: CC-BY-3.0
- └─ repository: <https://github.com/kemitchell/spdx-exceptions.json>

- ├─ spdx-expression-parse@1.0.2
- ├─ licenses: (MIT AND CC-BY-3.0)
- ├─ repository: <https://github.com/kemitchell/spdx-expression-parse.js>
- └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/spdx-expression-parse/LICENSE

- ├─ spdx-license-ids@1.2.0
- ├─ licenses: Unlicense
- ├─ repository: <https://github.com/shinnn/spdx-license-ids>
- └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/spdx-license-ids/spdx-license-ids.json

- ├─ split@0.3.3
- ├─ licenses: MIT
- ├─ repository: <https://github.com/dominictarr/split>
- └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/split/LICENSE

- ├─ sshpk@1.7.3
- ├─ licenses: MIT
- ├─ repository: <https://github.com/arekinath/node-sshpk>
- └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/fsevents/node\_modules/sshpk/LICENSE

- ├─ sshpk@1.7.4
- ├─ licenses: MIT
- ├─ repository: <https://github.com/arekinath/node-sshpk>
- └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/sshpk/LICENSE

- ├─ statuses@1.2.1
- ├─ licenses: MIT
- ├─ repository: <https://github.com/jshttp/statuses>
- └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/statuses/LICENSE

- ├─ stream-combiner@0.0.4
- └─ licenses: MIT



```

|   | repository: https://github.com/dominictarr/stream-combiner
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/stream-combiner/LICENSE
|   stream-consume@0.1.0
|   | licenses: MIT
|   | repository: https://github.com/aroneous/stream-consume
|   string-length@1.0.1
|   | licenses: MIT
|   | repository: https://github.com/sindresorhus/string-length
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/string-length/license
|   string_decoder@0.10.31
|   | licenses: MIT
|   | repository: https://github.com/rvagg/string_decoder
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/string_decoder/LICENSE
|   stringstream@0.0.5
|   | licenses: MIT
|   | repository: https://github.com/mhart/StringStream
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/streamstring/LICENSE.txt
|   strip-ansi@0.3.0
|   | licenses: MIT
|   | repository: https://github.com/sindresorhus/strip-ansi
|   strip-ansi@3.0.0
|   | licenses: MIT
|   | repository: https://github.com/sindresorhus/strip-ansi
|   strip-ansi@3.0.1
|   | licenses: MIT
|   | repository: https://github.com/chalk/strip-ansi
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/strip-ansi/license
|   strip-bom@1.0.0
|   | licenses: MIT
|   | repository: https://github.com/sindresorhus/strip-bom
|   strip-bom@2.0.0
|   | licenses: MIT
|   | repository: https://github.com/sindresorhus/strip-bom
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/strip-bom/license
|   strip-indent@1.0.1
|   | licenses: MIT
|   | repository: https://github.com/sindresorhus/strip-indent
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/strip-indent/license
|   strip-json-comments@1.0.4
|   | licenses: MIT
|   | repository: https://github.com/sindresorhus/strip-json-comments
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/strip-json-comments/license

```

```
├─ supports-color@0.2.0
│   ├── licenses: MIT
│   └── repository: https://github.com/sindresorhus/supports-color
├─ supports-color@2.0.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/chalk/supports-color
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/supports-color/license
├─ tar@2.2.1
│   ├── licenses: ISC
│   ├── repository: https://github.com/isaacs/node-tar
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/fsevents/node_modules/tar/LICENSE
├─ tar-pack@3.1.3
│   ├── licenses: BSD-2-Clause
│   ├── repository: https://github.com/ForbesLindesay/tar-pack
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/fsevents/node_modules/tar-pack/LICENSE
├─ text-table@0.2.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/substack/text-table
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/text-table/LICENSE
├─ through@2.3.8
│   ├── licenses: MIT
│   ├── repository: https://github.com/dominictarr/through
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/through/LICENSE.MIT
├─ through2@0.6.5
│   ├── licenses: MIT
│   ├── repository: https://github.com/rvagg/through2
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/glob-stream/node_modules/through2/LICENSE
├─ through2@2.0.1
│   ├── licenses: MIT
│   ├── repository: https://github.com/rvagg/through2
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/through2/LICENSE
├─ through2-filter@2.0.0
│   ├── licenses: MIT
│   └── repository: https://github.com/brycebaril/through2-filter
├─ tildify@1.1.2
│   ├── licenses: MIT
│   ├── repository: https://github.com/sindresorhus/tildify
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/tildify/license
├─ time-stamp@1.0.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/jonschlinkert/time-stamp
│   └── licenseFile: /development/github/rewards-api-reference-app/
```

```

node_modules/time-stamp/LICENSE
├─ timed-out@2.0.0
│   ├── licenses: MIT
│   └── repository: https://github.com/floatdrop/timed-out
├─ touch@1.0.0
│   ├── licenses: ISC
│   ├── repository: https://github.com/isaacs/node-touch
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/touch/LICENSE
├─ tough-cookie@2.2.1
│   ├── licenses: BSD-3-Clause
│   ├── repository: https://github.com/SalesforceEng/tough-cookie
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/tough-cookie/LICENSE
├─ trim-newlines@1.0.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/sindresorhus/trim-newlines
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/trim-newlines/license
├─ tunnel-agent@0.4.2
│   ├── licenses: Apache-2.0
│   ├── repository: https://github.com/mikeal/tunnel-agent
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/tunnel-agent/LICENSE
├─ tweetnacl@0.13.3
│   ├── licenses: Public domain
│   └── repository: https://github.com/dchest/tweetnacl-js
├─ tweetnacl@0.14.1
│   ├── licenses: SEE LICENSE IN COPYING.txt
│   └── repository: https://github.com/dchest/tweetnacl-js
├─ type-is@1.6.12
│   ├── licenses: MIT
│   ├── repository: https://github.com/jshttp/type-is
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/type-is/LICENSE
├─ uid-number@0.0.6
│   ├── licenses: ISC
│   ├── repository: https://github.com/isaacs/uid-number
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/fsevents/node_modules/uid-number/LICENSE
├─ uid-safe@2.0.0
│   ├── licenses: MIT
│   ├── repository: https://github.com/crypto-utils/uid-safe
│   └── licenseFile: /development/github/rewards-api-reference-app/
node_modules/uid-safe/LICENSE
├─ undefsafe@0.0.3
│   ├── licenses: MIT / http://rem.mit-license.org
│   └── repository: https://github.com/remy/undefsafe
├─ unique-stream@1.0.0
│   └── licenses: BSD

```

- └─ repository: <https://github.com/eugeneware/unique-stream>
- └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/unique-stream/LICENSE

- └─ **unique-stream@2.2.1**
  - └─ licenses: MIT
  - └─ repository: <https://github.com/eugeneware/unique-stream>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/main-bower-files/node\_modules/unique-stream/LICENSE

- └─ **unpipe@1.0.0**
  - └─ licenses: MIT
  - └─ repository: <https://github.com/stream-utils/unpipe>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/unpipe/LICENSE

- └─ **update-notifier@0.5.0**
  - └─ licenses: BSD-2-Clause
  - └─ repository: <https://github.com/yeoman/update-notifier>

- └─ **user-home@1.1.1**
  - └─ licenses: MIT
  - └─ repository: <https://github.com/sindresorhus/user-home>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/user-home/license

- └─ **util-deprecate@1.0.2**
  - └─ licenses: MIT
  - └─ repository: <https://github.com/TooTallNate/util-deprecate>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/util-deprecate/LICENSE

- └─ **utils-merge@1.0.0**
  - └─ licenses: MIT
  - └─ repository: <https://github.com/jaredhanson/utils-merge>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/utils-merge/LICENSE

- └─ **uuid@2.0.1**
  - └─ licenses: MIT\*
  - └─ repository: <https://github.com/shtylman/node-uuid>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/uuid/LICENSE.md

- └─ **v8flags@2.0.11**
  - └─ licenses: MIT
  - └─ repository: <https://github.com/tkellen/node-v8flags>
  - └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/v8flags/LICENSE

- └─ **validate-npm-package-license@3.0.1**
  - └─ licenses: Apache-2.0
  - └─ repository: [https://github.com/kemitchell/validate-npm-package-](https://github.com/kemitchell/validate-npm-package-license.js)

license.js

- └─ licenseFile: /development/github/rewards-api-reference-app/

node\_modules/validate-npm-package-license/LICENSE

- └─ **vary@1.0.1**
  - └─ licenses: MIT
  - └─ repository: <https://github.com/jshttp/vary>

```

|   └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/vary/LICENSE
└─ vary@1.1.0
  └─ licenses: MIT
  └─ repository: https://github.com/jshttp/vary
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/compression/node_modules/vary/LICENSE
└─ verror@1.3.6
  └─ licenses: MIT*
  └─ repository: https://github.com/davepacheco/node-verror
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/verror/LICENSE
└─ vinyl@0.4.6
  └─ licenses: MIT
  └─ repository: https://github.com/wearefractal/vinyl
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/vinyl-fs/node_modules/vinyl/LICENSE
└─ vinyl@0.5.3
  └─ licenses: MIT
  └─ repository: https://github.com/wearefractal/vinyl
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/vinyl/LICENSE
└─ vinyl-fs@0.3.14
  └─ licenses: MIT
  └─ repository: https://github.com/wearefractal/vinyl-fs
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/vinyl-fs/LICENSE
└─ vinyl-fs@1.0.0
  └─ licenses: MIT
  └─ repository: https://github.com/wearefractal/vinyl-fs
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/main-bower-files/node_modules/vinyl-fs/LICENSE
└─ websocket-driver@0.6.4
  └─ licenses: MIT
  └─ repository: https://github.com/faye/websocket-driver-node
└─ websocket-extensions@0.1.1
  └─ licenses: MIT
  └─ repository: https://github.com/faye/websocket-extensions-node
└─ wrappy@1.0.1
  └─ licenses: ISC
  └─ repository: https://github.com/npm/wrappy
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/wrappy/LICENSE
└─ write-file-atomic@1.1.4
  └─ licenses: ISC
  └─ repository: https://github.com/iarna/write-file-atomic
  └─ licenseFile: /development/github/rewards-api-reference-app/
node_modules/write-file-atomic/LICENSE
└─ x-xss-protection@1.0.0
  └─ licenses: MIT

```

```
|   | repository: https://github.com/helmetjs/x-xss-protection
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/x-xss-protection/LICENSE
|   xdg-basedir@2.0.0
|   | licenses: MIT
|   | repository: https://github.com/sindresorhus/xdg-basedir
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/xdg-basedir/license
|   xtend@4.0.1
|   | licenses: MIT
|   | repository: https://github.com/Raynos/xtend
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/xtend/LICENSE
|   yallist@2.0.0
|   | licenses: ISC
|   | repository: https://github.com/isaacs/yallist
|   | licenseFile: /development/github/rewards-api-reference-app/
node_modules/yallist/LICENSE
```