

```
+-----+
!                                     !
!           Issue 1                 !
!           -----                 !
!           ENDORSED BY EDIFICE     !
!                                     !
!           1994-09-07             !
!                                     !
+-----+
```

EDIFICE - UTILISATION  
OF THE  
EDIFACT - SSDRSP MESSAGE  
(SHIP FROM STOCK & DEBIT CLAIM RESPONSE)

Copyright (c) EDIFICE 1994

All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without prior permission of EDIFICE.

Notwithstanding the fact that the utmost care has been observed in the collecting, drawing up and formulating of data, EDIFICE can under no circumstances be held liable for errors, omissions or misinterpretations as a result of the information compiled in the guidelines.

EDIFICE  
Electronic Data Interchange Forum for companies  
with Interests in Computing and Electronics  
c/o ADC-Admin  
Tiensestraat 2  
B-3320 Hoegaarden  
Belgium  
Tel: +32 16 76 54 40  
Fax: +32 16 76 53 58  
Internet: Dora.Cresens@pophost.eunet.be

TABLE OF CONTENTS

-----

TITLE	PAGE
-----	-----
COMPARISON TO PREVIOUS ISSUE.....	2
EDIFICE FUNCTIONAL DEFINITION.....	2
REFERENCES.....	5
EXPLANATORY NOTES.....	5
EDIFICE MESSAGE DIAGRAM.....	8
UNH MESSAGE HEADER.....	9
BGM BEGINNING OF MESSAGE.....	10
DTM DATE/TIME/PERIOD.....	11
RFF REFERENCE.....	12
NAD NAME AND ADDRESS.....	13
CUX CURRENCIES.....	15
SEGMENT GROUP 1.....	16
LIN LINE ITEM.....	17
PIA ADDITIONAL PRODUCT ID.....	19
RFF REFERENCE.....	21
QTY QUANTITY.....	22
PRI PRICE DETAILS.....	23
STS TRANSPORT STATUS REPORT.....	24
UNT MESSAGE TRAILER.....	25
EXAMPLES.....	26

COMPARISON TO PREVIOUS ISSUE


-----

- No previous issue of this document exists.

EDIFICE FUNCTIONAL DEFINITION

-----

Example of a typical business process:



Description of the SHIP FROM STOCK & DEBIT business scenario :

1. Stocking of Goods & Stock Protection

The distributor purchases the goods with the manufacturer for stocking purposes at a fixed price. These prices are fixed for a certain period of time (e.g. prices are fixed per quarter). This purchase price is commonly referred to as "Distributor Cost" or "Catalogue price".

When the manufacturer decides to change his price, the following process is applied : Based on the distributor inventory level at the time of the price change, the manufacturer can calculate the difference in value of that stock which is caused by the price change.

When (as in the majority of the cases) the prices of electronics components go down, the manufacturer will credit the distributor account for the difference in value of his stock.

(There are variances in the Stock protection mechanism from one manufacturer to another. The exact conditions can usually be found in the Franchise agreement. There are other implications to this stock protection scheme (e.g. Stock return) which are not part of this introduction.)

2. Request of a NEW BUY PRICE

The purpose for a distributor to have stock is in the first place to sell the goods to his customers. (In this guide, we refer to the distributor customer as "end-customer").

Very often, the market price will have changed since the distributor bought the goods from a manufacturer which prevents the distributor from making a healthy margin. For this purpose, manufacturers introduced the "Ship from Stock & Debit" scenario.

When a distributor has a business opportunity with an end-customer, he will inform the manufacturer of the business opportunity with a "request for quote".

The distributor will get a response from the manufacturer to his proposal (the quote). In this quote, the manufacturer will propose a "New Buy Price". This "New buy price" is only valid for the authorised quantity and the end-customer specified in the quote.

Based on this quote, the distributor can make a final offer to his end-customer. When the end-customer accepts the deal (which results in an order from the end-customer to the distributor) the distributor will inform the manufacturer of this deal (by phone, fax or EDI). The manufacturer will give the distributor a final authorisation to ship the goods & claim back the difference between the "Distributor Cost" & the "New Buy Price". Besides the "New Buy Price", the "Authorised Quantity" & the "End Customer", an "Expiry Date" is always attached to the Authorisation.

Not all manufacturers require a "Four Step" negotiation process. The process can be reduced to a "three step process" if the first offer to the distributor already contains a conditional authorisation number.

### 3. Shipping to the End customer / Claiming from the manufacturer

-----

Independent of how many steps the bid (offer) process takes, it is only when the distributor starts shipping the goods to his end-customer that he can claim the difference between the "Distributor Cost" & the "New Buy Price" from the manufacturer.

The frequency at which a distributor makes a claim to the manufacturer differs. Some manufacturers allow the distributor to claim when the shipping event occurs, others ask the distributor to accumulate and transmit the claims on a fixed interval period (e.g. weekly or monthly).

The manufacturer will receive the claim and process it against the distributor's OPEN authorisations. Not all claims are accepted based on the conditions stated in the claim. It is even possible that some claims are rejected.

The manufacturer will inform the distributor of the processing result of every claim. Finally the manufacturer will issue a Credit Note to the distributor and credit the distributor's account.

Where does the Ship from Stock & Debit Response message fit in this process:

-----

This message is designed to allow a manufacturer to respond back to distributor's Ship from Stock and Debit Claim message.

The manufacturer can respond to one claim with one or multiple response messages. However, a response message may only respond to one claim at a time.

One line in the claim can only generate one line in the response. A claim line is accepted or rejected. EDIFICE recommends not to "SPLIT" claim lines so that they could be partly accepted & partly rejected.

It is mandatory to specify the distributor claim number in the header of every response & the distributor claim line number on every line item.

The manufacturer can optionally specify a credit note number in the response message. If the reference is made at header level, the credit note number covers all accepted line items. Alternatively the Credit note number can also be specified on line item level.

This message in conjunction with the Ship from Stock and Debit Claim message.

#### REFERENCES

-----

EDIFACT STANDARD DATA SEGMENT DIRECTORY 92.1  
EDIFACT CODE LIST 92.1  
EDIFICE UTILISATION of the EDIFACT Service Segments, ISSUE 2  
ISO 9735 : 1988 (E) EDIFACT - APPLICATION LEVEL SYNTAX RULES,  
FIRST EDITION : 1988-07-15  
AMENDED AND REPRINTED : 1990-11-15  
ISO 3166 Codes for the representation of names of countries.  
ISO 4217 Codes for the representation of currencies and funds.  
UN/ECE RECOMMENDATION NUMBER 20 Codes for Units of Measurement.

The SSDRSP message structure has been created by EDIFICE and proposed to EDIFACT to become part of the EDIFACT message directory.

#### EXPLANATORY NOTES

-----

The following abbreviations are used within this document:

DE = Data Element  
SG = Segment Group

The following codes are used to indicate, in a more detailed and precise way than EDIFACT, the usage of the data concerned in the EDIFICE Guidelines:

EDIFACT -----	EDIFICE -----
M (Mandatory)	M (Mandatory)
C (Conditional)	R (Required)
C (Conditional)	D (Depending)
C (Conditional)	A (Advised)
C (Conditional)	O (Optional)
C (Conditional)	X (Not used)

- Mandatory = EDIFACT dictates that the Data Element or Segment must be present.
- Required = EDIFICE members agree that the data concerned must be sent.
- Depending = The data concerned must be sent if a particular defined condition or set of conditions exists. The associated conditions must be explained at the appropriate level of detail.
- Advised = Indicates that the RECEIVER of the message would prefer the data concerned to be sent, but does not require its transmission.
- Optional = Indicates that the transmission of the data concerned is at the need or discretion of the SENDER, i.e. it is not required by the receiver in order to perform its business function. EDIFICE requires that the use of 'O' must be agreed between trading partners.
- Not Used = The Data Element or Segment will not be used by EDIFICE members.

Where a Composite Data Element is indicated as Not Used, the column 'usage status' for the Component Data Elements will remain blank.

The number of occurrences shown in the message diagram indicates the required or maximum number of occurrences for the EDIFICE utilisation.

The EDIFICE usage status and number of occurrences for segments or segment groups will be represented analogue to the representation of data elements e.g.:

R3 The segment or group is required 3 times (fixed number)

R..3 The segment or group is required up to 3 times (maximum number)

The following table indicates the number of integer and decimal digits to be used for numeric data elements when needed:

Numeric Class	Repr: Digits	Integer Digits	Decimals
Dimensions	n..18	15	3
Quantities	n..15	12	3
Volumes	n..18	15	3
Weights	n..18	15	3
Unit Prices	n..15	11	4
Amounts	n..18	15	3
Currency Rates	n..12	6	6
Percentages	n..8	3	5

EDIFICE recommends that where possible date and time formats used within the message should be consistent.



EDIFICE MESSAGE DIAGRAM

-----

UNH	Message header	M1
BGM	Beginning of message	M1
DTM	Date/time/period	R1
RFF	Reference	R..2
NAD	Name and address	R..2
CUX	Currencies	R1

--- Segment Group 1 -----		R..200000	-----+
LIN	Line Item	M1	!
PIA	Additional Product Id	D..10	!
RFF	Reference	R..2	!
QTY	Quantity	D1	!
PRI	Price details	D2	!
STS	Transport Status Report	D..20	-----+
UNT	Message trailer	M1	

UNH MESSAGE HEADER

Function: To head, identify and specify a message.

Usage : M1

Remarks : Refer to EDIFICE Utilisation of the EDIFACT Service Segments,  
Issue 2.

Ref.	Rep.	Name	! EDIFICE UTILISATION
0062	an..14	M MESSAGE REFERENCE NUMBER	! ! !M! See Note 1 ! !
S009		M MESSAGE IDENTIFIER	!M!
0065	an..6	M Message type identifier	!M! 'SSDRSP'
0052	an..3	M Message type version number	!M! '0' Status 0 ! !
0054	an..3	M Message type release number	!M! '921' Directory 92.1 ! !
0051	an..2	M Controlling agency	!M! 'ED' EDIFICE
0057	an..6	C Association assigned code	!R! 'ED1' EDIFICE, issue 1 ! ! ! !
0068	an..35	C COMMON ACCESS REFERENCE	!X! ! !
S010		C STATUS OF THE TRANSFER	!O!
0070	n..2	M Sequence message transfer number	!M! ! !
0073	a..1	C First/last sequence message transfer indication	!O! ! ! ! ! ! !

Note 1: DE 0062 MESSAGE REFERENCE NUMBER  
Transmission message count from 1

BGM BEGINNING OF MESSAGE  
-----

Function: To indicate the beginning of the Ship from Stock & Debit Claim  
Response message and specify the manufacturer's Ship from Stock  
& Debit Claim Response number.

Usage : M1

Remarks :

Ref.	Rep.	Name	! EDIFICE UTILISATION
			! !
C002		C DOCUMENT/MESSAGE NAME	!R!
1001	an..3	C Document/message name, coded	!R! See Note 1 ! !
1131	an..3	C Code list qualifier	!X!
3055	an..3	C Code list responsible agency, coded	!X! ! !
1000	an..35	C Document/message name	!X! ! !
1004	an..35	C DOCUMENT/MESSAGE NUMBER	!R! Response Number. ! !
1225	an..3	C MESSAGE FUNCTION, CODED	!X! ! !
4343	an..3	C RESPONSE TYPE, CODED	!X! ! !

Note 1: DE 1001 DOCUMENT/MESSAGE NAME, CODED  
'SSR' Ship from Stock and Debit Claim Response  
Use this code until EDIFACT makes one available.

DTM DATE/TIME/PERIOD  
-----

Function: To specify the Ship from Stock and Debit Claim Response message  
creation date.

Usage : R1

Remarks :

Ref.	Rep.	Name	! EDIFICE UTILISATION
			! !
C507		M DATE/TIME/PERIOD	!M!
2005 an..3	M	Date/time/period qualifier	!M! See Note 1 ! !
2380 an..35	C	Date/time/period	!R! Date of document creation
2379 an..3	C	Date/time/period format qualifier	!R! See Note 2 ! !
			! !

Note 1: DE 2005 DATE/TIME/PERIOD QUALIFIER  
'137' Document/message date/time

Note 2: DE 2379 DATE/TIME/PERIOD FORMAT QUALIFIER  
'101' YYMMDD  
'102' CCYYMMDD

RFF REFERENCE

-----

Function: To identify the distributor's Ship from Stock & Debit Claim Number and the manufacturer's Credit Note issued as a result of the claim. Reference to the Credit Note can alternatively be made at LIN level in which case it can't be specified in the header.

Usage : R..2

Remarks : At least one RFF segment holding the Ship from Stock & Debit Claim number must be present.

Ref.	Rep.	Name	!	EDIFICE UTILISATION
-----+-----				
			!	!
C506		M REFERENCE	!	M!
1153	an..3	M Reference qualifier	!	M! See Note 1
1154	an..35	C Reference number	!	R! As specified by DE 1153
1156	an..6	C Line number	!	X!
4000	an..35	C Reference version number	!	X!
-----+-----				

Note 1: DE 1153 REFERENCE QUALIFIER  
'SSC' Ship from Stock & Debit Claim Number  
MANDATORY  
Distributor's SSDCLM Number  
Use this code until EDIFACT makes one available  
'CD' Credit note number  
OPTIONAL  
Manufacturer's assigned CN number.

NAD NAME AND ADDRESS

-----

Function: To identify the manufacturer and the distributor.

Usage : R..2

Remarks : A NAD segment identifying the manufacturer must be present.

Ref.	Rep.	Name	! EDIFICE UTILISATION
-----+-----			
3035	an..3	M PARTY QUALIFIER	! ! !M! See Note 1
C082		C PARTY IDENTIFICATION DETAILS	! ! !R!
3039	an..17	M Party id identification	!M! As qualified in DE 3035
1131	an..3	C Code list qualifier	!X!
3055	an..3	C Code list responsible agency, coded	!R! See Note 2 ! ! ! !
C058		C NAME AND ADDRESS	!X!
3124	an..35	M Name and address line	! !
3124	an..35	C Name and address line	! !
3124	an..35	C Name and address line	! !
3124	an..35	C Name and address line	! !
3124	an..35	C Name and address line	! ! ! !
C080		C PARTY NAME	!X!
3036	an..35	M Party name	! !
3036	an..35	C Party name	! !
3036	an..35	C Party name	! !
3036	an..35	C Party name	! !
3036	an..35	C Party name	! !
3045	an..3	C Party name format, coded	! ! ! !
C059		C STREET	!X!
3042	an..35	M Street and number/P.O. Box	! ! ! !
3042	an..35	C Street and number/P.O. Box	! ! ! !
3042	an..35	C Street and number/P.O. Box	! ! ! !
3164	an..35	C CITY NAME	!X! ! !
3229	an..9	C COUNTRY SUB-ENTITY IDENTIFICATION	!X! ! ! ! !
3251	an..9	C POSTCODE IDENTIFICATION	!X! ! !
3207	an..3	C COUNTRY, CODED	!X! ! !
-----+-----			

Note 1: DE 3035 PARTY QUALIFIER  
'MF' Manufacturer of goods  
MANDATORY  
'DS' Distributor  
OPTIONAL

Note 2: DE 3055 CODE LIST RESPONSIBLE AGENCY, CODED  
'9' EAN (International Article Numbering association)  
'89' Assigned by distributor  
'90' Assigned by manufacturer

CUX CURRENCIES

Function: To specify the currency of prices sent in the PRI segment  
(detail section).

Usage : R1

Remarks :

Ref.	Rep.	Name	! EDIFICE UTILISATION
C504		C CURRENCY DETAILS	! !
6347	an..3	M Currency details	!R! '2' Reference currency
		qualifier	! !
6345	an..3	C Currency, coded	!R! See Note 1
6343	an..3	C Currency qualifier	!R! See Note 2
6348	n..4	C Currency rate base	!X!
			! !
C504		C CURRENCY DETAILS	!X!
6347	an..3	M Currency details	! !
		qualifier	! !
6345	an..3	C Currency, coded	! !
6343	an..3	C Currency qualifier	! !
6348	n..4	C Currency rate base	! !
			! !
5402	n..12	C RATE OF EXCHANGE	!X!
			! !
6341	an..3	C CURRENCY MARKET EXCHANGE, CODED	!X!
			! !
			! !

Note 1: DE 6345 CURRENCY, CODED  
See ISO 4217, 3 alpha code list

Note 2: DE 6343 CURRENCY QUALIFIER  
'9' Order currency  
Currency used between manufacturer & distributor.



SEGMENT GROUP 1  
-----

Function: A group of segments providing details of the response to each  
          line item in the Ship from Stock and Debit Claim, whether they  
          have been accepted or rejected by the manufacturer.

Usage : R..200000

Remarks :

---	Segment Group	1	-----	R..200000	-----	+
LIN	Line Item			M1		!
PIA	Additional Product Id			D..10		!
RFF	Reference			R..2		!
QTY	Quantity			D1		!
PRI	Price details			D2		!
STS	Transport Status Report			D..20	-----	+

LIN LINE ITEM  
-----

Function: To specify whether the claim line item was accepted or not.

Usage : M1

Remarks : At least one item number identification must be used to describe the product referred to.

All additional identification to the item number except for the primary reference are held in the PIA segment.

Ref. Rep.	Name	! EDIFICE UTILISATION
1082 n..6	C LINE ITEM NUMBER	! ! !R! See Note 1 ! !
1229 an..3	C ACTION REQUEST/NOTIFICATION, CODED	!R! See Note 2 ! ! ! ! ! !
C212	C ITEM NUMBER IDENTIFICATION	!R! ! !
7140 an..35	C Item number	!R! Primary Reference
7143 an..3	C Item number type, coded	!R! See Note 3
1131 an..3	C Code list qualifier	!X!
3055 an..3	C Code list responsible agency, coded	!R! See Note 4 ! ! ! !
5495 an..3	C SUB-LINE INDICATOR, CODED	!X! ! !
1222 n..2	C CONFIGURATION LEVEL	!X! ! !
7083 an..3	C CONFIGURATION, CODED	!X! ! !

Note 1: DE 1082 LINE ITEM NUMBER

It is required to assign a number to the line items within a message. The number is assigned by the sender of the message. Normally the first line item within a message will be numbered '1' and further line items will be incremented by '1' for each new line.

Note 2: DE 1229 ACTION REQUEST/NOTIFICATION, CODED  
The action request code on the Ship from Stock & Debit Response indicates the action which has been taken by the Manufacturer against a requested action on a Ship from Stock & Debit Claim by the Distributor :

- '5' Accepted without amendment  
The line item of the referenced message is entirely accepted by the manufacturer.
- '6' Accepted with amendment  
The line item of the referenced message is accepted but amended by the manufacturer.
- '7' Not accepted  
This line item of the referenced message is not accepted by the manufacturer.

Note 3: DE 7143 ITEM NUMBER TYPE, CODED  
'BP' Buyer's part number  
(Distributor's Part Number)  
'VP' Vendor's (seller's) part number  
(Manufacturer's Part Number)  
'EN' International Article Numbering Association (EAN)

Note 4: DE 3055 CODE LIST RESPONSIBLE AGENCY, CODED  
'9' EAN (International Article Numbering association)  
'91' Assigned by seller or seller's agent  
(Manufacturer)  
'92' Assigned by buyer or buyer's agent  
(Distributor)

EDIFICE requires that code '91' is used to indicate information related to the Seller's part number ('VP') and code '92' is used to indicate information related to the Buyer's part number ('BP'). Code '9' is used to indicate information related to the EAN number ('EN').

## PIA ADDITIONAL PRODUCT ID

Function: To indicate additional item identification.

Usage : D..10

Remarks : Where the primary reference is insufficient to identify the item, this segment may be used to provide additional product identification. Information such as engineering change level, drawing revision number etc. can also be included in this segment.

Ref.	Rep.	Name	! EDIFICE UTILISATION
4347	an..3	M PRODUCT ID FUNCTION QUALIFIER	! ! !M! '1' Additional identification ! ! ! !
C212		M ITEM NUMBER IDENTIFICATION	!M! ! !
7140	an..35	C Item number	!R!
7143	an..3	C Item number type, coded	!R! See Note 1
1131	an..3	C Code list qualifier	!X!
3055	an..3	C Code list responsible agency, coded	!R! See Note 2 ! ! ! !
C212		C ITEM NUMBER IDENTIFICATION	!O! ! !
7140	an..35	C Item number	!R!
7143	an..3	C Item number type, coded	!R! See Note 1
1131	an..3	C Code list qualifier	!X!
3055	an..3	C Code list responsible agency, coded	!R! See Note 2 ! ! ! !
C212		C ITEM NUMBER IDENTIFICATION	!O! ! !
7140	an..35	C Item number	!R!
7143	an..3	C Item number type, coded	!R! See Note 1
1131	an..3	C Code list qualifier	!X!
3055	an..3	C Code list responsible agency, coded	!R! See Note 2 ! ! ! !
C212		C ITEM NUMBER IDENTIFICATION	!O! ! !
7140	an..35	C Item number	!R!
7143	an..3	C Item number type, coded	!R! See Note 1
1131	an..3	C Code list qualifier	!X!
3055	an..3	C Code list responsible agency, coded	!R! See Note 2 ! ! ! !
C212		C ITEM NUMBER IDENTIFICATION	!O! ! !
7140	an..35	C Item number	!R!
7143	an..3	C Item number type, coded	!R! See Note 1
1131	an..3	C Code list qualifier	!X!
3055	an..3	C Code list responsible agency, coded	!R! See Note 2 ! ! ! !

Note 1: DE 7143 ITEM NUMBER TYPE, CODED

- 'BP' Buyer's part number
- 'VP' Vendor's (seller's) part number
- 'EN' International Article Numbering Association (EAN)
- 'EC' Engineering change level
- 'GS' General specification number
- 'SG' Standard group of products (mixed assortment)
- 'VX' Vendor specification number
- 'DW' Drawing
- 'DR' Drawing revision number
- 'CV' Customs article number
- 'CCM' COCOM list number

Use this code until EDIFACT makes one available

Note 2: DE 3055 CODE LIST RESPONSIBLE AGENCY, CODED

- '9' EAN (International Article Numbering association)
- '91' Assigned by seller or seller's agent
- '92' Assigned by buyer or buyer's agent

EDIFICE requires that code '91' is used to indicate information related to the Seller's part number ('VP') and code '92' is used to indicate information related to the Buyer's part number ('BP'). Code '9' is used to indicate information related to the EAN number ('EN').

SG 1

DETAIL

RFF REFERENCE

-----

Function: To specify the Ship from Stock and Debit Claim Line Number.

Usage : R..2

Remarks : If Credit Note number is specified here, it should occur in the header.

Ref. Rep.	Name	! EDIFICE UTILISATION
-----+-----		
		! !
C506	M REFERENCE	!M!
1153 an..3	M Reference qualifier	!M! See Note 1
1154 an..35	C Reference number	!D! As qualified by DE 1153
1156 an..6	C Line number	!D! As qualified by DE 1153
4000 an..35	C Reference version number	!X!
		! !
-----+-----		

Note 1: DE 1153 REFERENCE QUALIFIER  
'LI' Line item reference number  
MANDATORY  
To specify the SSDCLM line item number.  
DE 1154: (X)  
DE 1156: (R)

QTY QUANTITY  
-----

Function: To specify the credited or debited quantity.

Usage : D1

Remarks : The segment should only occur when the line is accepted with  
or without amendments.

An invoice from the distributor to the end-customer results  
in a credited quantity on the response.

A credit from the distributor to the end-customer results in  
a debited quantity on the response.

Ref. Rep.	Name	! EDIFICE UTILISATION
-----	-----	+ +-----
		! !
C186	M QUANTITY DETAILS	!M!
6063 an..3	M Quantity qualifier	!M! See Note 1
6060 n..15	M Quantity	!M! As qualified by DE 6063
6411 an..3	C Measure unit qualifier	!R! See Note 2
		! !
-----	-----	+ +-----

Note 1: DE 6063 QUANTITY QUALIFIER

'201' Quantity Credited  
(Credit to be made to distributor)  
Use this code until EDIFACT makes one available  
'202' Quantity Debited  
(Debit to be made to distributor)  
Use this code until EDIFACT makes one available

Note 2: DE 6411 MEASURE UNIT QUALIFIER

See UN/ECE RECOMMENDATION NUMBER 20 Codes for Units of  
Measurement, 3 alpha code.

## PRI PRICE DETAILS

-----

Function: To specify price information at which the claim is accepted.

Usage : D2

Remarks : The segments should only occur when the line is accepted with  
or without amendments.Two PRI segments must be present containing both Catalogue &  
New Buy Price.

Ref. Rep.	Name	! EDIFICE UTILISATION
		! !
C509	C PRICE INFORMATION	!R!
5125 an..3	M Price qualifier	!M! See Note 1
5118 n..15	C Price	!R! As qualified by DE 5125
5375 an..3	C Price type, coded	!X!
5387 an..3	C Price type qualifier	!X!
5284 n..9	C Unit price basis	!X!
6411 an..3	C Measure unit qualifier	!R! See Note 2
		! !
5213 an..3	C SUB-LINE PRICE CHANGE,	!X!
	CODED	! !
		! !

Note 1: DE 5125 PRICE QUALIFIER

'CAT' : Catalogue Price

MANDATORY

Disti-Cost

Code from code list 5387

'NBP' : New buy Price

MANDATORY

Resale-at-Cost

Use this code until EDIFACT makes one available.

Note 2: DE 6411 MEASURE UNIT QUALIFIER

See UN/ECE RECOMMENDATION NUMBER 20 Codes for Units of  
Measurement, 3 alpha code.



## STS TRANSPORT STATUS REPORT

Function: Indicate the reject reason of the claim line.

Usage : D..20

Remarks : The segment should be present when the line is rejected.  
Several reject reason codes can be specified for one rejected line.

Ref.	Rep.	Name	! EDIFICE UTILISATION
			! !
C601		C STATUS DETAIL	!R!
9015	an..3	M Status type, coded	!M! See Note 1
1131	an..3	C Code list qualifier	!X!
3055	an..3	C Code list responsible agency, coded	!R! '8' EDIFICE
			! !
			! !
C555		C STATUS EVENT	!X!
9011	an..3	M Status event, coded	! !
1131	an..3	C Code list qualifier	! !
3055	an..3	C Code list responsible agency, coded	! !
			! !
			! !
C556		C STATUS REASON	!X!
9013	an..3	M Status reason, coded	! !
1131	an..3	C Code list qualifier	! !
3055	an..3	C Code list responsible agency, coded	! !
			! !
9012	an..35	C Status reason	! !
			! !

Note 1: DE 9015 STATUS TYPE, CODED

- 'AAA' Invalid Authorisation Number
- 'AAB' Authorisation Expired
- 'AAC' Product not on Authorisation
- 'AAD' Invalid Ship Quantity
- 'AAE' Invalid End Customer Code
- 'AAF' Invalid Ship Date (Invoice or CN Date)
- 'AAG' Duplicate Claim
- 'AAH' Quantity fulfilled
- 'AAI' Resale-at-Cost higher than Disti Cost
- 'AAJ' Invalid Distributor Cost
- 'AAK' Invalid Resale to Trade
- 'AAL' Invalid Resale-at-Cost
- 'AAM' Authorisation on HOLD
- 'AAN' Below Minimum claim quantity or Price level
- 'AAO' Invalid Authorisation line number reference
- 'AAP' Invalid Currency Codes for Resale-at-Cost and DC
- 'AAQ' Invalid Currency for Resale to trade.
- 'AAR' Invalid Invoice
- 'AXX' Other Reject Reason

Use these codes until EDIFACT makes codes available.

UNT MESSAGE TRAILER

-----

Function: To end and check the completeness of a message.

Usage : M1

Remarks : Refer to EDIFICE Utilisation of the EDIFACT Service Segments,  
Issue 2.

Ref. Rep.	Name	! EDIFICE UTILISATION
-----+-----		
		! !
0074 n..6	M NUMBER OF SEGMENTS IN A	!M!
	MESSAGE	! !
		! !
0062 an..14	M MESSAGE REFERENCE NUMBER	!M!
		! !
-----+-----		

EXAMPLES

-----

Line item 1 : accepted  
Line item 2 : rejected

UNH+1+SSDRSP:0:921:ED:ED1'  
BGM+SSR+110123'  
DTM+137:940102:101'  
RFF+SSC:4938'  
NAD+MF+MANUFCD:90'  
CUX+2:DEM:9'  
LIN+1+6+PRODCODE1:VP::91'  
RFF+LI::25'  
QTY+201:103'  
PRI+NBP:1.00:::PCE'  
PRI+CAT:1.80:::PCE'  
LIN+2+7+PRODCODE2:VP::91'  
RFF+LI::26'  
STS+AAB::8'  
STS+AAH::8'  
UNT+17+1'