

# Quiz for Lesson 6

Outside 1st Year, Level I - Q Ed.

Completed on September 07, 2025

By Michael SCHRIEFER

## Question 1

Climbing equipment should be inspected \_\_\_\_.

- ☒ a. before and after each use ✓
- ☐ b. monthly or at first sign of damage ✗
- ☐ c. every six months ✗
- ☐ d. yearly ✗

The correct answer is: before and after each use

---

## Question 2

Whose responsibility is it to inspect the climbing equipment?

- ☐ a. Job Safety Director ✗
- ☐ b. Manufacturer ✗
- ☐ c. Supervisor ✗
- ☒ d. User ✓

The correct answer is: User

---

### Question 3

Modifying equipment to personal specifications is acceptable.

Select one:

- ☐ True ✖
- ☒ False ✔

The correct answer is 'False'.

---

### Question 4

When the contrasting color of the internal layer of a pole strap becomes visible, the strap should be   ?  .

- ☐ a. recycled ✖
- ☐ b. refurbished ✖
- ☒ c. replaced ✔
- ☐ d. resized ✖

The correct answer is: replaced

---

### Question 5

To get the best performance from climbers, the gaffs must be properly   ?   and   ?  .

- ☐ a. filed / sharpened ✖
- ☐ b. honed / sized ✖
- ☒ c. sized / shaped ✔
- ☐ d. None of the above ✖

The correct answer is: sized / shaped

---

### Question 6

A ? must be used to properly maintain and shape the gaff.

- ☐ a. clamp and blocks ✖
- ☒ b. gaff gauge ✔
- ☐ c. smooth single cut file ✖
- ☐ d. stoning hone ✖

The correct answer is: gaff gauge

---

### Question 7

Climbers should be inspected immediately if there is an unusual “feel” or ? while climbing.

- ☒ a. a cutout occurs ✔
- ☐ b. a foot strap breaks ✖
- ☐ c. a slowdown in speed occurs ✖
- ☐ d. the gaff does not penetrate pole rot ✖

The correct answer is: a cutout occurs

---

### Question 8

When should gaff guards be used on climbers?

- ☒ a. Anytime the climbers are not in use ✔
- ☐ b. Only when handling climbers in the field ✖
- ☐ c. Only when transporting climbers ✖
- ☐ d. When walking to the pole ✖

The correct answer is: Anytime the climbers are not in use

---

### Question 9

When properly sharpened, the gaff tip contour should function as a   ?.

- ☒ a. chisel ✓
- ☐ b. fulcrum ✗
- ☐ c. needle point ✗
- ☐ d. spike ✗

The correct answer is: chisel

---

### Question 10

The purpose of gaff guards is to protect the user from injury and climber damage.

Select one:

- ☒ True ✓
- ☐ False ✗

The correct answer is 'True'.

---

### Question 11

Which file type is recommended for gaff filing?

- ☐ a. Half round file ✗
- ☐ b. Honing stone ✗
- ☐ c. Round single cut file ✗
- ☒ d. Smooth single cut file ✓

The correct answer is: Smooth single cut file

---

Question 12

Minimal damage to the gaff should be repaired using a \_?\_.

- ☐ a. half round file ✖
- ☒ b. honing stone ✔
- ☐ c. round single ✖
- ☐ d. smooth single cut file ✖

The correct answer is: honing stone

---

Question 13

A radius tip is critical for gaff penetration.

Select one:

- ☒ True ✔
- ☐ False ✖

The correct answer is 'True'.

---

Question 14

Why is it important to have a properly shaped gaff?

- ☐ a. To climb efficiently ✖
- ☐ b. To prevent cutouts ✖
- ☐ c. To prevent the risk of injury ✖
- ☒ d. All of the above ✔

The correct answer is: All of the above

---

Question 15

What should be done with a gaff that measures less than 1  $\frac{1}{4}$  inch?

- ☐ a. Climb with gaff ✖
- ☐ b. Decrease leg angle to 20° ✖
- ☒ c. Discard and replace gaff ✔
- ☐ d. Reshape gaff ✖

The correct answer is: Discard and replace gaff

---

Question 16

What should be taken into account when inspecting climber straps and pads?

- ☐ a. Excessive wear ✖
- ☐ b. Loose or broken stitching ✖
- ☐ c. Loose or missing rivets ✖
- ☒ d. All of the above ✔

The correct answer is: All of the above

---

Question 17

What can be done to ensure even filing?

- ☒ a. Color gaff tip with black marker ✔
- ☐ b. Eye gaff tip ✖
- ☐ c. Measure gaff tip after each file ✖
- ☐ d. Test gaff tip by jabbing into wood ✖

The correct answer is: Color gaff tip with black marker

---

Question 18

When inspecting a body belt, the user should look for \_\_?\_\_.

- ☐ a. cuts, excessive wear ✖
- ☐ b. loose stitching, worn outer strap ✖
- ☐ c. rust or corrosion ✖
- ☒ d. all the above ✔

The correct answer is: all the above

---

Question 19

Body belt attachments' points shall be no less than \_\_?\_\_ from the back of the D-ring circle.

- ☐ a. 1" ✖
- ☒ b. 3" ✔
- ☐ c. 5" ✖
- ☐ d. 6" ✖

The correct answer is: 3"

---

Question 20

Body belts are sized by what measurement?

- ☐ a. Body size ✖
- ☒ b. D-size ✔
- ☐ c. Pant size ✖
- ☐ d. Waist size ✖

The correct answer is: D-size

---

### Question 21

How is D-size measured?

- ☐ a. Around the circumference of the hips ✖
- ☐ b. Around the circumference of the waist ✖
- ☒ c. Hip bone to hip bone ✔
- ☐ d. Pant Size ✖

The correct answer is: Hip bone to hip bone

---

### Question 22

Leather parts of any climbing equipment should be   ?   and   ?   regularly, to extend its life.

- ☒ a. cleaned / conditioned with the manufacturer's recommended cleaner ✔
- ☐ b. cleaned / washed with high pressure ✖
- ☐ c. washed / lubricated with spray lubricant ✖
- ☐ d. washed / sun dried ✖

The correct answer is: cleaned / conditioned with the manufacturer's recommended cleaner

---

### Question 23

If red warning core is exposed, then the positioning strap should be destroyed and replaced.

Select one:

- ☒ True ✔
- ☐ False ✖

The correct answer is 'True'.

---