


Table It D365FO Feature Guide

This guide shows the main screens in Table It D365FO and briefly explains what each feature is used for.

Settings



Settings

The Settings screen is where environments and appearance are managed. Users can choose light, dark, or automatic mode, enable high contrast, pick a color scheme, customize colors, and add or edit D365FO environment profiles.

Table Browser

Table Browser Search name, label, form reference... USPM - USPM Show temp/staging (6538)								
Name	Label	Group	Type	App Module	Form Reference	SysTable	View	Global
AlcoholDeclarationJournalTrans_RU	Alcohol declaration journal lines	WorksheetLine	Regular	EGAIS	AlcoholDeclarationJournalTrans_RU	No	No	Yes
AlcoholDeclarationJournalTransBranch_RU	Alcohol declaration journal lines by sep...	WorksheetLine	Regular	EGAIS	AlcoholDeclarationJournalTransBr...	No	No	Yes
AlcoholDeclarationTrans_RU	Alcohol declaration lines - receipt and is...	Transaction	Regular	EGAIS	—	No	No	Yes
AlcoholDeclarationTransMovement_RU	Alcohol declaration lines - movement	Transaction	Regular	EGAIS	AlcoholDeclarationTransMoveme...	No	No	Yes
AlcoholJournalTable_RU	Quarterly journal for alcohol production...	WorksheetHeader	Regular	EGAIS	AlcoholJournalTable_RU	No	No	Yes
AlcoholJournalTrans_RU	The lines of the quarterly journal for alc...	Transaction	Regular	EGAIS	—	No	No	Yes
AlcoholLicenseLine_RU	Alcohol license lines	Parameter	Regular	EGAIS	—	No	No	No
AlcoholLicenseRelTable_RU	Bind alcohol licenses	Miscellaneous	Regular	EGAIS	AlcoholLicenseRelTable_RU	No	No	No
AlcoholLicenseTable_RU	Alcohol licenses	Parameter	Regular	EGAIS	AlcoholLicenseTable_RU	No	No	No
AlcoholProductionType_RU	Alcohol production types	Parameter	Regular	EGAIS	AlcoholProductionType_RU	No	No	No
AosDuplicateKeyExceptionMessage	AOS Duplicate Key error messages	Miscellaneous	Regular	General	—	Yes	No	No
AosStabilityStressAllTypesData	AosStabilityStressAllTypesData	Miscellaneous	Regular	General	—	No	No	Yes
AosStabilityStressPersonCardControlData	AosStabilityStressPersonCardControlData	Miscellaneous	Regular	SystemAdministration	—	No	No	Yes
AosStabilityStressPrimaryKeyTable	AosStabilityStressPrimaryKeyTable	Miscellaneous	Regular	SystemAdministration	—	No	No	Yes
AosStabilityStressProductCardControlData	AosStabilityStressProductCardControlDa...	Miscellaneous	Regular	SystemAdministration	—	No	No	Yes

The Table Browser lists bundled D365FO tables with searchable columns for name, label, group, type, module, form reference, and table flags. Users can open a table in D365FO, mark favorites, filter columns, and show or hide temp/staging tables.


Entity Browser

Entity Browser Search name, DMF name, collection...											Trem Inc - USMF		Save Data	Metadata	Refresh Counts	Refresh
AOT Name	Current Co. #	Cross Co. #	Public Name (DMF)	DMF Entity Name	Collection (OData)	App Module	Category	OData	DMF	Allow Edit	06-05-26 10:55 PM					
FieldServiceProjProjectCanCreateJour...	19	45	FieldServiceProjProjectCanCreate...	—	FieldServiceProjProjectCanCre...	—	Master	Yes	No	Yes						
FieldServiceTransactionEntity	0	0	FieldServiceTransaction	—	FieldServiceTransactions	—	Master	Yes	No	Yes						
IoTIntMfgSensorItemBatchAttributeM...	0	0	SensorItemBatchAttributeMapping	Sensor batch attribute mappings	SensorItemBatchAttributeMa...	IoTIntelligence	Reference	Yes	Yes	Yes						
IoTIntMfgSensorJobExecutionEntity	0	0	SensorJobExecution	IoT sensor jobs executions	SensorJobExecutions	IoTIntelligence	Document	Yes	Yes	No						
IoTIntMfgSensorJobItemBatchAttribut...	0	0	SensorJobItemBatchAttribute	Sensor job item batch attributes	SensorJobItemBatchAttributes	—	Document	Yes	Yes	No						
IoTIntMfgSensorJobEntity	0	0	SensorJob	IoT sensor jobs	SensorJobs	IoTIntelligence	Document	Yes	Yes	No						
IoTIntMfgSensorOperationsResource...	0	0	SensorOperationsResourceMapp...	Sensor operations resource map...	SensorOperationsResourceM...	IoTIntelligence	Reference	Yes	Yes	Yes						
WMHEInboundQueueEntity	0	0	MaterialHandlingInboundQueue	Inbound queue entity	MaterialHandlingInboundQue...	WMS	Transaction	Yes	Yes	Yes						
WMHESubscriptionEntity	0	0	MaterialHandlingSubscription	Subscriptions	MaterialHandlingSubscriptions	WMS	Master	Yes	Yes	Yes						
WMHEOutboundQueueEntity	0	0	MaterialHandlingOutboundQueue	Outbound queue	MaterialHandlingOutboundQ...	WMS	Transaction	Yes	Yes	Yes						
WMHEParametersEntity	0	0	MaterialHandlingParameters	Material handling equipment int...	MaterialHandlingParameters	WMS	Parameters	Yes	Yes	Yes						
RentalItemDVEntity	0	0	DVRentalItem	—	DVRentalItems	—	Master	Yes	Yes	Yes						
RentalJobSiteEntity	0	0	RentalJobSite	—	RentalJobSites	—	Reference	Yes	Yes	Yes						
RentalItemModelEntity	0	0	RentalItemModel	—	RentalItemModels	—	Reference	Yes	Yes	Yes						
RentalItemManufacturerEntity	0	0	RentalItemManufacturer	—	RentalItemManufacturers	—	Reference	Yes	Yes	Yes						

Entity Browser

The Entity Browser lists D365FO data entities from the selected environment. It shows current-company and cross-company record counts, OData and DMF availability, entity names, collections, modules, and categories. Toolbar actions support exporting, metadata cache actions, count refresh, and entity refresh.

Entity Export



The Save Data menu exports the entity list as JSON or CSV. Exported data includes the entity metadata shown in the browser and any loaded record count values.

Entity Highlight And Side Panel

Entity Browser

Search name, DMF name, collection...

Trem Inc - USMF

Save Data

Metadata

Refresh Counts

Refresh

AOT Name	Current Co. #	Cross Co. #	Public Name (DMF)	DMF Entity Name	Collection (OData)	App
WMHEOutboundQueueEntity	0	0	MaterialHandlingOutboundQueue	Outbound queue	MaterialHandlingOutboundQ...	WMS
WMHEParametersEntity	0	0	MaterialHandlingParameters	Material handling equipment int...	MaterialHandlingParameters	WMS
RentalItemDVEntity	0	0	DVRentalItem	—	DVRentalItems	—
RentalJobSiteEntity	0	0	RentalJobSite	—	RentalJobSites	—
RentalItemModelEntity	0	0	RentalItemModel	—	RentalItemModels	—
RentalItemManufacturerEntity	0	0	RentalItemManufacturer	—	RentalItemManufacturers	—
RentalItemGroupCodeEntity	0	0	RentalItemGroupCode	—	RentalItemGroupCodes	—
HcmAgreementTermEntity	5	5	AgreementTerm	Terms of employment	AgreementTerms	NotApp
HcmLoanedEquipmentEntity	48	48	LoanedEquipment	Loan	LoanedEquipments	NotApp
HcmContractorEntity	15	15	Contractor	Contractor	Contractors	HRM
HcmBICurrentPersonSkillEntity	—	—	—	—	—	—
HcmPositionBaseEntity	—	—	—	Base position	—	HRM
HcmPositionActionDetailHistoryEntity	—	—	—	Position action detail history	—	HRM
HcmMediaEntity	5	15	Media	Media	Media	NotApp
HcmSkillMappingEducationEntity	—	—	—	Skill-mapping - education	—	—
HcmParametersEntity	1	17	HumanResourcesParameters	Human resources parameters	HumanResourcesParameters	NotApp
HcmCourseRoomEntity	8	19	CourseRoom	Classrooms	CourseRooms	NotApp

5,803 of 5,803 rows

Entity Highlight And Side Panel

HcmLoanedEquipmentEntity

ENTITY DETAILS

OData

DMF

DMF Active

AOT NAME

HcmLoanedEquipmentEntity

CATEGORY

Master

PUBLIC NAME

LoanedEquipment

APP MODULE

NotApplicable

COLLECTION

LoanedEquipments

CHANGE TRACKING

None

Fields

DMF ENTITY NAME

Loan

SHARED

Yes

STAGING TABLE

HcmLoanedEquipmentStaging

ENTITY KEY

PersonId,LoanItemId,Loaned

LABEL ID

@SYS30354

CONFIG KEY

HRMAdministration

TAGS

—

\$SELECT all fields

Empty right list = all fields returned

Search fields...

ActualReturn

Loaned

LoanItemId

PersonId

PlannedReturn

Selected (0)

All fields

Selecting an OData-enabled entity opens the side panel. The selected row is highlighted in the grid while the panel shows entity details and query-building tools.

Entity Details

ENTITY DETAILS

OData

DMF

DMF Active

AOT NAME	CATEGORY
HcmLoanedEquipmentEntity	Master
PUBLIC NAME	APP MODULE
LoanedEquipment	NotApplicable
COLLECTION	CHANGE TRACKING
LoanedEquipments	None

Fields

DMF ENTITY NAME	SHARED
Loan	Yes
STAGING TABLE	ENTITY KEY
HcmLoanedEquipmentStaging	PersonId,LoanItemId,Loaned

LABEL ID	TAGS
@SYS30354	—
CONFIG KEY	
HRMAdministration	

Entity Details

The Entity Details section summarizes the selected entity. It shows OData, DMF, and DMF Active badges, AOT name, public name, collection, category, module, change tracking, staging table, key fields, label ID, configuration key, tags, and countries.

Entity Fields Button

HcmContractorEntity Fields Q Search fields... Enums (19) Trem! Inc - USMF Refresh										
Field Name	Label	Label ID	Type	Type Name	Data Type	Key	Required	Config	Editable	On Create
Gender	Gender	@SYS9284	HcmPersonGender	Microsoft.Dynamics.Da...	Enum	No	No	Yes	Yes	Yes
IsDisabled	Person with disabilities	@SYS331810	NoYes	Microsoft.Dynamics.Da...	Enum	No	No	Yes	Yes	Yes
IsDisabledVeteran	Disabled veteran	@SYS126661	NoYes	Microsoft.Dynamics.Da...	Enum	No	No	Yes	Yes	Yes
IsExpatriateRulingApplicable	Expatriate ruling	@SYS303660	NoYes	Microsoft.Dynamics.Da...	Enum	No	No	Yes	Yes	Yes
IsFullTimeStudent	Full-time student	@SYS331819	NoYes	Microsoft.Dynamics.Da...	Enum	No	No	Yes	Yes	Yes
KnownAs	Known as	@SYS131566	String	Edm.String	String	No	No	Yes	Yes	Yes
LanguageId	Language	@SYS66040	String	Edm.String	String	No	No	Yes	Yes	Yes
LastDateWorked	Worker's last date worked	@SYS304587	UtcDateTime	Edm.DateTimeOffset	UtcDateTime	No	No	Yes	Yes	Yes
LastName	Last name	@SYS79844	String	Edm.String	String	No	No	Yes	Yes	Yes
LastNamePrefix	Last name prefix	@GlobalAddressBook:L...	String	Edm.String	String	No	No	Yes	Yes	Yes
MaritalStatus	Marital status	@SYS30775	HcmPersonMaritalStat...	Microsoft.Dynamics.Da...	Enum	No	No	Yes	Yes	Yes
MiddleName	Middle name	@SYS79840	String	Edm.String	String	No	No	Yes	Yes	Yes
MilitaryServiceEndDate	Military service end date	@SYS126659	Date	Edm.DateTimeOffset	Date	No	No	Yes	Yes	Yes
MilitaryServiceStartDate	Military service start date	@SYS126657	Date	Edm.DateTimeOffset	Date	No	No	Yes	Yes	Yes
MotherBirthCountryRegion	Mother country/region of birth	@SYS303650	String	Edm.String	String	No	No	Yes	Yes	Yes
Name	Name	@SYS80991	String	Edm.String	String	No	No	Yes	No	No

The Fields page shows the metadata fields for a selected data entity. It includes field names, labels, label IDs, types, data types, key status, required status, editability, and dimension-related properties.

Entity Field Enum Values

HcmContractorEntity Fields

Search fields...

Enums (19)

Trem Inc - USMF

Refresh

Field Name	Label	Label ID	Type	Type Name	Data Type	Key	Required	Config
Gender	Gender	@SYS9284	HcmPersonGender	Microsoft.Dynamics.Da...	Enum	No	No	Yes
IsDisabled	Person with disabilities	@SYS331810	NoYes	Microsoft.Dynamics.Da...	Enum	No	No	Yes
IsDisabledVeteran	Disabled veteran	@SYS126661	NoYes	Microsoft.Dynamics.Da...	Enum	No	No	Yes
IsExpatriateRulingApplicable	Expatriate ruling	@SYS303660	NoYes	Microsoft.Dynamics.Da...	Enum	No	No	Yes
IsFulltimeStudent	Full-time student	@SYS331819	NoYes	Microsoft.Dynamics.Da...	Enum	No	No	Yes
KnownAs	Known as	@SYS131566	String	Edm.String	String	No	No	Yes
LanguageId	Language	@SYS66040	String	Edm.String	String	No	No	Yes
LastDateWorked	Worker's last date worked	@SYS304587	UtcDateTime	Edm.DateTimeOffset	UtcDateTime	No	No	Yes
LastName	Last name	@SYS79844	String	Edm.String	String	No	No	Yes
LastNamePrefix	Last name prefix	@GlobalAddressBook:L...	String	Edm.String	String	No	No	Yes
MaritalStatus	Marital status	@SYS30775	HcmPersonMaritalStat...	Microsoft.Dynamics.DataEn	Enum	No	No	Yes
MiddleName	Middle name	@SYS79840	String	Edm.String	String	No	No	Yes
MilitaryServiceEndDate	Military service end date	@SYS126659	Date	Edm.DateTimeOffset	Date	No	No	Yes
MilitaryServiceStartDate	Military service start date	@SYS126657	Date	Edm.DateTimeOffset	Date	No	No	Yes
MotherBirthCountryRegion	Mother country/region of birth	@SYS303650	String	Edm.String	String	No	No	Yes
Name	Name	@SYS80991	String	Edm.String	String	No	No	Yes
NameAlias	Search name	@SYS27054	String	Edm.String	String	No	No	Yes

Marital status

HcmPersonMaritalStatus

Value

Name

0

None

1

Married

2

Single

3

Widowed

4

Divorced

5

Cohabiting

6

RegisteredPartnership

7

Separated

8

CivilPartnership

Entity Field Enum Values

When an enum field is selected, the enum panel shows the enum values and names. This helps translate stored numeric values into readable D365FO enum members.

Select Fields

\$SELECT 4 fields ^

Empty right list = all fields returned

Search fields...

ActualReturn

Selected (4)

Loaned

LoanItemId

PersonId

PlannedReturn

Select Fields

The `$select` section builds the OData field selection. Leaving the selected list empty returns all fields. Users can search fields, select multiple fields, and move them into the selected list.

Filters



The screenshot displays a user interface for building OData filter conditions. It features a dark teal header bar with the text '\$FILTER 1 condition' and an upward arrow icon. Below the header, there is a row of input fields: a left parenthesis '(', a text field containing 'ActualReturn', a dropdown menu showing 'eq (=)', another dropdown menu showing 'str', and a text field containing 'value'. To the right of these fields are a right parenthesis ')' and a trash can icon. Below this row is a large teal button with the text '+ Add Condition'. The entire filter builder is set against a light blue background.

Filters

The `$filter` section builds OData filter conditions. Users can choose a field, operator, value type, value, parentheses, and AND/OR logic for multi-condition filters.

Pagination And Options

PAGINATION & OPTIONS ^

\$top (max records)

e.g. 100

\$skip (offset)

e.g. 0

☐ \$count=true

☐ cross-company=true

Pagination And Options

The Pagination & Options section adds `$top`, `$skip`, `$count=true`, and `cross-company=true` to the generated OData URL.

Generated URL

GENERATED URL

`https://mike-dev.operations.dynamics.com/data/LoanedEquipments?%24filter=ActualReturn+eq+%27%27&%24select=Loaned%2CLoanItemId%2CPersonId%2CPlannedReturn`

 Copy URL

 Open in Grid

/\$count

Generated URL

The Generated URL section previews the final OData URL. Users can copy the URL, open the result in the built-in data grid, or run `/$count` for the current query.

Entity Data Grid

HcmLoanedEquipmentEntity

Search loaded recs

Trembl Inc - USMF

\$top100

48 records · 5 fields

Export

Hide empty/zero

Refresh

URL https://mike-dev.operations.dynamics.com/data/LoanedEquipments?%24top=100

Actual return	Loaned	Loan item	Party ID	Planned return
1900-01-01T12:00:00Z	2016-09-18T12:00:00Z	HD-105	000000032	1900-01-01T12:00:00Z
1900-01-01T12:00:00Z	2016-09-18T12:00:00Z	PC-5205	000000034	1900-01-01T12:00:00Z
1900-01-01T12:00:00Z	2016-09-18T12:00:00Z	Tablet-10100	000000034	1900-01-01T12:00:00Z
1900-01-01T12:00:00Z	2016-09-18T12:00:00Z	WP-6601	000000034	1900-01-01T12:00:00Z
1900-01-01T12:00:00Z	2016-09-18T12:00:00Z	WP-6602	000000033	1900-01-01T12:00:00Z
1900-01-01T12:00:00Z	2016-09-18T12:00:00Z	WP-6603	000000035	1900-01-01T12:00:00Z
1900-01-01T12:00:00Z	2016-09-18T12:00:00Z	Tablet-10200	000000036	1900-01-01T12:00:00Z
1900-01-01T12:00:00Z	2016-09-18T12:00:00Z	Tablet-10300	000000037	1900-01-01T12:00:00Z
1900-01-01T12:00:00Z	2016-09-18T12:00:00Z	Tablet-10400	000000038	1900-01-01T12:00:00Z
1900-01-01T12:00:00Z	2016-09-18T12:00:00Z	WP-6604	000000038	1900-01-01T12:00:00Z
1900-01-01T12:00:00Z	2016-09-18T12:00:00Z	PC-5210	000000038	1900-01-01T12:00:00Z

Entity Data Grid

The Entity Data page loads records for an entity OData collection. It supports searching loaded records, changing \$top , exporting the loaded data, hiding empty/zero columns, refreshing, column filters, sorting, resizing, pagination, and field information from headers.

Relation Paths

Relation Paths

START

END

e.g. CustTable

e.g. DirPartyTable

Find paths

Tremi Inc - USMF

16,334 objects · 61,919 relations

CONNECTIONS

1234

OBJECT TYPES

☒ Table

☐ Data entity

EXCLUDE MODULES

Search modules...

Selected (0)

ATLApplicationSuite

AccountsPayableMobile

AdvancedQualityMana...

AppTroubleshooting

ApplicationCommon

ApplicationFoundation

ApplicationPlatform

Empty

EXCLUDE COUNTRIES (34)

Search country codes...

Selected (34)

No country codes

AU

BE

BR

CA

CH

CL

CN

☒ Hide temp tables

Matches Temp anywhere, plus Temp at the start of a table name.

Reset filters

Table 1

Table 2

Table 3

Table 4

Matches

No paths found.

Relation Paths

Relation Paths finds relationship paths between D365FO objects. Users enter a start and end object, choose connection depth, filter object types, exclude modules or countries, and hide temp tables.

Relation Path Results

Relation Paths

START

CustTable

END

SalesTable

Find paths

Trem Inc - USMF

16,334 objects · 61,919 relations

106 table paths · 7 ms

Table 1	Table 2	Table 3	Table 4	Matches
PriceDiscGroup ApplicationSuite...	SalesTable ApplicationSuite	---	---	16
CustInvoiceTable ApplicationSuite	SalesTable ApplicationSuite	---	---	8
CustConfirmSalesLink Application	SalesTable ApplicationSuite	---	---	4
CustInvoiceSalesLink Application	SalesTable ApplicationSuite	---	---	4
CustPackingSlipSalesLink Appli	SalesTable ApplicationSuite	---	---	4
CustQuotationConfirmSalesLi	SalesTable ApplicationSuite	---	---	4
CustQuotationSalesLink Applic	SalesTable ApplicationSuite	---	---	4
CzCustAdvanceInvoiceTable A	SalesTable ApplicationSuite	---	---	4
ReturnOrderLineV2Staging Ap	SalesTable ApplicationSuite	---	---	4
SalesParmTable ApplicationSuite...	SalesTable ApplicationSuite	---	---	4
CustBankAccount ApplicationSuite	SalesTable ApplicationSuite	---	---	3
InventLocation ApplicationSuite...	SalesTable ApplicationSuite	---	---	3
LogisticsAddressCountryRegis	SalesTable ApplicationSuite	---	---	3
WMSBillOfLading ApplicationSuite	SalesTable ApplicationSuite	---	---	3
CFMPlannedPaymentTable Ap	SalesTable ApplicationSuite	---	---	2
ContactPerson ContactPerson	SalesTable ApplicationSuite	---	---	2
CreditCardCust ApplicationSuite...	SalesTable ApplicationSuite	---	---	2
CustConfirmJour ApplicationSuite	SalesTable ApplicationSuite	---	---	2
CustDirectDebitMandate Appli	SalesTable ApplicationSuite	---	---	2

2 connections - 8 matches

CustTable → CustInvoiceTable → SalesTable

FIELD MATCHES

CustInvoiceTable ConsigneeAccount_RU	=	CustTable AccountNum
CustInvoiceTable MCRSalesID	=	SalesTable SalesId
CustInvoiceTable ConsigneeAccount_RU	=	CustTable AccountNum
CustInvoiceTable SalesId	=	SalesTable SalesId
CustInvoiceTable InvoiceAccount	=	CustTable AccountNum
CustInvoiceTable MCRSalesID	=	SalesTable SalesId
CustInvoiceTable InvoiceAccount	=	CustTable AccountNum
CustInvoiceTable SalesId	=	SalesTable SalesId
CustInvoiceTable OrderAccount	=	CustTable AccountNum
CustInvoiceTable MCRSalesID	=	SalesTable SalesId
CustInvoiceTable OrderAccount	=	CustTable AccountNum
CustInvoiceTable SalesId	=	SalesTable SalesId
CustInvoiceTable OrderAccountRefRecId	=	CustTable RecId
CustInvoiceTable MCRSalesID	=	SalesTable SalesId

SQL SELECT

```
select *
from CustTable as t0
join CustInvoiceTable as t1
on t1.ConsigneeAccount_RU=t0.AccountNum
join SalesTable as t2
on t1.MCRSalesID=t2.SalesId
```

X++ WHILE SELECT

```
CustTable custTable;
CustInvoiceTable custInvoiceTable;
SalesTable salesTable;

while select custTable
join custInvoiceTable
where custInvoiceTable.ConsigneeAccount_RU==custTable.AccountNum
join salesTable
where custInvoiceTable.MCRSalesID==salesTable.SalesId
{
    // Add processing here.
}
```

CustTable → CustInvoiceTable

1 -> n

CustInvoiceTable.ConsigneeAccount_RU=CustTable.AccountNum

Association (reversed)

CustInvoiceTable → SalesTable

n -> 1

CustInvoiceTable.MCRSalesID=SalesTable.SalesId

Association

Relation Path Results

Selecting a relation path opens the detail drawer. It shows field matches, path variants, generated SQL-style joins, generated X++ while-select code, cardinality, and copy buttons for generated snippets.