ENGLISH EDITION · 22 OCTOBER 2026

Cosmos ERP operating handbook

Build your workspace
Learn every workflow
Check every result

01
Set up

02
Operate

03
Verify

39
operating lessons

100
actual screen captures

English
separate language edition

From first login to reporting and maintenance

Contents 1

How to use this book 8

Your first day build order 9

How the operating blocks connect 10

Sign in and find your workspace 11

Read lists forms and dashboards 12

Read the analytics dashboard 13

Create roles users and action permissions 14

Maintain the page registry 15

Create a customer supplier or transporter party 16

Build the item catalogue 17

Understand stock without double counting 18

Configure party settings and local drafts 19

Build the manufacturing recipe 20

Manufacture post and reverse stock 21

Create confirm and collect a sale 22

Order from a supplier and convert to a bill 23

Record a purchase bill and supplier payment 24

Contents 2

Return purchases and record expenses 25

Connect channels warehouses and SKUs 26

Create packaging profiles 27

Import validate and commit snapshots 28

Prepare sales demand and planning setup 29

Set material lead times and order rules 30

Review save and finalize a procurement plan 31

Prepare warehouse dispatch inputs 32

Calculate allocate and finalize a dispatch run 33

Create a shipment from a plan or manually 34

Pack goods and prepare dispatch 35

Track transport delivery and returns 36

Manage freight and historical imports 37

Prepare HR and employee records 38

Record attendance adjustments and leave 39

Process approve and inspect payroll 40

Measure machine output with OEE 41

Contents 3

Create wallets and record cash activity 42

Choose the right report and export it 43

Maintain shared and private reference values 44

Investigate activity and recover from errors 45

Publish website products posts and announcements 46

Handle warranty claims and customer updates 47

Use the GST workspace 48

Set appearance documents and table preferences 49

Worked example from demand to production 50

Daily and monthly operating checks 51

Troubleshooting decision guide 52

Document and stock lifecycle map 53

Shipment stages and exception branches 54

Read the procurement calculation 55

Screen atlas and control index 56

Report directory 1 157

Report directory 2 158

Contents 4

Report directory 3 159
Report directory 4 160
Report directory 5 161
Report directory 6 162
Report directory 7 163
Report directory 8 164
Report directory 9 165
Field guide 1 166
Field guide 2 167
Field guide 3 168
Field guide 4 169
Field guide 5 170
Field guide 6 171
Field guide 7 172
Field guide 8 173
Field guide 9 174
Field guide 10 175

Contents 5

Field guide 11 176
Field guide 12 177
Field guide 13 178
Field guide 14 179
Field guide 15 180
Glossary 1 181
Glossary 2 182
Glossary 3 183
Glossary 4 184
Project architecture and source map 185
Build and start a local environment 186
Local build and validation commands 187
Build deployment and maintenance checklist 188
Current capability and evidence notes 189
Source directory 1 190
Source directory 2 191
Source directory 3 192

Contents 6

Source directory 4 193

Source directory 5 194

How to use this book

Start with the build order

Begin with access and master data, then follow the workflow relevant to your job. Use the screen atlas when you need to identify an exact button.

English labels and Hindi explanations

This English edition keeps application labels unchanged so you can match each instruction to the screen. The Hindi edition is a separate book.

Prepare then do then verify

Each procedure tells you its purpose, required inputs, numbered steps and the result to check. Complete each check before moving on.

Screenshots and diagrams

Screenshots show the visible area of the actual application in its narrow responsive window. Open a digital image at native size; scroll within the app to reach lower sections. Diagrams explain connections rather than imitate unavailable screens.

Practice safely

Use a designated training environment and example records for exercises. Do not confirm stock, payment, publication or customer-message actions merely to explore the interface.

Project snapshot

Prepared 21 October 2026 from the current working tree, including the GST screens present during preparation. Routes and action availability can change with versions, permissions and record state.

What was verified

Navigation and screenshots were checked read-only. Procedures were traced to UI source, validators and business services. Saves, posting, approvals, provider changes and production deployment were not exercised.

Your first day build order

01 Account and rights

Create roles, grant page actions and create users. Verify a permitted page before entering data.

02 Reusable masters

Create categories and units, parties and items. Reconcile initial stock and opening party balances.

03 Manufacturing

For manufactured items, enable the feature, save the item, add an effective BOM and test a draft production in training.

04 Supply and buying

Create channels, warehouses, SKU mappings and packaging. Import reviewed demand and snapshots; configure material lead times.

05 Operations

Record purchase and sales documents. Generate plans, finalize dispatch recommendations and create shipments using the relevant workflow.

06 People and cash

Set up HR masters and employees before attendance and payroll. Configure wallets before income, expense and transfers.

07 Daily review

Check source statuses, stock, balances, exceptions and audit history. Export only the report and scope you need.

How the operating blocks connect

Start with shared masters, then follow the branch that matches the work. Each block produces inputs or records used by later blocks.

01
Roles and users

02
Parties and items

03
Opening values

Buying and making

01
Mapped sales

02
BOM and rules

03
Procurement plan

A planner reviews the saved buying decision and separately creates the necessary purchase documents. Manufacturing posts component consumption and finished stock.

Moving goods

01
Warehouse snapshots

02
Dispatch run

03
Shipment execution

Finalization freezes recommendations. Packing and dispatch execute a shipment; dispatch is the stock-changing action shown by the UI.

People cash and evidence

01
HR and attendance

02
Payroll and wallets

03
Reports and audit

Source · frontend/src/routes/AppRoutes.jsx · backend/src/Cosmos.Application/Services · backend/src/Cosmos.Application/ShipmentOperations

Sign in and find your workspace

LESSON 01

Use your assigned account to enter the ERP and see the pages allowed by your role.

Before you begin

Keep the application address and your username or email ready. An administrator must create your account and assign a role.

1. Open /login. Enter Username or Email and Password. Use the password visibility control only when your screen is private.
2. Choose Remember me only if you want the session retained on this device, then sign in.
3. Open the navigation menu. Expand a module and select its page. On narrow windows the sidebar starts collapsed.
4. Use the account menu for My Profile, Preferences and Change Password. Use logout when finishing a shared-device session.
5. For a forgotten password, open Forgot Password and follow the reset flow. If no reset message arrives, contact the administrator; delivery depends on the configured recovery service.

Check the result

A permitted page opens. A 403 means access is missing; a 404 means the route is unknown. Signing in does not grant every action.

Key fields

Username or Email; Password; Remember me; Current Password; New Password; Confirm Password

Screen references · Analytics Overview

Source · frontend/src/pages/auth; frontend/src/routes/ProtectedRoute.jsx; frontend/src/services/sessionService.js

Read lists forms and dashboards

LESSON 02

Recognize the same controls across modules before entering business data.

Before you begin

Open any list such as Items. Have View permission for that page.

1. Read the page heading and breadcrumb to confirm the module. Open search to locate navigation destinations.
2. Set search, status and date filters. Apply or refresh where offered. Clear filters before deciding that a record is missing.
3. Use sort headings and rows per page to inspect results. Scroll wide tables sideways on a narrow screen.
4. Open View for inspection or Edit for changes. Required fields have an asterisk. Save and Save & New have different effects.
5. Wait for the response, then reopen the saved record. Cancel closes an unfinished form; a business Cancel action may reverse or stop an existing document.

Check the result

A success message plus the reopened record verifies a save. A disabled or absent button can be caused by rights, record status or missing prerequisites.

Key fields

Search; Status; From date; To date; Sort; Refresh; View; Edit; Save; Save & New; Cancel

Screen references · Items

Source · frontend/src/components/common; frontend/src/routes/PermissionGuard.jsx

Read the analytics dashboard

LESSON 03

Review the business period, trends, ranked lists, alerts and workforce signals before opening detail reports.

Before you begin

Have Dashboard View access and know which period and comparison you need.

1. Open Dashboard and set Dashboard date preset or a custom Date range. Choose Comparison period and Trend grouping.
2. Refresh and read the returned overview metrics. The page explicitly reports when no overview metrics were returned.
3. In Top Selling Items set count and category. In Top Parties select customer or supplier scope and count.
4. Review Recent activity and open the linked audit view for details. For Alerts select preview limit and minimum amount where useful.
5. Set the HR Summary attendance date separately. Do not assume its daily snapshot follows every business-period filter.

Check the result

The date, comparison and scope are recorded with any conclusion. Dashboard summaries lead to investigation; source documents and reports verify the outcome.

Key fields

Date preset; Date range; Comparison period; Trend grouping; Top count; Category; Party type; Alert limit; Minimum alert amount; Attendance date

Screen references · Analytics Overview

Source · frontend/src/pages/dashboard; frontend/src/services/dashboard/dashboardService.js

Create roles users and action permissions

LESSON 04

Give each operator the pages and actions needed for their job.

Before you begin

An authorized administrator must be signed in. Decide the job responsibilities before granting access.

1. Open Roles. Add a role with a name and description, or inspect an existing role.
2. Open Permissions and select the role. Review page rows and the separate View, Create, Edit or Update, Delete, Export and Approve actions shown.
3. Select only intended actions and save the permission set. View access alone does not permit editing or approval.
4. Open Users and add username, email, display name, initial password and role. Review active status and save.
5. Ask the operator to sign in again after access changes. Check both page visibility and the allowed action buttons.

Check the result

The user can open permitted pages and perform only granted actions. Keep user deactivation separate from deleting business records.

Key fields

Role name; Description; Username; Email; Display name; Password; Role; Active; Permission actions

Screen references · Roles · Permissions · Users

Source · frontend/src/pages/rbac; backend/src/Cosmos.API/Security

Maintain the page registry

LESSON 05

Register routes and navigation metadata used by administration.

Before you begin

Know the implemented route and permission page name. Creating a registry row does not implement a new application screen.

1. Open Pages to review page hierarchy and existing names. Check for a matching route first.
2. Choose Add page and enter the internal Name, Display Name and Route exactly.
3. Set Icon, Parent Page and Sort Order to control presentation. Set active status as intended.
4. Save and return to Permissions to grant the page to the intended roles.
5. Reopen the page through navigation. If it returns 404, verify the frontend route implementation rather than adding another registry row.

Check the result

The route and registry match and the intended role can find the page.

Key fields

Name; Display Name; Route; Icon; Parent Page; Sort Order; Active

Screen references · Add page

Source · frontend/src/pages/rbac/pages/PageFormPage.jsx; frontend/src/config/sidebar.js

Create a customer supplier or transporter party

LESSON 06

Keep identity, contact, addresses, tax details and opening balances in one party record.

Before you begin

Know which roles the party performs and have its verified business details.

1. Open Party Master and search before adding a new party. Use the appropriate type or role filters.
2. Choose Add Party. Enter the required Party Code and Party Name, then complete contact details and review the current party settings.
3. Enter registration type and GSTIN if applicable. Add billing and delivery addresses without confusing the two.
4. Enter opening balance with the intended Debit receivable or Credit payable direction. Add payment terms and active status.
5. Save, reopen and verify. To use an existing party for shipping, open Shipments > Transporters and add its transporter role.

Check the result

The party is available in the relevant customer or supplier picker. Transporter assignment reuses a party instead of duplicating its identity.

Key fields

Party name; Contact; Registration type; GSTIN; Billing address; Delivery address; Opening balance; Debit or Credit; Payment terms; Active

Screen references · Add party

Source · frontend/src/pages/party/PartyFormModal.jsx; frontend/src/pages/shipments/transporters

Build the item catalogue

LESSON 07

Define the products, services, prices and classifications used throughout operations.

Before you begin

Create Categories and Units first. Prepare item name, unit, prices and the correct material classification.

1. Add a Category with a name and optional description. Add a Unit with its full name and short name, then keep required masters active.
2. Open Items > Add item. Choose Product or Service and the Material type used by procurement.
3. Fill Item Name, assign or enter Item Code, and select Category and Unit. Add Barcode and an image if useful.
4. In Pricing enter Sales Price, Purchase Price, HSN Code and GST Rate. In Stock set inventory tracking and opening values for products.
5. Set description and Active item. Save Item to finish, or Save & New to continue adding items. Reopen and verify all tabs.

Check the result

The item appears in transaction pickers. Image uploads support PNG, JPG and WebP up to 5 MB. Stock quantities and prices cannot be negative in the form.

Key fields

Item type; Material type; Item Name; Item Code; Barcode; Category; Unit; Image; Sales Price; Purchase Price; HSN Code; GST Rate

Screen references · Add item

Source · frontend/src/pages/inventory/items/ItemFormPage.jsx; frontend/src/utils/validationSchemas.js

Understand stock without double counting

LESSON 08

Separate opening balances, physical stock, reservations, planning snapshots and actual movements.

Before you begin

Use an inventory-tracked product and the correct unit. Reconcile opening values before normal transactions begin.

1. Open the item Stock tab. Review Opening Stock, Opening Stock Value, Current Stock, Reserved Stock and Minimum Stock.
2. Use Opening Stock for initial setup. Avoid treating opening entries as daily purchase receipts or manufacturing output.
3. Use stock reports to trace a change back to its document. A draft or planning recommendation is not proof of a stock movement.
4. Review negative stock, low stock and valuation separately. Reserved stock is a commitment indicator, not another pile of physical goods.
5. For discrepancies compare the item ledger, source status and quantities in the same unit before correcting the source document.

Check the result

Opening balances are not counted again through duplicate receipts. Procurement uses global item stock plus eligible inbound snapshots, not warehouse allocation.

Key fields

Opening Stock; Opening Stock Value; Current Stock; Reserved Stock; Minimum Stock; Track inventory

Screen references · Add item

Source · frontend/src/pages/inventory/items; frontend/src/pages/procurement/home/procurementHomeHelpers.js

Configure party settings and local drafts

LESSON 09

Control the supported party form behavior and understand what a local draft saves.

Before you begin

Have party-settings rights. Review current form requirements before changing field presentation.

1. Open Party Master > Party Settings. Review General settings for grouping, shipping address, printing and party status.
2. Review Payment Reminder settings, reminder days and message. These configuration fields alone do not prove an automatic reminder delivery service is running.
3. Review Loyalty and Additional Field 1 to 4 options. Set supported names, enable flags, print visibility and the fourth field type as needed.
4. Save the intended settings, reopen a party form and verify the visible fields and required identity information.
5. On a new Party or Employee form, Save as Draft stores the incomplete form on this device. Return and finish creation to produce the server record.

Check the result

The form reflects the supported settings. A local draft does not appear as a completed party or employee in shared server lists.

Key fields

Party grouping; Shipping address; Print shipping; Party status; Reminder days; Reminder message; Loyalty; Additional field name; Show in print; Save as Draft

Screen references · Party Master

Source · frontend/src/pages/party/partyColumns.js; frontend/src/utils/formDraftStorage.js

Build the manufacturing recipe

LESSON 10

A bill of materials states what raw materials are needed for one finished unit.

Before you begin

Save an active inventory-tracked Product. Enable manufacturing in Item Settings if hidden, and ensure component items exist.

1. Edit the finished item and open Manufacturing. Enable Manufactured item where eligible, save it and reopen if requested.
2. Choose Add BOM. Enter Version and Effective from, with Effective to only when the recipe has an end date.
3. Add each Raw material, Qty / unit, Wastage % and optional component notes. Check the component unit.
4. Save and activate the appropriate version. Use effective dates so the production date resolves to the intended BOM.
5. Review the component list and use Procurement > Setup > BOM to inspect the same manufacturing-owned recipe and its issues.

Check the result

An active effective BOM is available. Procurement BOM Mapping is an inspection view; maintain the recipe in the item Manufacturing tab.

Key fields

Version; Effective from; Effective to; Raw material; Qty / unit; Wastage %; Component notes; Active; Default

Screen references · Add item · Channel SKU Mapping

Source · frontend/src/pages/inventory/items/ItemManufacturingTab.jsx; frontend/src/pages/procurement/bomMapping/BomMappingPage.jsx

Manufacture post and reverse stock

LESSON 11

Save a production draft, then post the actual material consumption and finished output together.

Before you begin

Have an active effective BOM, sufficient component stock and manufacturing action permissions.

1. Open the saved finished item > Manufacturing > Manufacture. Select the BOM version and production date.
2. Enter Planned quantity, Produced quantity, Reference and Notes. Save the draft and inspect its material snapshot.
3. Check required material and wastage quantities against the actual production. A saved draft has not yet posted stock.
4. Choose Post and update stock and confirm after review. Posting consumes raw materials and receives finished units atomically.
5. If posting times out, reload status before retrying. For a wrong posted run use Cancel and reverse stock with a reason, then verify the reversal in reports.

Check the result

Production shows Posted and stock reports reflect both sides. Cancellation reverses the posted movements. OEE shot entry is a separate measurement workflow.

Key fields

BOM version; Planned quantity; Produced quantity; Production date; Reference; Notes; Status; Cancellation reason

Screen references · Items

Source · frontend/src/pages/inventory/items/ItemManufacturingTab.jsx; backend/src/Cosmos.Application/Services/ManufacturingService.cs

Create confirm and collect a sale

LESSON 12

Create a draft sale invoice, verify its calculation and track customer payments.

Before you begin

An active customer and items must exist. Confirm the agreed price, quantity, tax data and invoice dates.

1. Open Sale Invoices > New sale invoice. Select Customer, Invoice Date and Due Date. The backend assigns the invoice number.
2. Add item lines with quantity, rate, discount and the shown tax fields. Remove unintended lines and review line totals.
3. Review invoice discount and totals. Add an initial payment only if received; check its amount, date, mode and reference. Save the draft.
4. Open the detail page, review and Confirm when the invoice is ready. Use the available print or PDF action for the business document.
5. Use Add Payment for later collections. Review payment history and balance. Use Cancel only after checking the document state and resulting reversal.

Check the result

The invoice status, paid total and outstanding balance match the intended sale. Government E-Invoice and accounting invoice statuses are independent.

Key fields

Customer; Invoice Date; Due Date; Item; Quantity; Rate; Discount; Tax; Amount; Payment Date; Mode; Reference

Screen references · New sale invoice

Source · frontend/src/pages/sales/invoices/InvoiceFormPage.jsx; frontend/src/pages/sales/invoices/InvoiceDetailPage.jsx

Order from a supplier and convert to a bill

LESSON 13

Keep an order commitment separate from the supplier bill.

Before you begin

Create the supplier and required items. Prepare quantities, negotiated rates and expected delivery.

1. Open Purchase Orders > New Purchase Order. Select Supplier, Order Date and Expected Delivery.
2. Add item lines, quantity, rate, discount and tax as shown. Add terms or notes and check document totals.
3. Save and reopen the order. Check status and the available lifecycle actions before sending it for fulfillment.
4. When a supplier bill is ready, use the order conversion action. Enter Bill Date, Due Date, Payment Type, Supplier Invoice # and any paid amount.
5. Open the resulting bill and review it independently. Do not enter the same supplier invoice again as a separate manual bill.

Check the result

The order links to the intended bill and quantities are correct. Order cancellation and bill cancellation are distinct actions.

Key fields

Supplier; Order Date; Expected Delivery; Item; Quantity; Rate; Discount; Terms; Bill Date; Due Date; Supplier Invoice #

Screen references · New Purchase Order

Source · frontend/src/pages/purchase/documents/documentConfigs.js; frontend/src/pages/purchase/documents/ConvertOrderModal.jsx

Record a purchase bill and supplier payment

LESSON 14

Record the purchase document, confirmation state and money paid to the supplier.

Before you begin

Have a supplier invoice, active supplier, item details and any existing order or bill reference.

1. Open Purchase Bills and search Supplier Invoice # first. Create a new bill only when it is not already recorded.
2. Fill Supplier, Bill Date, Due Date and Supplier Invoice #. Add item quantities, rates and tax details.
3. Review document discount, round off, payment type and any Paid Amount. Save and inspect the detail page.
4. Confirm the bill when the document is ready. Check its final totals and status after the server response.
5. Open Supplier Payments for a later payment, select the correct supplier or bill context and enter date, amount, mode and reference. Check the remaining payable.

Check the result

Bill balance and payment history agree with the supplier statement. A ledger entry is not proof that a bank transfer was executed.

Key fields

Supplier; Supplier Invoice #; Bill Date; Due Date; Payment Type; Document Discount; Round Off; Paid Amount; Payment mode; Reference

Screen references · New Purchase Bill · Supplier Payments

Source · frontend/src/pages/purchase/documents/PurchaseDocumentFormPage.jsx; frontend/src/pages/purchase/supplierPayments

Return purchases and record expenses

LESSON 15

Use returns for supplier goods and expenses for business costs outside item purchases.

Before you begin

Prepare the linked bill for a return, or an expense category and evidence for a cost.

1. Open Purchase Returns > New Purchase Return. Select Supplier and the linked Purchase Bill.
2. Enter Return Date, returned item quantities and Reason. Verify that the intended items and quantities belong to this transaction, then save.
3. For business costs open Expense Categories and create an active classification such as transport or repairs.
4. Open Expenses, add the expense with category, party if applicable, date, amount, tax and payment details shown, then save.
5. Review Purchase Reports and Expense reports. A purchase return, expense and Rojmel expense are different records; avoid recording the same cash event twice.

Check the result

The return and cost appear under the correct period and party or category.

Key fields

Purchase Bill; Return Date; Reason; Item; Return quantity; Expense category; Amount; Tax; Payment details

Screen references · New Purchase Return · Expenses

Source · frontend/src/pages/purchase/documents; frontend/src/pages/purchase/expenses; frontend/src/pages/purchase/expenseCategories

Connect channels warehouses and SKUs

LESSON 16

Translate marketplace data into internal ERP items and warehouse identities.

Before you begin

Create internal items first. Know the external channel SKU and warehouse codes exactly.

1. In Channels add Code, Name, Description, Sort order and active status. Keep codes stable for imports.
2. In Warehouses choose Channel, add Warehouse code and name, address, priority and sorting data, then save.
3. In Item mappings choose Channel and existing Item. Enter Channel SKU and optional external item ID or channel product name.
4. Set effective dates, Active and Primary as intended. Effective to must not precede Effective from.
5. Reopen the mapping and verify the exact external SKU. Resolve unmapped procurement sales rows through this shared mapping owner.

Check the result

Each incoming channel SKU resolves to the intended internal item and warehouse belongs to the intended channel.

Key fields

Channel Code; Channel Name; Warehouse code; Warehouse name; Priority; Channel SKU; Item; External item ID; Primary; Effective dates

Screen references · Item mappings

Source · frontend/src/pages/supplyChain/supplyChainSchemas.js; frontend/src/pages/procurement/skuMapping/SkuMappingPage.jsx

Create packaging profiles

LESSON 17

Define box quantities, dimensions and weight inputs used by planning and packing.

Before you begin

Have the internal item, optional channel and measured packaging specifications.

1. Open Packaging Profiles > New packaging profile. Choose the existing Item and Channel, or use global scope.
2. Enter a stable Packaging code and name. Set Units per box to a positive value.
3. Enter Length, Width, Height and the matching Dimension unit. Enter Net and Gross weight with the correct Weight unit.
4. Set a positive volumetric divisor when needed. Review the server-calculated volumetric weight rather than typing your own derived answer.
5. Set effective dates, default and active flags. Save and reopen. Net weight must not exceed gross weight.

Check the result

Packing and planning can select the intended effective profile. Check units before comparing dimensional and actual weights.

Key fields

Item; Channel; Packaging code; Units per box; Length; Width; Height; Dimension unit; Net weight; Gross weight; Weight unit; Volumetric divisor

Screen references · New packaging profile

Source · frontend/src/pages/supplyChain/packagingProfiles/PackagingProfileFormPage.jsx; frontend/src/pages/supplyChain/supplyChainSchemas.js

Import validate and commit snapshots

LESSON 18

Stage external rows, fix validation errors and commit only a reviewed batch.

Before you begin

Use the template for the specific module. Channels, warehouses and mappings must match imported codes.

1. Choose the import type and channel. Use the current template and preserve its headers, dates and units.
2. Upload or add manual rows where supported. Review the staged batch; Uploaded does not mean Committed.
3. Run validation and inspect row-level errors, unmapped SKUs and duplicates. Correct source data or masters and validate again.
4. Commit a valid reviewed batch. Duplicate-file correction requires the explicit correction path and a reason where requested.
5. Record the batch ID and committed row count. For a failed or uncertain operation, reopen batch details before retrying.

Check the result

The batch is Committed and the intended rows are retained once. Cancelling a staged batch is different from reversing business documents.

Key fields

Import type; Channel; File; Batch ID; Source reference; Validation status; Row errors; Correction reason; Committed rows

Screen references · Imports · Imports

Source · frontend/src/pages/supplyChain/imports; frontend/src/pages/dispatch/imports; frontend/src/constants/dispatchEnums.js

Prepare sales demand and planning setup

LESSON 19

Make sales demand resolvable to finished products and their purchased materials.

Before you begin

Have shared SKU mappings, manufacturing BOMs and item material classifications.

1. Open Sales Data. Use Import to download the workbook template, upload the retained file and inspect preview counts and exact invalid rows.
2. Resolve Invalid, Unmapped and Duplicate rows. Confirm the import only after review; use History and Batches to trace retained source rows.
3. Use manual sales entry only for deliberate corrections or missing demand. Imported entries remain read-only; manual entries expose edit and delete controls.
4. Open Setup > SKU mapping to resolve the inbox. Use Supply Chain for mapping maintenance. Open Setup > BOM to inspect active effective recipes.
5. In Product Summary review the product by channel matrix. Check the sales range and exact channel context before generating a plan.

Check the result

Demand rows map to finished items and their components. Unmapped demand and missing recipes must be resolved before relying on the plan.

Key fields

Sales date; Sales channel; Channel SKU; Channel product name; Resolved item; Quantity; Notes; Import batch ID

Screen references · Sales Data · Channel SKU Mapping

Source · frontend/src/pages/procurement/salesImport/SalesImportPage.jsx; frontend/src/pages/procurement/setup

Set material lead times and order rules

LESSON 20

Explain how each purchased material should be replenished.

Before you begin

Use Setup > Settings and identify items missing configuration. Lead times must represent real sourcing assumptions.

1. Choose Configure material. Select configured lead time, history average or an override according to the offered sourcing options.
2. For history-based lead time add received-order history with reference, ordered date and received date. Received date cannot be before ordered date.
3. Set Safety factor, Minimum order qty, Order multiple and Rounding rule. Check that units match the material unit.
4. Choose Automatic calculation for a system suggestion, or Manual planning for a deliberate planner quantity. Manual mode forces automatic result to zero.
5. Keep intended settings active, save and return to the plan preview. Revalidate after changing prerequisites.

Check the result

The material has an explicit rule and an explainable lead-time source. A zero automatic suggestion in manual mode is not proof of no demand.

Key fields

Lead-time source; Configured days; Override days; Safety factor; Minimum order qty; Order multiple; Rounding rule; Automatic calculation; Manual planning; Active

Screen references · Channel SKU Mapping

Source · frontend/src/pages/procurement/settings/ProcurementSettingFormPage.jsx; frontend/src/pages/procurement/settings/LeadTimeHistoryModal.jsx

Review save and finalize a procurement plan

LESSON 21

Turn validated demand and stock into a traceable buying decision.

Before you begin

Complete sales imports, SKU mappings, BOMs and material settings. Understand that the preview uses global item stock.

1. Open Procurement and choose the sales date range. Review Order now, Watch and OK, then expand a line to see its calculation.
2. Open Create a saved plan. Resolve blocking errors; warnings remain visible but do not necessarily prevent a preview.
3. Review average daily usage, lead time, safety stock, reorder point, physical stock, eligible inbound, projected available and To order.
4. Save the draft. In Plans open the preserved snapshot and adjust a draft line with a traceable reason where required. Revalidate if prerequisites changed before saving.
5. Finalize after review and export the saved result. History opens stored values without recalculating them; finalized plans are immutable.

Check the result

A saved run number, intended final quantities and finalized status are visible. A procurement plan is not an automatically placed supplier purchase order.

Key fields

Sales range; Validation messages; Lead-time demand; Safety stock; Physical stock; Inbound; Projected available; To order; Plan status

Screen references · Create a saved plan · Plans

Source · frontend/src/pages/procurement/generatePlan; frontend/src/pages/procurement/planningHistory

Prepare warehouse dispatch inputs

LESSON 22

Create channel-specific warehouse snapshots and SKU rules before calculating recommendations.

Before you begin

Shared channels, warehouses, mappings and packaging profiles must exist.

1. In Dispatch Imports choose Sales, Warehouse stock or Inbound. Import or enter the correct snapshot and validate then commit it.
2. Sales rows use WarehouseCode, ChannelSku, PeriodFrom, PeriodTo and SalesQuantity. Keep the reporting period consistent.
3. Stock rows use SnapshotDate, AvailableQuantity, ReservedQuantity and DamagedQuantity. Inbound adds status and expected arrival.
4. Open SKU Settings > New dispatch setting. Choose item, global or channel scope, tier, priority, rounding and effective dates.
5. Review packaging selection and active status. If a legacy item is hidden by Finished products only, inspect its material classification before widening the picker filter.

Check the result

Committed batches and effective SKU settings exist for the same channel and planning context.

Key fields

Sales batch; Stock batch; Inbound batch; Snapshot date; Tier; Priority; Rounding mode; Packaging profile; Effective dates

Screen references · New dispatch setting · Imports

Source · frontend/src/constants/dispatchEnums.js; frontend/src/pages/dispatch/settings

Calculate allocate and finalize a dispatch run

LESSON 23

Decide recommendations first, allocate available company stock next and freeze the reviewed result.

Before you begin

Use committed sales and warehouse-stock batches for the selected channel; include inbound only when appropriate.

1. Open Planning Runs > New dispatch planning run. Select Channel, Planning date, Sales batch, Warehouse stock batch and optional Inbound batch.
2. Create the Draft run, open it and Calculate. Inspect the item by warehouse matrix and server calculation details.
3. Before allocation, override a final recommendation only when needed and record the reason. Review boxes and quantities.
4. Allocate company stock. Review shortfalls and allocated quantities rather than assuming every recommendation can be fulfilled.
5. Finalize the reviewed recommendations. Use the finalized run when creating a shipment from a plan. Cancellation is an auditable lifecycle action.

Check the result

The run progresses Draft > Calculated > Allocated > Finalized. Finalization freezes recommendations; it does not itself dispatch goods.

Key fields

Channel; Planning date; Batch IDs; Calculated recommendation; Final recommendation; Override reason; Allocated quantity; Run status

Screen references · Planning runs · Recommendation reports

Source · frontend/src/pages/dispatch/runs/DispatchRunsPage.jsx; frontend/src/pages/dispatch/runs/DispatchRunDetailPage.jsx

Create a shipment from a plan or manually

LESSON 24

Start an operational shipment without confusing its creation with physical dispatch.

Before you begin

Have active channel, warehouse and items. Plan-based creation needs a finalized dispatch run.

1. Open Work List. Choose the manual creation action for an independent shipment or Create from dispatch plan for a finalized run.
2. For manual entry choose Channel, Warehouse, Shipment date, Expected delivery, Dispatch mode and Priority. Add a manual reason.
3. For plan-based entry choose Finalized dispatch run and Warehouse, then review the available planned lines and quantities.
4. Add transporter, invoice or STO reference, marketplace reference and notes as applicable. Review each item and planned quantity.
5. Save and open the detail workspace. Use its Items, Packing, Transport, Receipts & returns, Freight and Timeline tabs.

Check the result

A Draft shipment exists. Manual creation does not move or reserve stock. Stock effects occur only through supported operational actions.

Key fields

Channel; Warehouse; Shipment date; Expected delivery; Dispatch mode; Priority; Item; Planned quantity; Manual reason; Invoice number; STO number

Screen references · New manual shipment · Create from dispatch plan

Source · frontend/src/pages/shipments/workList; frontend/src/pages/shipments/detail/ShipmentDetailPage.jsx

Pack goods and prepare dispatch

LESSON 25

Allocate item quantities to real packages and verify readiness before moving stock.

Before you begin

Use a saved shipment with items and packaging data. Follow only the enabled next-status actions.

1. Open Packing and request suggestions where offered. Review remaining unpacked quantities and allow mixed or loose packages only when intended.
2. Build each package with Package number, Package type and profile. Enter dimensions and weights with the matching units.
3. Assign Quantity in package for each item. Review total packed quantities, tracking label, barcode and seal number.
4. Use the enabled status transitions through packing and Ready for Dispatch. Check required docket or operational information in Transport.
5. Review the dispatch confirmation and stock effect before moving ReadyForDispatch to Dispatched. After any timeout reload the shipment first.

Check the result

Packages agree with the item quantities and shipment status reflects the actual stage. A packing suggestion is not a completed packing record.

Key fields

Package number; Package type; Packaging profile; Quantity in package; Dimensions; Weight; Barcode; Seal number; Target status

Screen references · Shipment work list

Source · frontend/src/pages/shipments/detail/ShipmentPackingTab.jsx; frontend/src/pages/shipments/detail/ShipmentDetailPage.jsx

Track transport delivery and returns

LESSON 26

Keep dockets, appointments, delivery attempts, receipts and returns distinct and traceable.

Before you begin

Open the correct saved shipment. Have transport references and actual event times.

1. In Transport add a docket with transporter, mode, number, date, vehicle and tracking details.
2. Record appointments with date, time window, status and reference. Record each delivery attempt with outcome, reason and next attempt date where applicable.
3. In Receipts & returns record the actual receipt date, received quantities, marketplace receipt reference and proof.
4. For returned goods create a return with date, reason, item quantities and transporter details. Record received-back quantities when goods arrive.
5. Use Timeline to review tracking events and status changes. Move to final statuses only through enabled actions after quantities and outstanding work are resolved.

Check the result

Partial delivery, delivery attempt and returned stock are represented by their own records. A tracking note alone does not prove receipt.

Key fields

Docket number; Appointment status; Attempt outcome; Receipt date; Received quantity; Proof URL; Return reason; Return quantity; Received-back date

Screen references · Shipment work list

Source · frontend/src/pages/shipments/detail/ShipmentTransportTab.jsx; frontend/src/pages/shipments/detail/ShipmentReceiptsReturnsTab.jsx

Manage freight and historical imports

LESSON 27

Track freight approval and payment separately from posting a cash-book expense.

Before you begin

Have a saved shipment and freight evidence. Historical CSV files must use the module mapping workflow.

1. Open Freight, select the shipment and add charge type, amount, currency, transporter and invoice information.
2. Follow enabled charge actions through submission and approval. Record paid date and payment reference only for an actual payment.
3. Use Post freight to Rojmel explicitly when this cash-book entry is required. Choose Wallet, transaction date, expense category and payment mode.
4. Verify the linked Rojmel transaction before retrying or entering a separate expense. Payment state and posting state are different.
5. For old shipments use Historical import: upload, map columns, validate and commit. Reversal of an uncommitted batch is separate from cancelling a live shipment.

Check the result

Freight lifecycle and posting links are correct. Historical-import shipments are labeled history and do not change current stock.

Key fields

Charge type; Currency; Transporter invoice; Paid at; Payment reference; Wallet; Expense category; Historical column mapping; Batch status

Screen references · Freight · Historical import

Source · frontend/src/pages/shipments/detail/ShipmentFreightTab.jsx; frontend/src/pages/shipments/imports/ShipmentImportsPage.jsx

Prepare HR and employee records

LESSON 28

Build the organizational masters before adding employees and attendance.

Before you begin

Prepare department, designation and shift details. Use authorized HR access for employee information.

1. Create Departments with code, name and description. Create Designations and link each to the correct Department.
2. Create Shifts with code, name, start and end time, grace minutes, weekly hours and night-shift flag where appropriate.
3. Open Employees > Add employee. Fill code, name, gender, birth and joining dates, contact information and photo as applicable.
4. Assign Department, Designation, Reporting Manager, Shift, Employment Type and Status. Add addresses and bank details when required.
5. Save and reopen the employee profile. Use bank, document and lifecycle actions separately; resignation needs last working date and reason, while rejoining needs its date.

Check the result

The employee is linked to the correct organizational masters. Document metadata, a file reference and an uploaded binary are not interchangeable.

Key fields

Employee Code; First Name; Last Name; Joining Date; Department; Designation; Reporting Manager; Shift; Employment Type; Status; Addresses; Bank Details

Screen references · Add employee

Source · frontend/src/pages/hr/employees/EmployeeFormPage.jsx; frontend/src/pages/hr/employees/EmployeeLifecycleModal.jsx

Record attendance adjustments and leave

LESSON 29

Keep actual attendance, correction requests and leave approvals consistent.

Before you begin

Employees and shifts must exist. Confirm the intended date and employee before entry.

1. Open Attendance Workspace. Choose date and roster filters or open an employee attendance month. Review not-marked records separately.
2. Use Check In and Check Out for actual events. For authorized corrections open Manual Attendance and enter date, times and Day Status.
3. For an adjustment use the existing Attendance Record ID and a correction reason. An authorized approver reviews the adjustment ID and approves or rejects it.
4. Open Leaves and apply for the intended employee, leave type and date range. Review balances and pending applications.
5. Approve, reject or cancel leave only through the relevant authorized action. Recheck the attendance view for the same employee and dates.

Check the result

Approved corrections and leave are distinguishable from pending requests. Not Marked is not automatically the same as Absent.

Key fields

Attendance Date; Check In; Check Out; Day Status; Attendance Record ID; Correction reason; Adjustment ID; Leave type; Date range

Screen references · Attendance Workspace · Leaves

Source · frontend/src/pages/hr/attendance/AttendanceActionModals.jsx; frontend/src/pages/hr/leaves

Process approve and inspect payroll

LESSON 30

Create a period payroll run, review employee totals and then approve it.

Before you begin

Review employee status, salary configuration and attendance before processing. Use Create and Approve rights appropriately.

1. Open Payroll and choose Process Payroll. Enter Payroll Month and Payroll Year exactly.
2. Run processing and note the returned payroll run ID. Use the existing-run loader if inspecting a previously created run.
3. Review each employee Gross, Deductions and Net Pay alongside the run totals and employee count.
4. Open Payslip for an employee and use Employee History to compare prior periods. Investigate differences before approval.
5. Use Approve for the intended processed run ID only after review. If processing returns an error, inspect existing runs before processing again.

Check the result

The correct run is approved and payslip totals match it. Payroll approval records a workflow state; it does not itself execute bank payments.

Key fields

Payroll Month; Payroll Year; Payroll Run ID; Gross; Deductions; Net Payable; Employee; Payslip

Screen references · Payroll

Source · frontend/src/pages/hr/payroll/PayrollPage.jsx; backend/src/Cosmos.API/Controllers/HR/PayrollController.cs

Measure machine output with OEE

LESSON 31

Record machine and mould production observations and review server-calculated performance.

Before you begin

Create Machines, Moulds and Downtime Reasons before daily entries. OEE is separate from posting manufacturing stock.

1. Add Machines with Machine Code, Machine Name, Tonnage, Location and Display Order. Keep active machines available for bulk daily entry.
2. Add Moulds with Mould Name, Target Shots/Day, Cavity and Cycle Time. Add standard Downtime Reasons.
3. Open Production Entries and choose Production Date. Enter each machine on-time, mould, Shot Count, Downtime Reason and Remarks as offered.
4. Review bulk rows or edit a specific entry, then save. Check that shot count and target use the same production context.
5. Open OEE Dashboard and Reports. Choose Last 7, 15, 30 or 90 days, or a custom range; filter machine, mould and reason to investigate poor output.

Check the result

Ratings shown are the application bands: Critical below 40, Needs Attention from 40, Good from 65 and World-Class from 85. Use returned metrics rather than assuming a textbook formula.

Key fields

Machine Code; Tonnage; Mould Name; Target Shots/Day; Cavity; Cycle Time; Production Date; Machine On-Time; Shot Count; Downtime Reason

Screen references · Production Entries · OEE Dashboard

Source · frontend/src/pages/oee/oeeHelpers.js; frontend/src/pages/oee/productionEntries

Create wallets and record cash activity

LESSON 32

Track wallet income, expenses, adjustments and transfers with an auditable cash book.

Before you begin

An administrator configures wallets and user links. Check whether you are using My Wallet or an administrative wallet selector.

1. In Wallets add code or let it be generated, name, wallet type, linked user, opening balance and notes. Set active status as needed.
2. Open My Wallet or Transactions. Choose Add Income or Add Expense and enter positive Amount, Date, Category, Payment Mode, Reference No. and Description.
3. An administrator selects the target Wallet explicitly. For Balance Adjustment choose increase or decrease and explain the correction.
4. For wallet movement use Transfers with From Wallet and To Wallet. Enter amount, date, reference and purpose; source and destination must differ.
5. Review the ledger and balances. Correct a posted mistake using the available reversal action and a reason instead of entering an unexplained opposite transaction.

Check the result

Balances reconcile. Transfers, opening balances and adjustments are excluded from the Income vs Expense profit comparison; they remain visible in the relevant ledgers.

Key fields

Wallet; Amount; Date; Category; Payment Mode; Reference No.; Description; From Wallet; To Wallet; Adjustment direction; Reversal reason

Screen references · My Wallet · Wallet Transfers

Source · frontend/src/pages/rojmel/components; frontend/src/pages/reports/reportRegistry.js

Choose the right report and export it

LESSON 33

Answer operational questions with the right period, scope and report grain.

Before you begin

Have View and Export rights where needed. Decide whether the question needs current stock, period movements, balances or document history.

1. Open All Reports and choose Sales, Purchase, Inventory, Manufacturing, Party, Expense or Rojmel.
2. Choose the report that matches your question. Summary totals, transaction lists and item or party grouping have different grains.
3. Set date range or As of date and relevant item, party, category, status or wallet filters. Item Ledger requires an item selection.
4. Load the report, inspect totals and a few source documents. An empty result may come from the selected period or filters.
5. Export using the available format and permission. Reopen the downloaded file and confirm the same report context and totals.

Check the result

The report answers the intended question and its filters are recorded with the result. Refer to the report directory for every registered report.

Key fields

Date range; As of date; Item; Party; Category; Status; Payment status; Wallet; Inactive days; Top count; Export

Screen references · All Reports

Source · frontend/src/pages/reports/reportRegistry.js; frontend/src/pages/reports/filters/filterRegistry.js

Maintain shared and private reference values

LESSON 34

Store reference entries in category sheets and inspect their change history.

Before you begin

Know the intended visibility and owner. Have entry action rights. Privacy is an access setting, not just hiding text on screen.

1. Open Data Book and choose a category sheet or list view. Use search and filters to find an existing entry first.
2. Add an entry with Name, required Value, Description and Category. Choose shared or private visibility deliberately.
3. Use Show or Hide to control on-screen visibility. It does not by itself change whether an entry is private.
4. Use grid paste preview before committing pasted cells. Review mapped columns, row content and errors. Column renaming changes local display labels.
5. Save and inspect entry details and history. If a conflict appears, compare your change with the server version and resolve it before saving again.

Check the result

The value and visibility are correct and history is traceable. Another user changing the same record requires conflict resolution rather than a blind overwrite.

Key fields

Name; Value; Description; Category; Private; Owner; Row version; History; Paste preview

Screen references · Data Book

Source · frontend/src/pages/dataBook/EntryFormModal.jsx; frontend/src/pages/dataBook/DataBookGrid.jsx

Investigate activity and recover from errors

LESSON 35

Trace who changed a record and capture enough context for a useful support request.

Before you begin

Have Activity Logs access and the approximate date, module, user or record reference.

1. Open Activity Logs. Filter the date range, module, action, actor and reference using the available controls.
2. Open an activity row to inspect its detail. Compare before and after values when they are provided.
3. For validation errors correct the indicated field. For 401 sign in again; for 403 ask an administrator to review the specific page and action.
4. For a conflict refresh the latest record and compare changes. For a timeout inspect the record status before repeating a stock, payment or provider action.
5. When escalating include page, record or run ID, operation, time and the safe correlation reference. Exclude passwords, tokens and raw private payloads.

Check the result

The original business record and audit trail explain the event. An activity entry alone does not prove a financial or stock outcome; verify the source status too.

Key fields

Date range; Module; Action; User; Record reference; Before; After; Correlation ID

Screen references · Activity Logs

Source · frontend/src/pages/activityLogs; frontend/src/utils/apiError.js

Publish website products posts and announcements

LESSON 36

Maintain the independent public catalogue and editorial content.

Before you begin

Have website management rights and reviewed public copy, images and destinations. Website products are not ERP inventory items.

1. Open Website > Products and add a product. Fill code, name, description, display price and commercial information only when confirmed.
2. Add comparison specifications, benefits and media. Write meaningful image alt text and select exactly one uploaded image as primary.
3. Choose active and publish status, review the public-change confirmation and save. Catalogue publication does not change ERP stock.
4. In Blog manage Categories, then add title, slug, excerpt, category, content, cover image and SEO fields. Review publish status and Published at UTC.
5. In Announcements set title, message, CTA label and URL, priority, order, UTC schedule and dismissal version. In Site settings edit only the exposed approved values.

Check the result

Public content is intentionally published with correct media and links. A saved draft is not the same as a published public page.

Key fields

Publish status; Slug; Display price; Specifications; Benefits; Primary image; Alt text; SEO; CTA URL; Starts at UTC; Ends at UTC

Screen references · Add product · Add post

Source · frontend/src/pages/website/products/WebsiteProductFormPage.jsx; frontend/src/pages/website/blog; frontend/src/pages/website/announcements

Handle warranty claims and customer updates

LESSON 37

Review customer evidence, assign responsibility and document a claim resolution.

Before you begin

Have the relevant claim and action permissions. Verify order, product and evidence before a decision.

1. Open Warranty Claims, filter reference, status, assignee and dates, then open the correct claim.
2. Review evidence and immutable claim history. Use Assign or Start review only for the intended claim.
3. Keep internal notes separate from Customer messages. Sending a customer message explicitly transmits it to the customer.
4. Use enabled Request information, Approve or Reject actions with the necessary remarks. For resolution choose the offered resolution type.
5. Enter the relevant refund, replacement, repair or tracking references, then Resolve or Complete when work is actually finished. Review history.

Check the result

Status, assigned owner, decision and resolution references agree. Recording a refund reference does not prove a refund was executed.

Key fields

Claim reference; Status; Assignee; Internal note; Customer message; Resolution type; Refund reference; Replacement reference; Repair reference; Tracking number

Screen references · Warranty claims

Source · frontend/src/pages/website/warranty/WebsiteWarrantyDetailPage.jsx

Use the GST workspace

LESSON 38

Inspect GST configuration and existing government documents.

Before you begin

Have configured provider access, a verified company registration and the required page and action permissions.

1. Open GST overview and review environment, configured features and missing setting names. A configured indicator is not proof of provider availability.
2. In GST registrations enter the verified GSTIN and status with legal name, state, address and company or branch context. Set feature flags and default deliberately.
3. Use GSTIN verification for a supplied GSTIN. Use E-Invoice lookup with an existing IRN or E-Way Bill lookup with an existing number; lookup does not generate a document.
4. Refresh provider status before supported changes. Cancellation or vehicle updates require matching stored registration and identifier, an explicitly active provider state and the required action right.
5. For uncertain outcomes reconcile status before retrying. Use GST session status and API logs for diagnostics; retain only the safe correlation reference.

Check the result

Generation, extension, OTP and dated HSN or rate management need backend support here. Government cancellation leaves the accounting invoice unchanged.

Key fields

GSTIN; Status; State code; Registration ID; Default registration; IRN; E-Way Bill number; Provider status; Vehicle number; Reason code

Screen references · GST overview · E-Invoice lookup

Source · frontend/src/utils/gstCompliance.js; frontend/src/pages/gst/GstOverviewPage.jsx; frontend/src/pages/gst/GstDocumentPage.jsx

Set appearance documents and table preferences

LESSON 39

Adjust the interface and document presentation to fit daily work.

Before you begin

Open the account menu for personal preferences, or System Settings for the available workspace settings.

1. Open Preferences and choose from the available appearance and sidebar theme options.
2. Set default rows per page for tables that use the shared preference. Some modules use their own domain-specific page sizes.
3. Open Settings > Appearance to review additional presentation controls, including the available login theme.
4. Open Invoice Template to choose the available business-document layout. Review a document preview or print output after switching.
5. Open Item Settings to review manufacturing-related visibility. Preferences that save automatically may be stored on this browser or device.

Check the result

The next list or document reflects the intended preference. Appearance changes do not grant permissions or change business calculations.

Key fields

Appearance; Sidebar theme; Login theme; Invoice template; Item settings; Default rows per page

Screen references · Settings · Preferences

Source · frontend/src/pages/settings; frontend/src/pages/preferences/PreferencesPage.jsx; frontend/src/utils/preferencesStorage.js

Worked example from demand to production

Training inputs

Illustrative quantities only: finished item FG-CLIP uses 2 units of RM-A and 1 unit of RM-B per unit, with zero wastage for this example. The sales range contains 100 FG-CLIP units over 10 days.

Demand conversion

FG average daily demand is 10. Component average daily usage is RM-A 20 and RM-B 10. The manufacturing BOM owns this conversion.

Lead time and reorder point

RM-A total requirement is 200. With safety factor 0.1 the engine returns safety stock 20. Assume lead time 5 days: lead-time demand is 20 × 5 = 100; reorder point is 100 + 20 = 120.

Stock and shortage

Assume physical RM-A stock 60 and eligible inbound 10. Projected available is 70, so shortage against 120 is 50. If MOQ and order multiple permit, the suggestion can be 50. The server preview remains authoritative.

Production is a separate action

Producing 20 FG-CLIP units consumes 40 RM-A and 20 RM-B with this zero-wastage recipe. Save the production draft, inspect its snapshot and post only when the actual output is confirmed.

Complete the handoff

A saved procurement plan does not place an order. A finalized dispatch plan does not ship goods. Complete the purchase, production and shipment workflows separately and verify each resulting document.

Daily and monthly operating checks

Sales desk

Check draft versus confirmed invoices, receipts received, due balances and cancelled documents. Match the date range before comparing reports.

Purchase desk

Check orders awaiting conversion, duplicate supplier invoice numbers, unpaid bills, returns and expense categories.

Production and inventory

Review posted and cancelled production, missing active BOMs, low or negative stock and unexplained item-ledger movements.

Planning and logistics

Review stale snapshots, unmapped SKUs, warnings, draft plans, allocation shortfalls, incomplete packing, failed attempts, returns and unpaid freight.

HR

Resolve not-marked attendance, pending adjustments and leave before reviewing payroll. Compare gross, deductions and net with the intended period.

Cash and governance

Reconcile wallet ledgers and transfers. Review source-linked freight postings, activity history, website publication state and unresolved warranty claims.

Troubleshooting decision guide

Nothing is listed

Clear search, status and date filters; check the correct module and page number. A blank period is not proof that the whole database is empty.

Cannot find an item or party

Check active status, item type or material classification and picker filters. Ensure required category, unit, channel and mapping masters exist.

Button missing or disabled

Check View versus action permissions, record status, required data and current loading state. A finalized plan or read-only imported row may deliberately block editing.

Validation or date error

Read the exact field message. Use valid calendar dates, nonnegative quantities where specified and a correct start-to-end order. Keep dimensions and weights in matching units.

Concurrent edit or conflict

Reload the latest record, compare changes and apply only the intended revision. For planning, refresh changed prerequisites and validate again.

Timeout after an action

Inspect the source record or batch status before retrying. This matters for posting production, dispatching stock, payments and GST provider changes.

Cannot export

Check Export permission, report filters, selected item requirements, loaded rows and any displayed export error. Some module export buttons may be unavailable in the current state.

Document and stock lifecycle map

Sales and purchase bills

01
Save draft

02
Review and confirm

03
Payments and balance

Review cancel actions on the original detail record. Do not assume every list exposes the same action in every status. Purchase orders also have a separate conversion-to-bill workflow.

Manufacturing

01
Draft and snapshot

02
Post both sides

03
Cancel with reversal

Posting consumes raw material and receives finished goods together. Saving the draft does not do this. After a timeout, check whether posting already succeeded.

Procurement

01
Validate and preview

02
Save draft snapshot

03
Finalize and export

Saved history preserves the calculated values. Finalizing a plan does not create a supplier order automatically.

Dispatch planning

01
Draft then Calculate

02
Override then Allocate

03
Finalize

Source · Sales and purchase document configs · ManufacturingService · ProcurementPlanningService · DispatchRunDetailPage

Shipment stages and exception branches

01
Draft

02
ReadyForPacking

03
PackingInProgress

01
Packed

02
ReadyForDispatch

03
Dispatched

The UI shows Dispatch and reduce stock for ReadyForDispatch → Dispatched. The normal status workflow does not provide an undo for this action.

01
InTransit or appointment

02
Attempt or partial delivery

03
Delivered then Closed

After dispatch, allowed branches include AppointmentPending, AppointmentBooked, InTransit, DeliveryAttempted, PartiallyDelivered, Delivered and ReturnInProgress. The enabled target list is authoritative for the current record.

01
ReturnInProgress

02
Returned

03
Closed

Cancellation is a separate guarded action. Closed shipments are immutable. Delivery attempts, receipts and returns require their own quantity and evidence records; a status label alone is insufficient.

Source · backend/src/Cosmos.Application/ShipmentOperations/ShipmentStatusTransitionService.cs · frontend/src/pages/shipments/detail/ShipmentDetailPage.jsx

Read the procurement calculation

These relationships follow the current calculation service. The saved server line includes the explanation, warnings and final rounded quantity.

01 Lead time

Override days take precedence over received-order history average, which takes precedence over configured days. Missing automatic-planning prerequisites can be blocking errors.

02 Demand

Average daily usage × effective lead time = lead-time demand. Total material requirement × safety factor = safety stock.

03 Reorder point

Lead-time demand + safety stock = reorder point. Physical stock + eligible inbound = projected available stock.

04 Shortage

Shortage is max zero or reorder point minus projected available. Automatic ordering may apply MOQ when stock is at or below the reorder point, then the configured order-multiple and rounding rules.

05 Manual mode

Manual planning forces the automatic suggestion to zero. The planner must deliberately enter the final quantity through the supported draft workflow.

Source · backend/src/Cosmos.Application/Services/ProcurementCalculationService.cs

Screen atlas and control index

Each atlas page pairs a real screenshot with the exact controls exposed in its captured state. Field lists can include controls below the visible screenshot. Read the linked lesson before performing business actions.

01
Find the screen

02
Read the controls

03
Follow the lesson

All captures use the existing application window, so the sidebar may be collapsed and tables may need horizontal scrolling. Screenshot numbers identify documentation figures, not database records.

Screens with no records still show their real available controls. Record-dependent detail workflows are described in the operating lessons and require selecting an existing record in the app.

Analytics Overview

/dashboard




Figure 001 · Actual visible app screen

USE THIS SCREEN

Review the business period, trends, ranked lists, alerts and workforce signals before opening detail reports.

OPERATING LESSON

Read the analytics dashboard

Empty or filtered state

Fields and filters

Dashboard date preset · Comparison period · Trend grouping · Top selling items count · Top selling items category · Top parties count · Top parties type · Alert preview limit · Minimum alert amount

Buttons and tabs

Date range · Refresh · Attendance date

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /dashboard · 21 October 2026 · related operating lesson cites implementation source

Users

/users




Figure 002 · Actual visible app screen

USE THIS SCREEN

Give each operator the pages and actions needed for their job.

OPERATING LESSON

Create roles users and action permissions

Fields and filters

Search users · Filter by status · Filter by role · Rows per page

Buttons and tabs

Refresh Users · Export Users · Add User · Clear · Edit User · Deactivate User · Delete User · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /users · 21 October 2026 · related operating lesson cites implementation source

Roles

/roles




Figure 003 · Actual visible app screen

USE THIS SCREEN

Give each operator the pages and actions needed for their job.

OPERATING LESSON

Create roles users and action permissions

Fields and filters

Search roles · Filter by status · Rows per page

Buttons and tabs

Refresh Roles · Export Roles · Add Role · Clear · View Role · Edit Role · Deactivate Role · Delete Role · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /roles · 21 October 2026 · related operating lesson cites implementation source

Pages

/rbac/pages




Figure 004 · Actual visible app screen

USE THIS SCREEN

Register routes and navigation metadata used by administration.

OPERATING LESSON

Maintain the page registry

Fields and filters

Search pages · Filter by status · Filter by parent page

Buttons and tabs

Refresh · Add Page · Grouped Table · Tree View · Clear · Expand all · Collapse all · View Page · Add Child Page · Edit Page · Delete Page

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /rbac/pages · 21 October 2026 · related operating lesson cites implementation source

Add page

/rbac/pages/new




Figure 005 · Actual visible app screen

USE THIS SCREEN

Register routes and navigation metadata used by administration.

OPERATING LESSON

Maintain the page registry

Fields and filters

Name* · Display Name* · Route* · Icon · Parent Page · Sort Order* · Active page record Inactive records remain hidden from active workflows.

Buttons and tabs

Back · Create page · Cancel · Create Page

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /rbac/pages/new · 21 October 2026 · related operating lesson cites implementation source

Permissions

/permissions




Figure 006 · Actual visible app screen

USE THIS SCREEN

Give each operator the pages and actions needed for their job.

OPERATING LESSON

Create roles users and action permissions

Fields and filters

Role

Buttons and tabs

Save Permissions

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /permissions · 21 October 2026 · related operating lesson cites implementation source

Party Master

/party




Figure 007 · Actual visible app screen

USE THIS SCREEN

Keep identity, contact, addresses, tax details and opening balances in one party record.

OPERATING LESSON

Create a customer supplier or transporter party

Fields and filters

Search parties · Filter parties by status · Filter parties by credit limit · Filter parties by GST · Rows per page

Buttons and tabs

Refresh Parties · Party Settings · Export Parties · Add Party · Clear · Previous page · Next page

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /party · 21 October 2026 · related operating lesson cites implementation source

Add party

/party/new




Figure 008 · Actual visible app screen

USE THIS SCREEN

Keep identity, contact, addresses, tax details and opening balances in one party record.

OPERATING LESSON

Create a customer supplier or transporter party

Fields and filters

GSTIN · Party Code* · Party Name* · Mobile No · Email · Legal Name · Trade Name · GST Treatment · Opening Balance · Opening Balance Type · Credit Limit · Credit Period Days · Is Active Inactive parties stay saved but cannot be used in new transactions. · Billing Address Line1 · Billing Address Line2 · Billing City · Billing State · Billing Country · Billing Pincode · Shipping Address Line1 · Shipping Address Line2 · Shipping City · Shipping State · Shipping Country · Shipping Pincode

Buttons and tabs

Enter details manually · Verify · Same as billing · Cancel · Save as Draft · Create Party

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /party/new · 21 October 2026 · related operating lesson cites implementation source

Items

/items




Figure 009 · Actual visible app screen

USE THIS SCREEN

Define the products, services, prices and classifications used throughout operations.

OPERATING LESSON

Build the item catalogue

Fields and filters

Search inventory items · Filter items by category · Filter items by material type · Filter items by status · Rows per page

Buttons and tabs

Refresh · Add Item · Clear · View Item · Edit Item · Delete Item · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /items · 21 October 2026 · related operating lesson cites implementation source

Add item

/items/new




Figure 010 · Actual visible app screen

USE THIS SCREEN

Define the products, services, prices and classifications used throughout operations.

OPERATING LESSON

Build the item catalogue

Fields and filters

Material type · Item Name* · Item code · Barcode · Category* · Unit* · Sales Price · Purchase Price · HSN Code · GST Rate · Description · Active item Active items are available for inventory and transaction workflows.

Buttons and tabs

Back · Save item · Product · Service · Assign Code · Click to upload or drag & drop PNG, JPG, or WebP up to 5MB · Pricing · Stock · Manufacturing · Cancel · Save & New · Save Item

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /items/new · 21 October 2026 · related operating lesson cites implementation source

Categories

/categories




Figure 011 · Actual visible app screen

USE THIS SCREEN

Define the products, services, prices and classifications used throughout operations.

OPERATING LESSON

Build the item catalogue

Fields and filters

Search categories · Filter categories by status · Rows per page

Buttons and tabs

Refresh · Add Category · Clear · View Category · Edit Category · Delete Category · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /categories · 21 October 2026 · related operating lesson cites implementation source

Units

/units




Figure 012 · Actual visible app screen

USE THIS SCREEN

Define the products, services, prices and classifications used throughout operations.

OPERATING LESSON

Build the item catalogue

Fields and filters

Search units · Filter units by status · Rows per page

Buttons and tabs

Refresh · Add Unit · Clear · View Unit · Edit Unit · Delete Unit · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /units · 21 October 2026 · related operating lesson cites implementation source

Cash position at a glance

/rojmel/dashboard




Figure 013 · Actual visible app screen

USE THIS SCREEN

Track wallet income, expenses, adjustments and transfers with an auditable cash book.

OPERATING LESSON

Create wallets and record cash activity

Fields and filters

No named input fields in this captured state

Buttons and tabs

Refresh · Date range

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /rojmel/dashboard · 21 October 2026 · related operating lesson cites implementation source

My Wallet

/rojmel/my-wallet




Figure 014 · Actual visible app screen

USE THIS SCREEN

Track wallet income, expenses, adjustments and transfers with an auditable cash book.

OPERATING LESSON

Create wallets and record cash activity

Empty or filtered state

Fields and filters

Search Rojmel records · Filter by category · Filter by transaction type · Filter by status · Sort records by · Sort direction

Buttons and tabs

Refresh · + Income · − Expense · Date range · Clear

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /rojmel/my-wallet · 21 October 2026 · related operating lesson cites implementation source

Wallets

/rojmel/wallets




Figure 015 · Actual visible app screen

USE THIS SCREEN

Track wallet income, expenses, adjustments and transfers with an auditable cash book.

OPERATING LESSON

Create wallets and record cash activity

Fields and filters

Search Rojmel records · Filter by linked user · Filter by wallet type · Filter wallets by status · Sort records by · Sort direction · Rows per page

Buttons and tabs

Refresh · Create Wallet · Income · Expense · Clear · View wallet · Edit wallet · Company wallet is protected · Deactivate wallet · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /rojmel/wallets · 21 October 2026 · related operating lesson cites implementation source

Transactions

/rojmel/transactions




Figure 016 · Actual visible app screen

USE THIS SCREEN

Track wallet income, expenses, adjustments and transfers with an auditable cash book.

OPERATING LESSON

Create wallets and record cash activity

Empty or filtered state

Fields and filters

Search Rojmel records · Filter by wallet · Filter by linked user · Filter by category · Filter by transaction type · Filter by status · Sort records by · Sort direction

Buttons and tabs

Refresh · Income · Expense · Adjustment · Date range · Clear

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /rojmel/transactions · 21 October 2026 · related operating lesson cites implementation source

Wallet Transfers

/rojmel/transfers




Figure 017 · Actual visible app screen

USE THIS SCREEN

Track wallet income, expenses, adjustments and transfers with an auditable cash book.

OPERATING LESSON

Create wallets and record cash activity

Empty or filtered state

Fields and filters

Search Rojmel records · Filter by wallet · Filter by status

Buttons and tabs

Refresh · New Transfer · Date range · Clear

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /rojmel/transfers · 21 October 2026 · related operating lesson cites implementation source

Rojmel Reports

/rojmel/reports




Figure 018 · Actual visible app screen

USE THIS SCREEN

Track wallet income, expenses, adjustments and transfers with an auditable cash book.

OPERATING LESSON

Create wallets and record cash activity

Fields and filters

Search reports

Buttons and tabs

No page buttons in this captured state

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /rojmel/reports · 21 October 2026 · related operating lesson cites implementation source

HR Dashboard

/hr/dashboard




Figure 019 · Actual visible app screen

USE THIS SCREEN

Build the organizational masters before adding employees and attendance.

OPERATING LESSON

Prepare HR and employee records

A status or error message is present

Fields and filters

No named input fields in this captured state

Buttons and tabs

Refresh

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /hr/dashboard · 21 October 2026 · related operating lesson cites implementation source

Employees

/hr/employees




Figure 020 · Actual visible app screen

USE THIS SCREEN

Build the organizational masters before adding employees and attendance.

OPERATING LESSON

Prepare HR and employee records

Fields and filters

Search employees · Filter employees by department · Filter employees by designation · Filter employees by status · Include resigned · Rows per page

Buttons and tabs

Refresh · Add Employee · Clear · MB Mohit Bhalala E001 Active Developer - DEV · Previous · Next · Download PDF · Edit · Resign · Delete employee · Overview · Bank Details · Documents · Attendance · Leaves

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /hr/employees · 21 October 2026 · related operating lesson cites implementation source

Add employee

/hr/employees/new




Figure 021 · Actual visible app screen

USE THIS SCREEN

Build the organizational masters before adding employees and attendance.

OPERATING LESSON

Prepare HR and employee records

Fields and filters

Employee Code* · First Name* · Last Name · Gender · Mobile · Email · Department* · Designation* · Reporting Manager · Shift* · Employment Type · Status · Address Type · Address Line 1 · Address Line 2 · City · State · Country · Pincode · Bank Name · Account Number · IFSC Code · Branch Name · UPI ID

Buttons and tabs

Back · Save employee · Click to upload or drag & drop PNG, JPG, or WebP up to 5MB · Date of Birth · Joining Date* · Add Address · Cancel · Save as Draft · Create Employee

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /hr/employees/new · 21 October 2026 · related operating lesson cites implementation source

Departments

/hr/departments




Figure 022 · Actual visible app screen

USE THIS SCREEN

Build the organizational masters before adding employees and attendance.

OPERATING LESSON

Prepare HR and employee records

Fields and filters

Search departments · Filter departments by status · Rows per page

Buttons and tabs

Refresh · Add Department · Clear · View department · Edit department · Delete department · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /hr/departments · 21 October 2026 · related operating lesson cites implementation source

Designations

/hr/designations




Figure 023 · Actual visible app screen

USE THIS SCREEN

Build the organizational masters before adding employees and attendance.

OPERATING LESSON

Prepare HR and employee records

Fields and filters

Search designations · Filter designations by status · Rows per page

Buttons and tabs

Refresh · Add Designation · Clear · View designation · Edit designation · Delete designation · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /hr/designations · 21 October 2026 · related operating lesson cites implementation source

Attendance Workspace

/hr/attendance




Figure 024 · Actual visible app screen

USE THIS SCREEN

Keep actual attendance, correction requests and leave approvals consistent.

OPERATING LESSON

Record attendance adjustments and leave

Fields and filters

Search employees · Filter employees by department · Filter employees by attendance status

Buttons and tabs

Refresh · Add Attendance · Book · Details · Previous day · 21-10-2026 · Next day · Today · Check In · Check Out · Adjustment · Approve · Reject · Clear · All visible P · All visible A · Reset · Save changes · Darshan LPP 01 · P · A · Mohit Bhalala E001

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /hr/attendance · 21 October 2026 · related operating lesson cites implementation source

Leaves

/hr/leaves




Figure 025 · Actual visible app screen

USE THIS SCREEN

Keep actual attendance, correction requests and leave approvals consistent.

OPERATING LESSON

Record attendance adjustments and leave

Empty or filtered state

Fields and filters

No named input fields in this captured state

Buttons and tabs

Refresh · Apply Leave · Date range · Clear · Load Balance · Load Pending

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /hr/leaves · 21 October 2026 · related operating lesson cites implementation source

Shifts

/hr/shifts




Figure 026 · Actual visible app screen

USE THIS SCREEN

Build the organizational masters before adding employees and attendance.

OPERATING LESSON

Prepare HR and employee records

Fields and filters

Search shifts · Filter shifts by status · Rows per page

Buttons and tabs

Refresh · Add Shift · Clear · View shift · Edit shift · Delete shift · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /hr/shifts · 21 October 2026 · related operating lesson cites implementation source

Payroll

/hr/payroll




Figure 027 · Actual visible app screen

USE THIS SCREEN

Create a period payroll run, review employee totals and then approve it.

OPERATING LESSON

Process approve and inspect payroll

Fields and filters

Run ID

Buttons and tabs

Load Run · Run Payroll · Load · Approve · Load History · Load Payslip

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /hr/payroll · 21 October 2026 · related operating lesson cites implementation source

Sale Invoices

/sales/invoices




Figure 028 · Actual visible app screen

USE THIS SCREEN

Create a draft sale invoice, verify its calculation and track customer payments.

OPERATING LESSON

Create confirm and collect a sale

Fields and filters

Search invoices · Filter invoices by customer · Filter invoices by status · Filter invoices by payment status · Rows per page

Buttons and tabs

Refresh · New Invoice · Date range · Clear · View Invoice · Edit Invoice · Confirm Invoice · Cancel Invoice · Download PDF · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /sales/invoices · 21 October 2026 · related operating lesson cites implementation source

New sale invoice

/sales/invoices/new




Figure 029 · Actual visible app screen

USE THIS SCREEN

Create a draft sale invoice, verify its calculation and track customer payments.

OPERATING LESSON

Create confirm and collect a sale

Fields and filters

Customer* · Invoice Number · Notes · Terms & Conditions · Invoice Discount · Amount · Mode · Reference · Payment Notes

Buttons and tabs

Back · Save draft · Invoice Date* · Due Date · Add Row · Remove line item · Payment Date · Cancel · Save Draft

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /sales/invoices/new · 21 October 2026 · related operating lesson cites implementation source

Purchase Bills

/purchase/bills




Figure 030 · Actual visible app screen

USE THIS SCREEN

Record the purchase document, confirmation state and money paid to the supplier.

OPERATING LESSON

Record a purchase bill and supplier payment

Fields and filters

Filter by supplier · Filter by status · Rows per page

Buttons and tabs

Refresh · New · From date · To date · Clear · View · Edit · Confirm · Cancel · Delete · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /purchase/bills · 21 October 2026 · related operating lesson cites implementation source

New Purchase Bill

/purchase/bills/new




Figure 031 · Actual visible app screen

USE THIS SCREEN

Record the purchase document, confirmation state and money paid to the supplier.

OPERATING LESSON

Record a purchase bill and supplier payment

Fields and filters

Supplier* · Payment Type · Notes · Document Discount · Round Off · Paid Amount

Buttons and tabs

Back · Save · Bill Date* · Due Date · Add Row · Remove line item · Cancel

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /purchase/bills/new · 21 October 2026 · related operating lesson cites implementation source

Purchase Orders

/purchase/orders




Figure 032 · Actual visible app screen

USE THIS SCREEN

Keep an order commitment separate from the supplier bill.

OPERATING LESSON

Order from a supplier and convert to a bill

Fields and filters

Filter by supplier · Filter by status · Rows per page

Buttons and tabs

Refresh · New · From date · To date · Clear · View · Edit · Cancel · Convert to Bill · Delete · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /purchase/orders · 21 October 2026 · related operating lesson cites implementation source

New Purchase Order

/purchase/orders/new




Figure 033 · Actual visible app screen

USE THIS SCREEN

Keep an order commitment separate from the supplier bill.

OPERATING LESSON

Order from a supplier and convert to a bill

Fields and filters

Supplier* · Terms & Conditions · Notes · Document Discount

Buttons and tabs

Back · Save · Order Date* · Expected Delivery · Add Row · Remove line item · Cancel

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /purchase/orders/new · 21 October 2026 · related operating lesson cites implementation source

Purchase Returns

/purchase/returns




Figure 034 · Actual visible app screen

USE THIS SCREEN

Use returns for supplier goods and expenses for business costs outside item purchases.

OPERATING LESSON

Return purchases and record expenses

Empty or filtered state

Fields and filters

Filter by supplier · Rows per page

Buttons and tabs

Refresh · New · From date · To date · Clear · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /purchase/returns · 21 October 2026 · related operating lesson cites implementation source

New Purchase Return

/purchase/returns/new




Figure 035 · Actual visible app screen

USE THIS SCREEN

Use returns for supplier goods and expenses for business costs outside item purchases.

OPERATING LESSON

Return purchases and record expenses

Fields and filters

Supplier* · Purchase Bill · Reason · Notes

Buttons and tabs

Back · Save · Return Date* · Add Row · Remove line item · Cancel

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /purchase/returns/new · 21 October 2026 · related operating lesson cites implementation source

Supplier Payments

/purchase/supplier-payments




Figure 036 · Actual visible app screen

USE THIS SCREEN

Record the purchase document, confirmation state and money paid to the supplier.

OPERATING LESSON

Record a purchase bill and supplier payment

Empty or filtered state

Fields and filters

Search supplier payments · Filter by supplier · Rows per page

Buttons and tabs

Refresh · New Payment · Date range · Clear · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /purchase/supplier-payments · 21 October 2026 · related operating lesson cites implementation source

Expenses

/purchase/expenses




Figure 037 · Actual visible app screen

USE THIS SCREEN

Use returns for supplier goods and expenses for business costs outside item purchases.

OPERATING LESSON

Return purchases and record expenses

Empty or filtered state

Fields and filters

Search expenses · Filter by category · Rows per page

Buttons and tabs

Refresh · New Expense · Date range · Clear · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /purchase/expenses · 21 October 2026 · related operating lesson cites implementation source

Expense Categories

/purchase/expense-categories




Figure 038 · Actual visible app screen

USE THIS SCREEN

Use returns for supplier goods and expenses for business costs outside item purchases.

OPERATING LESSON

Return purchases and record expenses

Fields and filters

Search expense categories · Filter by status · Rows per page

Buttons and tabs

Refresh · New Category · Clear · Edit · Delete · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /purchase/expense-categories · 21 October 2026 · related operating lesson cites implementation source

Purchase Reports

/purchase/reports




Figure 039 · Actual visible app screen

USE THIS SCREEN

Answer operational questions with the right period, scope and report grain.

OPERATING LESSON

Choose the right report and export it

Fields and filters

No named input fields in this captured state

Buttons and tabs

Refresh · Purchase Summary · Supplier Outstanding · Expense Summary · Category-wise Expense · Item Purchase History · Date range · Run Report

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /purchase/reports · 21 October 2026 · related operating lesson cites implementation source

All Reports

/reports




Figure 040 · Actual visible app screen

USE THIS SCREEN

Answer operational questions with the right period, scope and report grain.

OPERATING LESSON

Choose the right report and export it

Fields and filters

Search reports

Buttons and tabs

No page buttons in this captured state

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /reports · 21 October 2026 · related operating lesson cites implementation source

OEE Dashboard

/oee/dashboard




Figure 041 · Actual visible app screen

USE THIS SCREEN

Record machine and mould production observations and review server-calculated performance.

OPERATING LESSON

Measure machine output with OEE

Empty or filtered state

Fields and filters

Dashboard range mode · Last days · Downtime machine · Downtime mould · Downtime reason · Search downtime analysis · Search machines by name or tonnage · Rating filter

Buttons and tabs

Refresh · Refresh analysis · Date range · Reset to last month · Overview · Comparative Analytics

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /oee/dashboard · 21 October 2026 · related operating lesson cites implementation source

Production Entries

/oee/production-entries




Figure 042 · Actual visible app screen

USE THIS SCREEN

Record machine and mould production observations and review server-calculated performance.

OPERATING LESSON

Measure machine output with OEE

Fields and filters

Machine on-time · Mould · Downtime reason · Remarks · Machine filter · Mould filter · Downtime reason filter · Rows per page

Buttons and tabs

Refresh Lookups · Save Running Machines · Production Date* · Refresh History · Date range · Clear · Edit entry · Delete entry · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /oee/production-entries · 21 October 2026 · related operating lesson cites implementation source

Machines

/oee/machines




Figure 043 · Actual visible app screen

USE THIS SCREEN

Record machine and mould production observations and review server-calculated performance.

OPERATING LESSON

Measure machine output with OEE

Fields and filters

Search OEE records · Status filter · Rows per page

Buttons and tabs

Refresh · Add Machine · Clear · View Machine · Edit Machine · Delete Machine · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /oee/machines · 21 October 2026 · related operating lesson cites implementation source

Moulds

/oee/moulds




Figure 044 · Actual visible app screen

USE THIS SCREEN

Record machine and mould production observations and review server-calculated performance.

OPERATING LESSON

Measure machine output with OEE

Fields and filters

Search OEE records · Status filter · Rows per page

Buttons and tabs

Refresh · Add Mould · Clear · View Mould · Edit Mould · Delete Mould · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /oee/moulds · 21 October 2026 · related operating lesson cites implementation source

Downtime Reasons

/oee/downtime-reasons




Figure 045 · Actual visible app screen

USE THIS SCREEN

Record machine and mould production observations and review server-calculated performance.

OPERATING LESSON

Measure machine output with OEE

Fields and filters

Search OEE records · Status filter · Rows per page

Buttons and tabs

Refresh · Add Reason · Clear · View Downtime Reason · Edit Downtime Reason · Delete Downtime Reason · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /oee/downtime-reasons · 21 October 2026 · related operating lesson cites implementation source

OEE Reports

/oee/reports




Figure 046 · Actual visible app screen

USE THIS SCREEN

Record machine and mould production observations and review server-calculated performance.

OPERATING LESSON

Measure machine output with OEE

Empty or filtered state

Fields and filters

Range mode · Last days · Machine filter · Mould filter · Downtime reason filter

Buttons and tabs

Run Report · Export to Excel · Daily · Machine Performance · Mould Performance · Downtime · Clear

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /oee/reports · 21 October 2026 · related operating lesson cites implementation source

Channels

/supply-chain/channels




Figure 047 · Actual visible app screen

USE THIS SCREEN

Translate marketplace data into internal ERP items and warehouse identities.

OPERATING LESSON

Connect channels warehouses and SKUs

Fields and filters

Search · Status · Rows per page

Buttons and tabs

Refresh · Export · New channel · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /supply-chain/channels · 21 October 2026 · related operating lesson cites implementation source

Warehouses

/supply-chain/warehouses




Figure 048 · Actual visible app screen

USE THIS SCREEN

Translate marketplace data into internal ERP items and warehouse identities.

OPERATING LESSON

Connect channels warehouses and SKUs

Fields and filters

Search · Channel · Status · City · State · Rows per page

Buttons and tabs

Refresh · Export · New warehouse · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /supply-chain/warehouses · 21 October 2026 · related operating lesson cites implementation source

Item mappings

/supply-chain/item-mappings




Figure 049 · Actual visible app screen

USE THIS SCREEN

Translate marketplace data into internal ERP items and warehouse identities.

OPERATING LESSON

Connect channels warehouses and SKUs

Fields and filters

Search · Channel · Item · Status · Primary · Rows per page

Buttons and tabs

Refresh · Export · New mapping · Mappings · Unmatched SKUs 0 · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /supply-chain/item-mappings · 21 October 2026 · related operating lesson cites implementation source

Packaging profiles

/supply-chain/packaging-profiles




Figure 050 · Actual visible app screen

USE THIS SCREEN

Define box quantities, dimensions and weight inputs used by planning and packing.

OPERATING LESSON

Create packaging profiles

Fields and filters

Search · Item · Channel · Status · Default · Rows per page

Buttons and tabs

Refresh · Export · New profile · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /supply-chain/packaging-profiles · 21 October 2026 · related operating lesson cites implementation source

New packaging profile

/supply-chain/packaging-profiles/new




Figure 051 · Actual visible app screen

USE THIS SCREEN

Define box quantities, dimensions and weight inputs used by planning and packing.

OPERATING LESSON

Create packaging profiles

Fields and filters

Existing Item* · Channel · Packaging code* · Packaging name · Units per box* · Length · Width · Height · Dimension unit · Gross weight · Net weight · Weight unit · Volumetric divisor · Calculated volumetric weight · Default profile · Profile is active

Buttons and tabs

Back · Save profile · Effective from · Effective to · Cancel

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /supply-chain/packaging-profiles/new · 21 October 2026 · related operating lesson cites implementation source

Imports

/supply-chain/imports




Figure 052 · Actual visible app screen

USE THIS SCREEN

Stage external rows, fix validation errors and commit only a reviewed batch.

OPERATING LESSON

Import validate and commit snapshots

Fields and filters

Import type* · Channel

Buttons and tabs

Refresh · Export · New import · History · Drop a CSV or XLSX file here Maximum 10 MB. The file is staged for validation before commit. · Validate file

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /supply-chain/imports · 21 October 2026 · related operating lesson cites implementation source

Procurement

/procurement




Figure 053 · Actual visible app screen

USE THIS SCREEN

Turn validated demand and stock into a traceable buying decision.

OPERATING LESSON

Review save and finalize a procurement plan

Fields and filters

No named input fields in this captured state

Buttons and tabs

Adjust assumptions · Export CSV · Save draft · Refresh · Full step-by-step flow · Show calculation

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /procurement · 21 October 2026 · related operating lesson cites implementation source

Sales Data

/procurement/sales-import




Figure 054 · Actual visible app screen

USE THIS SCREEN

Make sales demand resolvable to finished products and their purchased materials.

OPERATING LESSON

Prepare sales demand and planning setup

Fields and filters

No named input fields in this captured state

Buttons and tabs

Refresh · Export · Add manual sales entry · Update sales data · Import · History · Batches · Product Summary · Date range · Download template · Drop CSV/XLSX here or choose a file Maximum 10 MB · CSV or XLSX

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /procurement/sales-import · 21 October 2026 · related operating lesson cites implementation source

Channel SKU Mapping

/procurement/setup




Figure 055 · Actual visible app screen

USE THIS SCREEN

Make sales demand resolvable to finished products and their purchased materials.

OPERATING LESSON

Prepare sales demand and planning setup

Fields and filters

Search · Sales channel · Rows per page

Buttons and tabs

Refresh · Export · Manage in Supply Chain · SKU mapping · BOM · Settings · Mappings · Unmapped 0 · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /procurement/setup · 21 October 2026 · related operating lesson cites implementation source

Create a saved plan

/procurement/generate-plan




Figure 056 · Actual visible app screen

USE THIS SCREEN

Turn validated demand and stock into a traceable buying decision.

OPERATING LESSON

Review save and finalize a procurement plan

Fields and filters

Planning notes

Buttons and tabs

Refresh · Export · Save draft · Date range · Validate again · Preview again

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /procurement/generate-plan · 21 October 2026 · related operating lesson cites implementation source

Plans

/procurement/planning-history




Figure 057 · Actual visible app screen

USE THIS SCREEN

Turn validated demand and stock into a traceable buying decision.

OPERATING LESSON

Review save and finalize a procurement plan

Fields and filters

Plan status · Rows per page

Buttons and tabs

Refresh · Export · New plan · Date range · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /procurement/planning-history · 21 October 2026 · related operating lesson cites implementation source

Dispatch dashboard

/dispatch/dashboard




Figure 058 · Actual visible app screen

USE THIS SCREEN

Decide recommendations first, allocate available company stock next and freeze the reviewed result.

OPERATING LESSON

Calculate allocate and finalize a dispatch run

Fields and filters

Channel

Buttons and tabs

Refresh · Export · Date range · Clear

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /dispatch/dashboard · 21 October 2026 · related operating lesson cites implementation source

Planning runs

/dispatch/runs




Figure 059 · Actual visible app screen

USE THIS SCREEN

Decide recommendations first, allocate available company stock next and freeze the reviewed result.

OPERATING LESSON

Calculate allocate and finalize a dispatch run

Fields and filters

Channel · Status · Rows per page

Buttons and tabs

Refresh · Export · New run · Date range · View run · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /dispatch/runs · 21 October 2026 · related operating lesson cites implementation source

Imports

/dispatch/imports




Figure 060 · Actual visible app screen

USE THIS SCREEN

Create channel-specific warehouse snapshots and SKU rules before calculating recommendations.

OPERATING LESSON

Prepare warehouse dispatch inputs

Fields and filters

Import type* · Channel*

Buttons and tabs

Refresh · Export · New snapshot · CSV import · Manual entry · History · Choose or drop a CSV file CSV only · maximum 10 MB · Parse CSV

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /dispatch/imports · 21 October 2026 · related operating lesson cites implementation source

SKU settings

/dispatch/settings




Figure 061 · Actual visible app screen

USE THIS SCREEN

Create channel-specific warehouse snapshots and SKU rules before calculating recommendations.

OPERATING LESSON

Prepare warehouse dispatch inputs

Fields and filters

Search · Item · Finished products only Visible Item picker filter; turn off for legacy classifications. · Channel · Status · Rows per page

Buttons and tabs

Refresh · Export · New setting · Effective on · View setting · Edit setting · Delete setting · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /dispatch/settings · 21 October 2026 · related operating lesson cites implementation source

New dispatch setting

/dispatch/settings/new




Figure 062 · Actual visible app screen

USE THIS SCREEN

Create channel-specific warehouse snapshots and SKU rules before calculating recommendations.

OPERATING LESSON

Prepare warehouse dispatch inputs

Fields and filters

Existing Item* · Finished products only Uses ProcurementClassification = 1. Turn this off when legacy Item classifications are incompl… · Scope · Packaging profile · Tier · Safety stock factor* · Recurring demand factor* · Minimum dispatch quantity · Rounding mode · Allocation priority · Allow loose quantity · Setting is active

Buttons and tabs

Back · Save setting · Effective from · Effective to · Cancel

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /dispatch/settings/new · 21 October 2026 · related operating lesson cites implementation source

Recommendation reports

/dispatch/reports




Figure 063 · Actual visible app screen

USE THIS SCREEN

Decide recommendations first, allocate available company stock next and freeze the reviewed result.

OPERATING LESSON

Calculate allocate and finalize a dispatch run

Fields and filters

Channel · Warehouse · Run status · Rows per page

Buttons and tabs

Refresh · Export · Date range · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /dispatch/reports · 21 October 2026 · related operating lesson cites implementation source

Shipment dashboard

/shipments/dashboard




Figure 064 · Actual visible app screen

USE THIS SCREEN

Start an operational shipment without confusing its creation with physical dispatch.

OPERATING LESSON

Create a shipment from a plan or manually

Fields and filters

No named input fields in this captured state

Buttons and tabs

Refresh · As of date

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /shipments/dashboard · 21 October 2026 · related operating lesson cites implementation source

Shipment work list

/shipments/work-list




Figure 065 · Actual visible app screen

USE THIS SCREEN

Start an operational shipment without confusing its creation with physical dispatch.

OPERATING LESSON

Create a shipment from a plan or manually

Empty or filtered state

Fields and filters

Search · Channel · Warehouse · Status · Source · Rows per page

Buttons and tabs

Refresh · From dispatch plan · Manual shipment · Date range · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /shipments/work-list · 21 October 2026 · related operating lesson cites implementation source

New manual shipment

/shipments/work-list/new




Figure 066 · Actual visible app screen

USE THIS SCREEN

Start an operational shipment without confusing its creation with physical dispatch.

OPERATING LESSON

Create a shipment from a plan or manually

Fields and filters

Channel* · Warehouse* · Dispatch mode* · Priority* · Transporter · Invoice number · STO number · Marketplace reference · External shipment reference · Manual reason* · Item* · Planned quantity* · Packaging profile · Notes

Buttons and tabs

Back · Create shipment · Shipment date* · Expected delivery · Add item · Cancel

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /shipments/work-list/new · 21 October 2026 · related operating lesson cites implementation source

Create from dispatch plan

/shipments/work-list/new-from-plan




Figure 067 · Actual visible app screen

USE THIS SCREEN

Start an operational shipment without confusing its creation with physical dispatch.

OPERATING LESSON

Create a shipment from a plan or manually

Fields and filters

Finalized dispatch run* · Warehouse* · Transporter · Invoice number · STO number · Notes

Buttons and tabs

Back · Create shipment · Shipment date* · Expected delivery · Cancel

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /shipments/work-list/new-from-plan · 21 October 2026 · related operating lesson cites implementation source

Freight

/shipments/freight




Figure 068 · Actual visible app screen

USE THIS SCREEN

Track freight approval and payment separately from posting a cash-book expense.

OPERATING LESSON

Manage freight and historical imports

Fields and filters

Search shipments · Freight status · Rows per page

Buttons and tabs

Refresh · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /shipments/freight · 21 October 2026 · related operating lesson cites implementation source

Transporters

/shipments/transporters




Figure 069 · Actual visible app screen

USE THIS SCREEN

Keep identity, contact, addresses, tax details and opening balances in one party record.

OPERATING LESSON

Create a customer supplier or transporter party

Empty or filtered state

Fields and filters

Search parties

Buttons and tabs

Refresh · Open Party Master

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /shipments/transporters · 21 October 2026 · related operating lesson cites implementation source

Historical import

/shipments/imports




Figure 070 · Actual visible app screen

USE THIS SCREEN

Track freight approval and payment separately from posting a cash-book expense.

OPERATING LESSON

Manage freight and historical imports

Fields and filters

No named input fields in this captured state

Buttons and tabs

New import · History · Choose File · Map columns

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /shipments/imports · 21 October 2026 · related operating lesson cites implementation source

Shipment reports

/shipments/reports




Figure 071 · Actual visible app screen

USE THIS SCREEN

Start an operational shipment without confusing its creation with physical dispatch.

OPERATING LESSON

Create a shipment from a plan or manually

Empty or filtered state

Fields and filters

Channel · Warehouse · Status · Rows per page

Buttons and tabs

Refresh · Export · Date range · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /shipments/reports · 21 October 2026 · related operating lesson cites implementation source

Data Book

/data-book




Figure 072 · Actual visible app screen

USE THIS SCREEN

Store reference entries in category sheets and inspect their change history.

OPERATING LESSON

Maintain shared and private reference values

Fields and filters

Search Data Book · Sheet · Rows per page

Buttons and tabs

Grid · List · Refresh Data Book · Export CSV · New entry · All · Public · My private · Recently updated · Date range · Clear · Copy value · View entry · View history · Edit entry · Delete entry · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /data-book · 21 October 2026 · related operating lesson cites implementation source

Activity Logs

/activity-logs




Figure 073 · Actual visible app screen

USE THIS SCREEN

Trace who changed a record and capture enough context for a useful support request.

OPERATING LESSON

Investigate activity and recover from errors

A status or error message is present

Fields and filters

Search · Module · Action · Actor · Rows per page

Buttons and tabs

Refresh · Export CSV · Date range · Activity row opens its detail view · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /activity-logs · 21 October 2026 · related operating lesson cites implementation source

Dashboard

/website/dashboard




Figure 074 · Actual visible app screen

USE THIS SCREEN

Maintain the independent public catalogue and editorial content.

OPERATING LESSON

Publish website products posts and announcements

Fields and filters

No named input fields in this captured state

Buttons and tabs

Refresh

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /website/dashboard · 21 October 2026 · related operating lesson cites implementation source

Products

/website/products




Figure 075 · Actual visible app screen

USE THIS SCREEN

Maintain the independent public catalogue and editorial content.

OPERATING LESSON

Publish website products posts and announcements

Fields and filters

Search website products · Publish status · Active state · Rows per page

Buttons and tabs

Refresh · Add product · Clear · Edit test · Delete test · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /website/products · 21 October 2026 · related operating lesson cites implementation source

Add product

/website/products/new




Figure 076 · Actual visible app screen

USE THIS SCREEN

Maintain the independent public catalogue and editorial content.

OPERATING LESSON

Publish website products posts and announcements

Fields and filters

Code* · Name* · Sort order · Publish status · Active Inactive products are withheld from public catalogue results. · Description · Display price · Currency code · Brand name · Badge · Urgency text · Availability text · Amazon URL · Material · Quantity display · Warranty display · UV resistant · Rust proof · Wind tested · Rating · Review count

Buttons and tabs

Back · Save product · Add benefit · Add image · Cancel

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /website/products/new · 21 October 2026 · related operating lesson cites implementation source

Blog

/website/blog




Figure 077 · Actual visible app screen

USE THIS SCREEN

Maintain the independent public catalogue and editorial content.

OPERATING LESSON

Publish website products posts and announcements

Empty or filtered state

Fields and filters

Search · Category · Publish status · Rows per page

Buttons and tabs

Refresh · Add post · Clear · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /website/blog · 21 October 2026 · related operating lesson cites implementation source

Add post

/website/blog/new




Figure 078 · Actual visible app screen

USE THIS SCREEN

Maintain the independent public catalogue and editorial content.

OPERATING LESSON

Publish website products posts and announcements

Fields and filters

Title* · Slug* · Excerpt · Category · Read time · Sort order · Featured post · Content* · Publish status · SEO title · SEO description

Buttons and tabs

Back · Save post · Click to upload or drag & drop PNG, JPG, or WebP up to 5MB · Preview · Published at (UTC) · Cancel

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /website/blog/new · 21 October 2026 · related operating lesson cites implementation source

Announcements

/website/announcements




Figure 079 · Actual visible app screen

USE THIS SCREEN

Maintain the independent public catalogue and editorial content.

OPERATING LESSON

Publish website products posts and announcements

Fields and filters

Placement · Active · Rows per page

Buttons and tabs

Refresh · Add announcement · Clear · Edit test · Delete test · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /website/announcements · 21 October 2026 · related operating lesson cites implementation source

Warranty claims

/website/warranty




Figure 080 · Actual visible app screen

USE THIS SCREEN

Review customer evidence, assign responsibility and document a claim resolution.

OPERATING LESSON

Handle warranty claims and customer updates

Empty or filtered state

Fields and filters

Search · Status · Resolution type · Assigned to · Rows per page

Buttons and tabs

Refresh · Summary report · Submitted date range · Purchase date range · Clear · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /website/warranty · 21 October 2026 · related operating lesson cites implementation source

Site settings

/website/settings




Figure 081 · Actual visible app screen

USE THIS SCREEN

Maintain the independent public catalogue and editorial content.

OPERATING LESSON

Publish website products posts and announcements

Fields and filters

No named input fields in this captured state

Buttons and tabs

Refresh · Save changes

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /website/settings · 21 October 2026 · related operating lesson cites implementation source

Settings

/settings




Figure 082 · Actual visible app screen

USE THIS SCREEN

Adjust the interface and document presentation to fit daily work.

OPERATING LESSON

Set appearance documents and table preferences

Fields and filters

No named input fields in this captured state

Buttons and tabs

Appearance Login and app-wide visual preferences. · Invoice template Default layout for sale invoices. · Item settings Inventory and manufacturing options.

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /settings · 21 October 2026 · related operating lesson cites implementation source

My Profile

/profile




Figure 083 · Actual visible app screen

USE THIS SCREEN

Use your assigned account to enter the ERP and see the pages allowed by your role.

OPERATING LESSON

Sign in and find your workspace

Fields and filters

No named input fields in this captured state

Buttons and tabs

Edit profile

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /profile · 21 October 2026 · related operating lesson cites implementation source

Preferences

/preferences




Figure 084 · Actual visible app screen

USE THIS SCREEN

Adjust the interface and document presentation to fit daily work.

OPERATING LESSON

Set appearance documents and table preferences

Fields and filters

Default rows per page

Buttons and tabs

No page buttons in this captured state

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /preferences · 21 October 2026 · related operating lesson cites implementation source

GST overview

/gst/configuration




Figure 085 · Actual visible app screen

USE THIS SCREEN

Inspect GST configuration and existing government documents.

OPERATING LESSON

Use the GST workspace

A status or error message is present

Fields and filters

No named input fields in this captured state

Buttons and tabs

Refresh configuration

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /gst/configuration · 21 October 2026 · related operating lesson cites implementation source

GST registrations

/gst/registrations




Figure 086 · Actual visible app screen

USE THIS SCREEN

Inspect GST configuration and existing government documents.

OPERATING LESSON

Use the GST workspace

Empty or filtered state

Fields and filters

Search GSTIN / name · Status filter · State code filter · Sort by · Direction · Rows per page

Buttons and tabs

Add registration · Refresh · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /gst/registrations · 21 October 2026 · related operating lesson cites implementation source

GSTIN verification

/gst/verify-gstin




Figure 087 · Actual visible app screen

USE THIS SCREEN

Inspect GST configuration and existing government documents.

OPERATING LESSON

Use the GST workspace

Fields and filters

GSTIN*

Buttons and tabs

Verify GSTIN

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /gst/verify-gstin · 21 October 2026 · related operating lesson cites implementation source

E-Invoice lookup

/gst/e-invoices




Figure 088 · Actual visible app screen

USE THIS SCREEN

Inspect GST configuration and existing government documents.

OPERATING LESSON

Use the GST workspace

Fields and filters

Invoice reference number (IRN)*

Buttons and tabs

Look up stored record

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /gst/e-invoices · 21 October 2026 · related operating lesson cites implementation source

E-Way Bill lookup

/gst/eway-bills




Figure 089 · Actual visible app screen

USE THIS SCREEN

Inspect GST configuration and existing government documents.

OPERATING LESSON

Use the GST workspace

Fields and filters

E-Way Bill number*

Buttons and tabs

Look up stored record

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /gst/eway-bills · 21 October 2026 · related operating lesson cites implementation source

GST session status

/gst/sessions




Figure 090 · Actual visible app screen

USE THIS SCREEN

Inspect GST configuration and existing government documents.

OPERATING LESSON

Use the GST workspace

Fields and filters

Company GST registration ID*

Buttons and tabs

Look up session

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /gst/sessions · 21 October 2026 · related operating lesson cites implementation source

GST API logs

/gst/api-logs




Figure 091 · Actual visible app screen

USE THIS SCREEN

Inspect GST configuration and existing government documents.

OPERATING LESSON

Use the GST workspace

Empty or filtered state

Fields and filters

Search · Operation · Registration ID · Outcome · Sort by · Direction · Rows per page

Buttons and tabs

Refresh logs · From date / time · To date / time · Apply filters · Previous · Next

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /gst/api-logs · 21 October 2026 · related operating lesson cites implementation source

Item Stock tab

/items/new




Figure 092 · Actual visible app screen

USE THIS SCREEN

Separate opening balances, physical stock, reservations, planning snapshots and actual movements.

OPERATING LESSON

Understand stock without double counting

Fields and filters

Material type · Item Name* · Item code · Barcode · Category* · Unit* · Track inventory Maintain opening, current, reserved, and minimum stock for this product. · Opening Stock · Opening Stock Value · Current Stock · Reserved Stock · Minimum Stock · Description · Active item Active items are available for inventory and transaction workflows.

Buttons and tabs

Back · Save item · Product · Service · Assign Code · Click to upload or drag & drop PNG, JPG, or WebP up to 5MB · Pricing · Stock · Manufacturing · Cancel · Save & New · Save Item

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /items/new · 21 October 2026 · related operating lesson cites implementation source

Item Manufacturing tab

/items/new




Figure 093 · Actual visible app screen

USE THIS SCREEN

A bill of materials states what raw materials are needed for one finished unit.

OPERATING LESSON

Build the manufacturing recipe

Fields and filters

Material type · Item Name* · Item code · Barcode · Category* · Unit* · Manufactured item Create this item from raw materials using a bill of materials. · Description · Active item Active items are available for inventory and transaction workflows.

Buttons and tabs

Back · Save item · Product · Service · Assign Code · Click to upload or drag & drop PNG, JPG, or WebP up to 5MB · Pricing · Stock · Manufacturing · Cancel · Save & New · Save Item

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /items/new · 21 October 2026 · related operating lesson cites implementation source

Add User dialog

/users




Figure 094 · Actual visible app screen

USE THIS SCREEN

Give each operator the pages and actions needed for their job.

OPERATING LESSON

Create roles users and action permissions

Fields and filters

Search users · Filter by status · Filter by role · Rows per page · Username * · Role* · Email * · Full Name * · Password * · Active account Active users can access COSMOS ERP after login.

Buttons and tabs

Refresh Users · Export Users · Add User · Clear · Edit User · Deactivate User · Delete User · Previous · Next · Close user modal · Show password · Cancel · Create User

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /users · 21 October 2026 · related operating lesson cites implementation source

Add Role dialog

/roles




Figure 095 · Actual visible app screen

USE THIS SCREEN

Give each operator the pages and actions needed for their job.

OPERATING LESSON

Create roles users and action permissions

Fields and filters

Search roles · Filter by status · Rows per page · Role Name * · Description · Active role Active roles can be assigned to platform users.

Buttons and tabs

Refresh Roles · Export Roles · Add Role · Clear · View Role · Edit Role · Deactivate Role · Delete Role · Previous · Next · Close role modal · Cancel · Create Role

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /roles · 21 October 2026 · related operating lesson cites implementation source

Add Category dialog

/categories




Figure 096 · Actual visible app screen

USE THIS SCREEN

Define the products, services, prices and classifications used throughout operations.

OPERATING LESSON

Build the item catalogue

Fields and filters

Search categories · Filter categories by status · Rows per page · Category Name* · Description · Active category Active categories can be assigned to inventory items.

Buttons and tabs

Refresh · Add Category · Clear · View Category · Edit Category · Delete Category · Previous · Next · Close · Cancel · Create Category

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /categories · 21 October 2026 · related operating lesson cites implementation source

Add Unit dialog

/units




Figure 097 · Actual visible app screen

USE THIS SCREEN

Define the products, services, prices and classifications used throughout operations.

OPERATING LESSON

Build the item catalogue

Fields and filters

Search units · Filter units by status · Rows per page · Unit Name* · Short Name* · Description · Active unit Active units can be assigned to inventory items.

Buttons and tabs

Refresh · Add Unit · Clear · View Unit · Edit Unit · Delete Unit · Previous · Next · Close · Cancel · Save & New · Save

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /units · 21 October 2026 · related operating lesson cites implementation source

New channel dialog

/supply-chain/channels




Figure 098 · Actual visible app screen

USE THIS SCREEN

Translate marketplace data into internal ERP items and warehouse identities.

OPERATING LESSON

Connect channels warehouses and SKUs

Fields and filters

Search · Status · Rows per page · Code* · Name* · Description · Sort order · Channel is active

Buttons and tabs

Refresh · Export · New channel · View channel · Edit channel · Deactivate channel · Delete channel · Previous · Next · Close · Back · Save channel

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /supply-chain/channels · 21 October 2026 · related operating lesson cites implementation source

New warehouse dialog

/supply-chain/warehouses




Figure 099 · Actual visible app screen

USE THIS SCREEN

Translate marketplace data into internal ERP items and warehouse identities.

OPERATING LESSON

Connect channels warehouses and SKUs

Fields and filters

Search · Channel · Status · City · State · Rows per page · Channel* · Warehouse code* · Warehouse name* · Region · Address line 1 · Address line 2 · Postal code · Priority · Sort order · Warehouse is active

Buttons and tabs

Refresh · Export · New warehouse · View warehouse · Edit warehouse · Deactivate warehouse · Delete warehouse · Previous · Next · Close · Back · Save warehouse

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /supply-chain/warehouses · 21 October 2026 · related operating lesson cites implementation source

Create Wallet dialog

/rojmel/wallets




Figure 100 · Actual visible app screen

USE THIS SCREEN

Track wallet income, expenses, adjustments and transfers with an auditable cash book.

OPERATING LESSON

Create wallets and record cash activity

Fields and filters

Search Rojmel records · Filter by linked user · Filter by wallet type · Filter wallets by status · Sort records by · Sort direction · Rows per page · Wallet Code* · Wallet Name* · Wallet Type* · Linked User* · Opening Balance · Notes · Default wallet · Active

Buttons and tabs

Refresh · Create Wallet · Income · Expense · Clear · View wallet · Edit wallet · Company wallet is protected · Deactivate wallet · Previous · Next · Close · Cancel

Choose a control by its label, complete the required inputs and verify the returned result. Disabled controls may depend on permissions, loading, missing data or lifecycle state.

Source · Live read-only capture · /rojmel/wallets · 21 October 2026 · related operating lesson cites implementation source

Report directory 1

Choose the question first, then set the period and filters. Export uses the current report context and requires the relevant action right.

Sales Summary

`/reports/sales/summary`

Gross sales, taxes, paid amount and receivables over a period.

Sales Invoices

`/reports/sales/invoices`

Invoice register with status, payment status and balances.

Sales By Party

`/reports/sales/by-party`

Sales, tax, paid and balance totals grouped by party.

Sales By Item

`/reports/sales/by-item`

Item-wise quantities, taxable amount, tax and totals.

Payments In

`/reports/sales/payments-in`

Incoming payments mapped to sales invoices and customers.

Source · frontend/src/pages/reports/reportRegistry.js · frontend/src/pages/reports/filters/filterRegistry.js

Report directory 2

Choose the question first, then set the period and filters. Export uses the current report context and requires the relevant action right.

Sales Receivables

`/reports/sales/receivables`

Customer receivables with sales, paid and balance amounts.

Sales Tax Summary

`/reports/sales/tax-summary`

Taxable sales and tax amount grouped by HSN/SAC and GST rate.

Purchase Summary

`/reports/purchase/summary`

Purchase totals, tax, paid amount and open payables.

Purchase Bills

`/reports/purchase/bills`

Purchase bill register with supplier, status and balances.

Purchase By Supplier

`/reports/purchase/by-supplier`

Purchase totals, paid amount and balances grouped by supplier.

Source · frontend/src/pages/reports/reportRegistry.js · frontend/src/pages/reports/filters/filterRegistry.js

Report directory 3

Choose the question first, then set the period and filters. Export uses the current report context and requires the relevant action right.

Purchase By Item

`/reports/purchase/by-item`

Item-wise purchased quantities, taxable value, tax and totals.

Payments Out

`/reports/purchase/payments-out`

Outgoing supplier payments by date and payment mode.

Purchase Payables

`/reports/purchase/payables`

Supplier payable balances after purchase and payment activity.

Purchase Tax Summary

`/reports/purchase/tax-summary`

Purchase tax amount grouped by HSN/SAC and GST rate.

Stock Summary

`/reports/inventory/stock-summary`

Current stock, reserved quantity, minimum stock and value.

Source · frontend/src/pages/reports/reportRegistry.js · frontend/src/pages/reports/filters/filterRegistry.js

Report directory 4

Choose the question first, then set the period and filters. Export uses the current report context and requires the relevant action right.

Stock Ledger

`/reports/inventory/stock-ledger`

Detailed in/out stock ledger with running balances.

Item Movement

`/reports/inventory/item-movement`

Net movement by item across the selected period.

Low Stock

`/reports/inventory/low-stock`

Items below configured minimum stock thresholds.

Stock Valuation

`/reports/inventory/stock-valuation`

Inventory valuation by item using current stock and valuation rate.

Negative Stock

`/reports/inventory/negative-stock`

Items whose current stock has fallen below zero.

Source · frontend/src/pages/reports/reportRegistry.js · frontend/src/pages/reports/filters/filterRegistry.js

Report directory 5

Choose the question first, then set the period and filters. Export uses the current report context and requires the relevant action right.

Stock Movements

`/reports/inventory/stock-movements`

Every inward and outward stock transaction.

Item Ledger

`/reports/inventory/item-ledger`

Running stock ledger for a single item.

Dead Stock

`/reports/inventory/dead-stock`

Items with no movement for a given number of days.

Fast Moving Items

`/reports/inventory/fast-moving-items`

Highest transaction-volume items for the period.

Slow Moving Items

`/reports/inventory/slow-moving-items`

Lowest transaction-volume items for the period.

Source · frontend/src/pages/reports/reportRegistry.js · frontend/src/pages/reports/filters/filterRegistry.js

Report directory 6

Choose the question first, then set the period and filters. Export uses the current report context and requires the relevant action right.

Manufacturing History

`/reports/manufacturing/history`

Production drafts, posted runs, reversals and finished quantities.

Raw Material Consumption

`/reports/manufacturing/consumption`

Raw materials consumed from each production BOM snapshot.

Party Ledger

`/reports/party/ledger`

Debit, credit and running balance entries for parties.

Customer Statement

`/reports/party/customer-statement`

Customer statement entries for the selected period.

Supplier Statement

`/reports/party/supplier-statement`

Supplier statement entries for the selected period.

Source · frontend/src/pages/reports/reportRegistry.js · frontend/src/pages/reports/filters/filterRegistry.js

Report directory 7

Choose the question first, then set the period and filters. Export uses the current report context and requires the relevant action right.

Receivable Aging

`/reports/party/receivable-aging`

Receivable balances split into aging buckets.

Payable Aging

`/reports/party/payable-aging`

Payable balances split into aging buckets.

Expense Summary

`/reports/expense/summary`

Expense count, amount, tax and total for a period.

Expense By Category

`/reports/expense/by-category`

Expense amount, tax and totals grouped by category.

Expense By Party

`/reports/expense/by-party`

Expense amount, tax and totals grouped by party.

Source · frontend/src/pages/reports/reportRegistry.js · frontend/src/pages/reports/filters/filterRegistry.js

Report directory 8

Choose the question first, then set the period and filters. Export uses the current report context and requires the relevant action right.

Monthly Expense Summary

`/reports/expense/monthly-summary`

Monthly expense trend with tax and total amount.

Wallet Ledger

`/rojmel/reports/wallet-ledger`

Running balance ledger for an accessible wallet and period.

All Transactions

`/rojmel/reports/all-transactions`

Income, expense, transfers and adjustments with clear type labels.

Income vs Expense

`/rojmel/reports/income-expense`

Income, expense and net result with all non-P&L movements excluded.

Category-wise Expense

`/rojmel/reports/category-expense`

Expense totals and counts grouped by cash-book category.

Source · frontend/src/pages/reports/reportRegistry.js · frontend/src/pages/reports/filters/filterRegistry.js

Report directory 9

Choose the question first, then set the period and filters. Export uses the current report context and requires the relevant action right.

Transfers

`/rojmel/reports/transfers`

Neutral wallet-to-wallet movements and reversal status.

Daily Cash Flow

`/rojmel/reports/daily-cash-flow`

Daily income, expense and net cash result for the period.

User Wallet Balances

`/rojmel/reports/user-wallet-balances`

Current balances for wallets linked to users.

Source · frontend/src/pages/reports/reportRegistry.js · frontend/src/pages/reports/filters/filterRegistry.js

Field guide 1

Exact English labels are retained for matching the application.

Field or control	Use
Identity **Code and Name**	Codes identify a record in imports and links; names are the readable labels. Keep codes stable.
Identity **Active**	Controls eligibility for active workflows; it does not erase history.
Identity **Sort Order or Display Order**	Controls presentation order, not quantity or priority allocation.
Identity **Description and Notes**	Add business context and explanations; do not use these instead of required structured fields.
Party **Party Code and Party Name**	Required party identity. Search existing records before adding another.
Party **GST Treatment and GSTIN**	Select the party tax classification and its verified registration identifier where applicable.
Party **Legal Name and Trade Name**	Preserve the registered identity and operating business name.

Source · Current frontend forms, shared schemas, data-book controls and report registry; source paths are listed in the corresponding operating lessons.

Field guide 2

Exact English labels are retained for matching the application.

Field or control	Use
Party **Billing and Shipping Address**	Billing identifies the document address; shipping identifies the delivery destination. Same as billing copies the address.
Party **Opening Balance and Opening Balance Type**	Carry forward the initial amount with the correct Debit receivable or Credit payable direction.
Party **Credit Limit and Credit Period Days**	Set allowed outstanding and days allowed for payment. The current form help treats zero credit limit as no limit.
Party **Party Settings**	Choose which supported party fields and sections are presented; review required fields before changing the form.
Item **Product or Service**	Choose the business item type. Inventory and manufacturing require an eligible product.
Item **Material type**	Procurement classification decides whether the item is a finished product or another material category.
Item **Item Code and Barcode**	Internal item identity and optional scan identifier; Assign Code helps create an item code.

Source · Current frontend forms, shared schemas, data-book controls and report registry; source paths are listed in the corresponding operating lessons.

Field guide 3

Exact English labels are retained for matching the application.

Field or control	Use
Item **Category and Unit**	Group the item and define its quantity unit. Do not mix piece and weight quantities without a defined conversion.
Item **Sales Price and Purchase Price**	Default transaction rates; verify actual document line rates before confirming.
Item **HSN Code and GST Rate**	Existing item tax inputs used by document workflows. Effective-date rate history is not implemented in the current GST UI.
Item **Track inventory**	Enables stock-related behavior for an eligible product. Service behavior differs.
Item **Opening Stock and Opening Stock Value**	Initial quantity and valuation; reconcile once when introducing the item.
Item **Current Stock Reserved Stock Minimum Stock**	Physical balance, committed quantity and replenishment warning threshold are separate values.
Item **Item Image or Profile Photo**	Upload a relevant PNG, JPG or WebP image up to the shown 5 MB limit.

Source · Current frontend forms, shared schemas, data-book controls and report registry; source paths are listed in the corresponding operating lessons.

Field guide 4

Exact English labels are retained for matching the application.

Field or control	Use
Manufacturing **Manufactured item**	Marks the saved product for BOM and production workflows when eligibility and preferences permit.
Manufacturing **Version and Effective dates**	Identify the recipe revision and the dates on which it is applicable.
Manufacturing **Raw material and Qty / unit**	Component item and quantity required per finished unit. Check the displayed component unit.
Manufacturing **Wastage %**	Additional consumption allowance in the BOM. Review the production snapshot instead of guessing the final consumption.
Manufacturing **Planned quantity and Produced quantity**	Distinguish planned output from actual finished output for the production draft.
Documents **Invoice Date Bill Date Order Date Return Date**	The business date of that document; choose the intended accounting period.
Documents **Due Date and Expected Delivery**	Payment deadline and anticipated arrival are different dates.

Source · Current frontend forms, shared schemas, data-book controls and report registry; source paths are listed in the corresponding operating lessons.

Field guide 5

Exact English labels are retained for matching the application.

Field or control	Use
Documents **Quantity Rate Discount and Tax**	Line calculation inputs. Verify totals and the selected unit before saving.
Documents **Invoice Discount or Document Discount**	Document-level discount in addition to the shown line calculations.
Documents **Round Off**	Document adjustment for rounding; inspect its sign and impact on the final total.
Documents **Paid Amount and Balance**	Money recorded as paid and money still outstanding; keep payment history in sync.
Documents **Payment Type Mode Reference and Payment Date**	Record the method, reference and date of an actual receipt or payment.
Documents **Save as Draft**	On Party and Employee creation this retains a local form draft on the device; it does not create a completed server record.
Supply chain **Channel and Warehouse**	External sales channel and its destination warehouse; codes must match imports.

Source · Current frontend forms, shared schemas, data-book controls and report registry; source paths are listed in the corresponding operating lessons.

Field guide 6

Exact English labels are retained for matching the application.

Field or control	Use
Supply chain **Channel SKU External Item ID and Channel Product Name**	External identity fields used to resolve marketplace rows to the chosen internal item.
Supply chain **Primary and Effective dates**	Mark intended mapping precedence and validity rather than creating ambiguous overlapping records.
Packaging **Units per box**	A positive pack quantity used for box calculations and packing suggestions.
Packaging **Length Width Height and Dimension unit**	Measured packaging size. Use one consistent dimension unit.
Packaging **Net Weight Gross Weight and Weight unit**	Product-only versus packed weight. Net weight cannot exceed gross weight.
Packaging **Volumetric divisor and Calculated volumetric weight**	Inputs and server-derived dimensional-weight result. Keep the returned result authoritative.
Imports **Batch ID and Source reference**	Trace a retained import and its source file or manual context.

Source · Current frontend forms, shared schemas, data-book controls and report registry; source paths are listed in the corresponding operating lessons.

Field guide 7

Exact English labels are retained for matching the application.

Field or control	Use
Imports **Uploaded Validated and Committed**	Distinct import stages. Only committed rows should be treated as applied import data.
Imports **Correction reason**	Explain an explicitly authorized duplicate-file correction path.
Procurement **Sales range**	The demand period used for the preview and saved plan context.
Procurement **Lead-time source and Override days**	Use configured lead time, history or an explicit override as offered by the form.
Procurement **Ordered Date and Received Date**	Received-order history from which lead-time information can be calculated.
Procurement **Safety factor Minimum order qty and Order multiple**	Material replenishment rules that influence the final suggested buying quantity.
Procurement **Automatic calculation and Manual planning**	Automatic uses the demand calculation; manual mode requires a deliberate planner quantity and returns zero automatically.

Source · Current frontend forms, shared schemas, data-book controls and report registry; source paths are listed in the corresponding operating lessons.

Field guide 8

Exact English labels are retained for matching the application.

Field or control	Use
Procurement **To order and Manual adjustment**	Final proposed buying quantity and any traceable draft change. Review the explanation before finalizing.
Dispatch **Safety stock factor and Recurring demand factor**	SKU policy inputs applied by the server dispatch engine; inspect its returned calculation details.
Dispatch **Tier and Allocation priority**	Policy fields influencing how scarce company stock is distributed. Review actual allocations.
Dispatch **Minimum dispatch quantity and Allow loose quantity**	Dispatch policy for minimum recommendations and quantities outside complete boxes.
Dispatch **Rounding mode**	Exact, Nearest box, Round up, Round down, Exact below one box or Half-box threshold as offered.
Dispatch **Calculated Final and Allocated quantity**	Server suggestion, reviewed recommendation and limited stock distribution are separate values.
Shipment **Source and Manual reason**	Identify manual, plan-based or historical origin and explain an independent manual shipment.

Source · Current frontend forms, shared schemas, data-book controls and report registry; source paths are listed in the corresponding operating lessons.

Field guide 9

Exact English labels are retained for matching the application.

Field or control	Use
Shipment **Dispatch mode Priority and Expected delivery**	Transport method, urgency and anticipated delivery date.
Shipment **Invoice STO Marketplace and External shipment references**	Cross-reference the shipment to accounting and external systems without creating those documents automatically.
Shipment **Package number Type Barcode and Seal**	Physical package identity and handling references.
Shipment **Quantity in package**	Allocation of each shipment item to this package; reconcile with remaining quantities.
Shipment **Docket number Vehicle and Tracking URL**	Transport consignment and tracking details. Use the correct shipment and transporter.
Shipment **Appointment status Time from and Time to**	Scheduled receiving window and the actual appointment state.
Shipment **Attempt outcome and Next attempt date**	Record Successful, Partial, Failed, Rescheduled or Rejected delivery attempts as offered.

Source · Current frontend forms, shared schemas, data-book controls and report registry; source paths are listed in the corresponding operating lessons.

Field guide 10

Exact English labels are retained for matching the application.

Field or control	Use
Shipment **Received quantity and Proof URL**	Actual received quantity and evidence reference; a URL by itself does not record received goods.
Shipment **Return quantity and Received-back date**	Goods expected back and actual return receipt context.
Freight **Charge type Currency and Invoice**	Classify the cost and preserve the transporter billing context.
Freight **Paid at Payment reference and Post to Rojmel**	Actual payment context and the separate explicit cash-book posting action.
HR **Employee Code Joining Date and Status**	Stable employee identity, start date and current lifecycle state.
HR **Department Designation Manager and Shift**	Organizational links that must reference the correct active masters.
HR **Employment Type and Gender**	Choose the supported option applicable to the employee record.

Source · Current frontend forms, shared schemas, data-book controls and report registry; source paths are listed in the corresponding operating lessons.

Field guide 11

Exact English labels are retained for matching the application.

Field or control	Use
HR **Bank Name Account Number IFSC Branch and UPI ID**	Employee bank information; verify exact values before saving.
HR **Document Type File Name Expiry and Document File**	Upload the supported document image and retain its backend document record with the correct classification.
HR **Last Working Date Rejoined Date and Remarks**	Separate resignation and rejoin lifecycle details from a simple profile edit.
Attendance **All visible P All visible A and Reset**	Bulk-mark only the currently visible employees; inspect exceptions before Save changes. Reset discards unsaved changes.
Attendance **Attendance Record ID Adjustment ID and Reason**	Reference the existing attendance entry and the correction request requiring approval.
Payroll **Month Year and Run ID**	The payroll period and saved processing run. Confirm them before approval.
Payroll **Gross Deductions and Net**	Employee and run-level payroll amounts; compare payslip totals to the intended run.

Source · Current frontend forms, shared schemas, data-book controls and report registry; source paths are listed in the corresponding operating lessons.

Field guide 12

Exact English labels are retained for matching the application.

Field or control	Use
OEE **Tonnage Target Shots Cavity and Cycle Time**	Machine and mould master inputs for production reporting. Cycle Time is shown in seconds.
OEE **Machine On-Time Shot Count and Downtime Reason**	Actual machine observation inputs for the selected production date.
Rojmel **Wallet Type Linked User and Opening Balance**	Define wallet purpose, ownership and initial cash-book balance.
Rojmel **Income Expense and Adjustment direction**	Use the correct entry type; adjustments can increase or decrease the balance without being profit or loss.
Rojmel **From Wallet and To Wallet**	Different source and destination wallets for a neutral internal transfer.
Data Book **Name Value Description and Category**	Reference entry identity, stored content, context and sheet grouping. Name and Value are required.
Data Book **Private Show and Hide**	Private controls access. Show and Hide only control the visible text on the current screen.

Source · Current frontend forms, shared schemas, data-book controls and report registry; source paths are listed in the corresponding operating lessons.

Field guide 13

Exact English labels are retained for matching the application.

Field or control	Use
Data Book **Row version and Conflict comparison**	Detect a newer server edit and compare before saving your revision.
Website **Display price Currency Brand Badge and Availability**	Public commercial text must reflect confirmed information; blank unconfirmed values.
Website **Material Quantity display Warranty display and Product flags**	Specifications feed the public comparison experience; enter real product attributes.
Website **Rating Review count and Benefits**	Public social-proof and benefit content; preserve accurate claims and deliberate ordering.
Website **Image Alt text and Primary**	Describe every public image and choose exactly one uploaded primary image.
Blog **Title Slug Excerpt Content and Category**	Post identity, URL segment, short description, body and classification. Current content is plain or Markdown text.
Blog **SEO title Description and Open Graph image**	Metadata for discovery and sharing; review alongside the public post.

Source · Current frontend forms, shared schemas, data-book controls and report registry; source paths are listed in the corresponding operating lessons.

Field guide 14

Exact English labels are retained for matching the application.

Field or control	Use
Publication **Publish status Published at UTC Starts at UTC Ends at UTC**	Publication state and explicitly UTC scheduling fields; convert intended local times before entry.
Announcement **CTA label CTA URL Priority and Dismissal version**	Link wording, destination, display precedence and dismissal-reset version.
Warranty **Assignee Internal note and Customer message**	Owner of the case, private staff context and an explicit customer-facing message are different.
Warranty **Resolution type and Refund Replacement or Repair reference**	Document the actual resolution and relevant evidence; references do not execute financial actions.
GST **Registration GSTIN Status State and Default**	Company registration context and intended enabled features. Validate the selected registration before document actions.
GST **IRN E-Way Bill number and Provider status**	Existing government-document identity and fresh provider state. A lookup is read-only.
GST **Vehicle number Transport mode and Reason code**	Inputs for supported guarded provider changes; provider rules and eligibility still apply.

Source · Current frontend forms, shared schemas, data-book controls and report registry; source paths are listed in the corresponding operating lessons.

Field guide 15

Exact English labels are retained for matching the application.

Field or control	Use
Reports **Date range As of date and Include inactive**	A period, point-in-time cutoff and inclusion scope; choose the report context deliberately.
Reports **Inactive days Top and Minimum filters**	Thresholds that change ranking or classification; note their values when sharing a result.
Audit **Module Action Actor and Correlation ID**	Locate the event and trace its request using a safe reference.

Source · Current frontend forms, shared schemas, data-book controls and report registry; source paths are listed in the corresponding operating lessons.

Glossary 1

Term	Meaning
Master	A reusable definition such as an item, party or unit.
Transaction	A dated business record such as an invoice, payment or production.
Draft	A saved record awaiting review or the next action.
Confirm	A document action that applies its defined business effects.
Post	Apply a reviewed transaction to the relevant ledger or stock.
Finalize	Freeze a reviewed planning snapshot.
Cancel	Stop or reverse a record according to its lifecycle.
Reverse	Create the defined compensating effect for a posted entry.
SKU	A channel or internal product identifier.

Glossary 2

Term	Meaning
BOM	The component recipe for one finished unit.
Lead time	Time between ordering and receiving a material.
Safety stock	Additional stock included for planning protection.
Reorder point	A stock threshold used in replenishment planning.
MOQ	Minimum order quantity.
Order multiple	Permitted quantity increment for an order.
Physical stock	Global current item stock in procurement preview.
Projected available	Physical stock plus eligible inbound used by the plan.
Reserved stock	Quantity committed rather than freely available.

Glossary 3

Term	Meaning
Snapshot	Values retained for a specific time or planning run.
Allocate	Distribute limited available stock among recommendations.
Docket	A transport consignment reference.
STO	A shipment stock-transfer reference field in this app.
Receipt	An actual received-goods record.
Freight	Transport-related charges and their lifecycle.
Receivable	Amount still due from a customer.
Payable	Amount still due to a supplier.
Aging	Outstanding balances grouped by time overdue or age.

Glossary 4

Term	Meaning
Wallet	A cash-book balance container with an owner or purpose.
OEE	The application machine-production performance workspace.
Row version	A marker used to detect concurrent edits.
Correlation ID	A safe request reference used to trace an operation.
IRN	The reference identifier used for an existing E-Invoice lookup.
UTC	The time standard explicitly used by website scheduling fields.
Publish status	Whether website content is draft or publicly published.
Primary image	The single main image selected for a website product.
Alt text	An image description for accessibility and context.

Project architecture and source map

Frontend

frontend contains React 19, Vite 8, Redux Toolkit, React Router, Tailwind, React Hook Form and Zod. AppRoutes registers screens; sidebar configuration and permission-aware hooks control navigation.

Request path

The browser calls service modules through the shared Axios client and runtime API origin. Authentication adds the access token and refresh handling. Endpoint paths already include /api.

API and application

backend/src/Cosmos.API hosts ASP.NET Core .NET 10 controllers, middleware and permission filters. Cosmos.Application coordinates validation, business rules, calculations and audit calls.

Data and integrations

Cosmos.Persistence uses Dapper and SQL Server stored procedures. Domain holds types and permission names; Contracts holds DTOs; Infrastructure provides JWT, BCrypt, GSTZen and website file storage.

Database and tests

backend/database contains baseline SQL, GST integration, module migrations and verification scripts. backend/tests/Cosmos.Tests contains backend tests; frontend tests sit beside source files.

Configuration and evidence

Read current source before older audit notes. The book source index records paths and hashes for reproducibility. This handbook includes uncommitted screens visible in the working tree at preparation time.

Build and start a local environment

01 Prerequisites

Install the project-compatible Node runtime, .NET 10 SDK and SQL Server access. Use the versions and package locks in this checkout. Keep a separate development database.

02 Database

Review backend/database/001_Full_Database_Setup.sql and 003_gst_integration_module.sql, then the ordered module migrations and their prerequisites. Apply to the intended database through a controlled deployment process; smoke-test scripts may write data.

03 API configuration

Configure ConnectionStrings__CosmosDb, Jwt__Issuer, Jwt__Audience, Jwt__SigningKey and the COSMOS_SYSTEM_OWNER_USERNAME, COSMOS_SYSTEM_OWNER_EMAIL and COSMOS_SYSTEM_OWNER_PASSWORD variables. Use your own secrets.

04 Start the API

From the repository root run dotnet restore backend/Cosmos.slnx, dotnet build backend/Cosmos.slnx and dotnet run --project backend/src/Cosmos.API --launch-profile http. The checked-in HTTP profile uses port 5278.

05 Start the frontend

In frontend run npm ci. Set VITE_API_BASE_URL to the chosen API origin, then run npm run dev. Local Vite normally serves port 5173; use the URL printed by the server.

06 Verify

Open /health and the API Swagger UI, then sign in through the frontend. Verify required modules and permissions against the intended database. A health response alone does not prove every database module is ready.

Local build and validation commands

Use these commands from the repository root after preparing the database and configuration. Keep the API running in one terminal and the frontend in another.

Terminal 1 · API

```
dotnet restore backend/Cosmos.slnx
dotnet build backend/Cosmos.slnx
dotnet run --project backend/src/Cosmos.API --launch-profile http
```

Terminal 2 · Frontend

```
Set-Location frontend
npm ci
$env:VITE_API_BASE_URL = "http://localhost:5278"
npm run dev
```

The example API origin matches the checked-in HTTP launch profile. Use your actual API origin if you choose another profile or host. Open the Vite URL printed in the terminal.

Maintenance validation

```
# From frontend
npm test
npm run lint
npm run build

# From repository root
dotnet test backend/Cosmos.slnx
```

Source · frontend/package.json · frontend/src/config/runtimeConfig.js · backend/src/Cosmos.API/Properties/launchSettings.json

Build deployment and maintenance checklist

Frontend build

Use npm run build in frontend. The deployed frontend requires API_BASE_URL at runtime or VITE_API_BASE_URL at build time. Use an HTTP(S) API origin; endpoint paths already include /api.

Runtime origin

The runtime configuration accepts an API origin or the same-origin /api form. Production rejects missing API configuration. Do not concatenate another /api onto every endpoint.

Containers

docker-compose.yml exposes the API on 8080 and frontend on 3000. Set COSMOS_API_BASE_URL to an address reachable from the browser. Compose does not provision SQL Server.

Database ownership

Track which migrations are applied, verify stored-procedure contracts and preserve migration dependencies. The repository has verification and smoke scripts, but not a universal automatic migration runner.

Validation commands

Run frontend npm test, npm run lint and npm run build for relevant changes. Run dotnet test backend/Cosmos.slnx for backend changes. These are maintenance commands, not a claim they were run while writing this book.

Backups and operations

Back up SQL Server and stored upload files under the organization process. Restore-test both. Preserve logs and correlation IDs for incidents, and restrict provider secrets to server configuration.

Current capability and evidence notes

Actual captures

The screen atlas contains live read-only captures. Many lists have no matching data. It does not fabricate posted transactions or successful approvals to fill the screenshots.

Record-dependent workspaces

Invoice details, manufacturing forms, saved run details, shipment tabs and warranty details require real record IDs. Their procedures are explained from current source; screenshots of those states are included only when accessible without creating business data.

Planning boundaries

Global item stock is different from marketplace warehouse snapshots. A plan, allocation, draft shipment and actual dispatch have distinct effects. Refer to the source status after any uncertain action.

GST dependencies

Existing document lookup and supported guarded changes are present. Generation, extension, OTP and effective-date HSN or rate modules have backend dependencies. Missing APIs are not working features.

Website boundary

The management screens are documented. Public availability and provider outcomes were not certified. Publication and customer-message actions can have external effects.

Training completion

The daily checklist and exercises are instructions for the reader. Book preparation did not create users, change permissions, post stock, send messages or publish website changes.

Source directory 1

These repository locations support the operating lessons. Read the current implementation when extending a workflow. Capture hashes and the source inventory accompany the editable book source.

1. frontend/src/pages/auth
2. frontend/src/routes/ProtectedRoute.jsx
3. frontend/src/services/sessionService.js
4. frontend/src/components/common
5. frontend/src/routes/PermissionGuard.jsx
6. frontend/src/pages/dashboard
7. frontend/src/services/dashboard/dashboardService.js
8. frontend/src/pages/rbac
9. backend/src/Cosmos.API/Security
10. frontend/src/pages/rbac/pages/PageFormPage.jsx
11. frontend/src/config/sidebar.js
12. frontend/src/pages/party/PartyFormModal.jsx
13. frontend/src/pages/shipments/transporters
14. frontend/src/pages/inventory/items/ItemFormPage.jsx
15. frontend/src/utils/validationSchemas.js
16. frontend/src/pages/inventory/items
17. frontend/src/pages/procurement/home/procurementHomeHelpers.js
18. frontend/src/pages/party/partyColumns.js

Source directory 2

These repository locations support the operating lessons. Read the current implementation when extending a workflow. Capture hashes and the source inventory accompany the editable book source.

1. frontend/src/utils/formDraftStorage.js
2. frontend/src/pages/inventory/items/ItemManufacturingTab.jsx
3. frontend/src/pages/procurement/bomMapping/BomMappingPage.jsx
4. backend/src/Cosmos.Application/Services/ManufacturingService.cs
5. frontend/src/pages/sales/invoices/InvoiceFormPage.jsx
6. frontend/src/pages/sales/invoices/InvoiceDetailPage.jsx
7. frontend/src/pages/purchase/documents/documentConfigs.js
8. frontend/src/pages/purchase/documents/ConvertOrderModal.jsx
9. frontend/src/pages/purchase/documents/PurchaseDocumentFormPage.jsx
10. frontend/src/pages/purchase/supplierPayments
11. frontend/src/pages/purchase/documents
12. frontend/src/pages/purchase/expenses
13. frontend/src/pages/purchase/expenseCategories
14. frontend/src/pages/supplyChain/supplyChainSchemas.js
15. frontend/src/pages/procurement/skuMapping/SkuMappingPage.jsx
16. frontend/src/pages/supplyChain/packagingProfiles/PackagingProfileFormPage.jsx
17. frontend/src/pages/supplyChain/imports
18. frontend/src/pages/dispatch/imports

Source directory 3

These repository locations support the operating lessons. Read the current implementation when extending a workflow. Capture hashes and the source inventory accompany the editable book source.

1. frontend/src/constants/dispatchEnums.js
2. frontend/src/pages/procurement/salesImport/SalesImportPage.jsx
3. frontend/src/pages/procurement/setup
4. frontend/src/pages/procurement/settings/ProcurementSettingFormPage.jsx
5. frontend/src/pages/procurement/settings/LeadTimeHistoryModal.jsx
6. frontend/src/pages/procurement/generatePlan
7. frontend/src/pages/procurement/planningHistory
8. frontend/src/pages/dispatch/settings
9. frontend/src/pages/dispatch/runs/DispatchRunsPage.jsx
10. frontend/src/pages/dispatch/runs/DispatchRunDetailPage.jsx
11. frontend/src/pages/shipments/workList
12. frontend/src/pages/shipments/detail/ShipmentDetailPage.jsx
13. frontend/src/pages/shipments/detail/ShipmentPackingTab.jsx
14. frontend/src/pages/shipments/detail/ShipmentTransportTab.jsx
15. frontend/src/pages/shipments/detail/ShipmentReceiptsReturnsTab.jsx
16. frontend/src/pages/shipments/detail/ShipmentFreightTab.jsx
17. frontend/src/pages/shipments/imports/ShipmentImportsPage.jsx
18. frontend/src/pages/hr/employees/EmployeeFormPage.jsx

Source directory 4

These repository locations support the operating lessons. Read the current implementation when extending a workflow. Capture hashes and the source inventory accompany the editable book source.

1. frontend/src/pages/hr/employees/EmployeeLifecycleModal.jsx
2. frontend/src/pages/hr/attendance/AttendanceActionModals.jsx
3. frontend/src/pages/hr/leaves
4. frontend/src/pages/hr/payroll/PayrollPage.jsx
5. backend/src/Cosmos.API/Controllers/HR/PayrollController.cs
6. frontend/src/pages/oee/oeeHelpers.js
7. frontend/src/pages/oee/productionEntries
8. frontend/src/pages/rojmel/components
9. frontend/src/pages/reports/reportRegistry.js
10. frontend/src/pages/reports/filters/filterRegistry.js
11. frontend/src/pages/dataBook/EntryFormModal.jsx
12. frontend/src/pages/dataBook/DataBookGrid.jsx
13. frontend/src/pages/activityLogs
14. frontend/src/utils/apiError.js
15. frontend/src/pages/website/products/WebsiteProductFormPage.jsx
16. frontend/src/pages/website/blog
17. frontend/src/pages/website/announcements
18. frontend/src/pages/website/warranty/WebsiteWarrantyDetailPage.jsx

Source directory 5

These repository locations support the operating lessons. Read the current implementation when extending a workflow. Capture hashes and the source inventory accompany the editable book source.

1. frontend/src/utils/gstCompliance.js
2. frontend/src/pages/gst/GstOverviewPage.jsx
3. frontend/src/pages/gst/GstDocumentPage.jsx
4. frontend/src/pages/settings
5. frontend/src/pages/preferences/PreferencesPage.jsx
6. frontend/src/utils/preferencesStorage.js