

movies database

Überblick




Diagramm



Tabellen

calelements


П	Spaltenname	Datentyp	NULL-Werte
▶8	ld	int	
	ld_Movie	int	
	Start	datetime	



■ Ergebr	nisse	≣ Meldungen	
	ld	ld_Movie	Start
1	1	1	2019-05-10 18:00:00.000
2	2	1	2019-05-10 20:00:00.000
3	3	1	2019-05-10 22:00:00.000
4	4	2	2019-05-10 18:30:00.000
5	5	2	2019-05-10 20:15:00.000
6	6	2	2019-05-10 22:07:00.000
7	7	3	2019-05-10 17:52:00.000
8	8	3	2019-05-10 21:00:00.000


cart

Spaltenname	Datentyp	NULL-Werte
▶ Id	int	
ld_CalElement	int	
ld_User	int	




movies


	Spaltenname	Datentyp	NULL-Werte
8	ld	int	
	Title	nchar(40)	
	Description	nchar(255)	\checkmark
	Price	float	\checkmark




⊞ Ergebnisse				
	ld	Title	Description	Price
1	1	Titanic	Ein Schiff sinkt	9,5
2	2	Harry Potter I	Ein Junge kommt nach Hogwarts	8,5
3	3	Terminator	Robo Schwarzenegger killt alles	8,5

user







Web.config

<connectionStrings>
 <add name="movies" connectionString="Data Source=.;Initial Catalog=movies;Integrated Security=True;" />
</connectionStrings>