

column

XOM.Adjusted  
WMT.Adjusted  
VZ.Adjusted  
UTX.Adjusted  
UNH.Adjusted  
TRV.Adjusted  
T.Adjusted  
PG.Adjusted  
PFE.Adjusted  
NKE.Adjusted  
MSFT.Adjusted  
MRK.Adjusted  
MMM.Adjusted  
MCD.Adjusted  
KO.Adjusted  
JPM.Adjusted  
JNJ.Adjusted  
INTC.Adjusted  
IBM.Adjusted  
HD.Adjusted  
GS.Adjusted  
GE.Adjusted  
DIS.Adjusted  
DD.Adjusted  
CVX.Adjusted  
CSCO.Adjusted  
CAT.Adjusted  
BA.Adjusted  
AXP.Adjusted

AXP.Adjusted  
BA.Adjusted  
CAT.Adjusted  
CSCO.Adjusted  
CVX.Adjusted  
DD.Adjusted  
DIS.Adjusted  
GE.Adjusted  
GS.Adjusted  
HD.Adjusted  
IBM.Adjusted  
INTC.Adjusted  
JNJ.Adjusted  
JPM.Adjusted  
KO.Adjusted  
MCD.Adjusted  
MMM.Adjusted  
MRK.Adjusted  
MSFT.Adjusted  
NKE.Adjusted  
PFE.Adjusted  
PG.Adjusted  
T.Adjusted  
TRV.Adjusted  
UNH.Adjusted  
UTX.Adjusted  
VZ.Adjusted  
WMT.Adjusted  
XOM.Adjusted

row

1.0

0.8

0.6

0.4

0.2

