VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

INTERNET TEHNOLOGIJE



DOKUMENTACIJA

https://mikicaa97.github.io/ColorS/

Contents

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE	OGIJE 1	
INTERNET TEHNOLOGIJE	2	
DOKUMENTACIJA		

Uvod

Korisceni programski jezici:

Mark-up jezici: HTML, CSS, XML

JavaScript

Okruzenje: Visual Studio Code

Opis funkcionalnosti

- 1. Responsive site, samostalno radjen
- 2. Odradjena popup forma na singup delu ispisana u javascript-u
- 3. Forma za prijavu pisana u javascript-u I u html-u
- 4. Animacija za povecanje divova
- 5. Animacija kad se predje misem na link

Template:

Nije koriscen template, kod je samostalno pisan, ideja je iz glave i komercijalnih sajtova

Organizacija


Organizaciona šema

Mapa sajta


Stranice


U nastavku opis funkcionalnosti sajta

Pocetna strana




Odradjen deo u javascript-u kada se skroluje na dole border bottom se pomera sa home dela na abo






Kada se klikne na sing up deo otvara se popup forma, pisana u javascriptu samostalno.



Forma radjena u javascriptu kada se ne ispise nista izbacuje obavestenje i kod password dela kada se ne podudaraju dve šifre izbaci obavestenje.



Kodovi


Index.html


```
\mathsf{index.html} \mathrel{>} \boldsymbol{\diamondsuit} \; \mathsf{html} \mathrel{>} \boldsymbol{\diamondsuit} \; \mathsf{body} \mathrel{>} \boldsymbol{\diamondsuit} \; \mathsf{div\#about.main} \mathrel{>} \boldsymbol{\diamondsuit} \; \mathsf{div.main\_container} \mathrel{>} \boldsymbol{\diamondsuit} \; \mathsf{div.main\_content}
      <!DOCTYPE html>
       <html lang="en">
           <meta charset="UTF-8">
           <meta name="viewport" content="width=device-width, initial-scale=1.0">
              <meta name="author" content="Mihailo Vlajkovic" />
<meta name="keywords" content="colors, lineargradient, background-color, color"/>
               k rel="icon" href="assets/img/logo.jpg" type="image/x-icon">
           <title>Colors</title>
           < link rel="stylesheet" href="assets/css/style.css" type="text/css"/>
< link rel="stylesheet" href="https://pro.fontawesome.com/releases/v5.10.0/css/all.css" integrity="sha384-AYmEC3Yw</pre>
              <span class="bar"></span>
                       <span class="bar"></span>
                        <span class="bar"></span>
                 1 class="navbar_item">
<a href="#home" class="navbar_links" id="home-page">Home</a>
                                                                                                          OUTPUT TERMINAL DEBUG CONSOLE PROBLEMS
Change Detected...
style.scss
Generated:
                         <a href="#about" class="navbar_links" id="about-page">About</a>
                            <a href="#services" class="navbar_links" id="services-page">Services</a>
                         <a href="#sing-up" class="button" id="singup">Sing Up</a>
               \langle {
m div} 
angle The button element represents a button labeled by its contents. a_{
m n} > \langle /h_1 \rangle
                    <button class="main_btn"><a href="#">Explore</a></button>
OUTPUT TERMINAL DEBUG CONSOLE PROBLEMS
                                                                                                          Live Sass Compile
Change Detected...
style.scss
                                                                                                                 Activate Windows
Generated :
```

```
index.html > ♦ html > ♦ body > ♦ div#services.services > ♦ div.services_wrapper > ♦ div.services_card
       <div class="hero" id="home">
              <h1 class="hero_heading">Choose your <span>colors</span></h1>
              Unlimited Possibilities
              <button class="main__btn"><a href="#">Explore</a></button>
       <div class="main" id="about">
          <div class="main_img--card"><i class="fas fa-layer-group"></i></div>
                <h1>Whats do we do?</h1>
                 <h2>We help businesses scale</h2>
                 Schedule a call to learn more about our services
                 <button class="main__btn"><a href="#">Scherduke Call</a></button>
       <div class="services" id="services">
          <h1>Our Services</h1>
              <div class="services_card">
                 <h2>Custom Colorways</h2>
                  AI Powered tehnology
                                                                                           Activate Windows
                  <div class="services_btn"><button>Get Started</button></div>
       <div class="services" id="services">
          <h1>Our Services</h1>
                <h2>Custom Colorways</h2>
                  AI Powered tehnology
                  <div class="services_btn"><button>Get Started</button></div>
              <div class="services_card">
                 <h2>Are you Ready</h2>
                  Take the lepa
                  <div class="services_btn"><button>Get Started</button></div>
                 <h2>Full Gradients</h2>
                  100 Combinations
                  <div class="services_btn"><button>Get Started</button></div>
                <h2>Infinite Choices</h2>
                  1000's of colors
                 <div class="services_btn"><button>Get Started</button></div>
                                                                                           Activate Windows
                  <div class="main_img--card"><img src="assets/img/me.jpeg" alt="Portfolio"/></div>
```


```
<div class="main_img--container">
            <div class="main_img--card"><img src="assets/img/me.jpeg" alt="Portfolio"/></div>
           <h1>My Portfolio</h1>
            Moje ime je Mihailo Vlajkovic. Rodjen sam u Beogradu,
               studiram Visoku ICT skolu za internet tehnologije,
                bavim se izradom sajtova i programa. Oblasti koje
               poznajem su Java - NetBeans, C#, C, HTML, CSS, JavaScript, Linux sistem, PHP, SQL i jos
           mnogo drugih. Kontaktirajte me ako zelite saradnju.
<button class="main_btn"><a href="https://mikicaa97.github.io/Mikicaa-MyPortfolio/">See All</a></but</pre>
<div class="main" id="sing-up">
       <div class="main_content">
           <h1>Join Our Team</h1>
            <h2>Sing Up Today</h2>
            See what makes us different
            cbutton class="main_btn" id="button"><a href="#!">Sing Up</a><a href="#!" class="submit" id="button"</pre>
                                                                                          Activate Windows
 <div class="popup">
    <div class="popup-content">
        <img src="assets/img/user.png" alt="User">
       <input type="text" placeholder="Username">
       <input type="password" placeholder="Password">
       <submit class="main_btn"><a href="#!"></a><a href="#!" class="submit">Login</a></submit>
<div class="container"</pre>
   <div class="header">
       <h2>Create Account</h2>
   <lable>Username</lable>
            <input type="text" placeholder="mikicaa97" id="username">
            <small>Error message</small>
        <div class="form-control error">
           <lable>Email</lable>
            <input type="email" placeholder="Email.." id="email">
                                                                                          Activate Windows
            \langle i \ class="fas \ fa-exclamation-circle"></i>
```


CSS








Student: Mihailo Vlajkovic 206/19












































```
File Edit Selection View Go Run Terminal Help
                                                              Ф
                                                                  width: 50%;
text-align: center;
          # style.css
                                                                         img{
         # style.css.map
                                                                            margin-bottom: 50px;
                                                                            width: auto;
border-radius: 2%;
                                                            }
.right{
    width: 47%;
    text{
          JS main.js

    index.html

        nrss.xml
                                                                       margin-top:20px;
width:90%;
         sitemap.xml
                                                                       p{
color: ■#fff;
top: 45p
                                                                            margin-top: 45px;
padding: 20px;
text-align: justify;
font-size: 25px;
                                                                            line-height: 35px:
                                                                            margin-left: 11em;
                                                                            padding: 4%;
      > NPM SCRIPTS
```

Main.js

```
JS main.js X
ф
          > OPEN EDITORS
                                                                      const menu = document.querySelector('#mobile-menu');
const menuLinks = document.querySelector('.navbar_menu');
const navLogo = document.querySelector('#navbar_logo');
              # style.css
                                                                             const mobileMenu = () => {
  menu.classList.toggle('is-active');
  menuLinks.classList.toggle('active');
            o index.html
                                                                             const highlightMenu = () => {
  const elem = document.querySelector('.highlight');
  const homeMenu = document.querySelector('#home-page');
  const aboutMenu = document.querySelector('#about-page');

    robots.txt

                                                                                  const servicesMenu = document.querySelector('#services-page');
let scrollPos = window.scrollY;
                                                                                   console.log(scrollPos);
                                                                                   if (window.innerWidth > 960 && scrollPos < 600) {
                                                                                      homeMenu.classList.add('highlight');
aboutMenu.classList.remove('highlight');
                                                                                   return;
} else if (window.innerWidth > 960 && scrollPos < 1400) {
                                                                                      aboutMenu.classList.add('highlight');
homeMenu.classList.remove('highlight');
                                                                                      servicesMenu.classList.remove('highlight');
                                                                                   } else if (window.innerWidth > 960 && scrollPos < 2345) {
  servicesMenu.classList.add('highlight');
  aboutMenu.classList.remove('highlight');</pre>
         > OUTLINE
           > NPM SCRIPTS
```

```
JS main.js X
Ф
                                                                 assets ⟩ js > Js main.js > ♂ checkinputs
35 | if ((elem && window.innerWIdth < 960 && scrollPos < 600) || elem) {
                                                                  if ((elem && window.innerWIdth < 960 && scrollPo
elem.classList.remove('highlight');
}
}

window.addEventListener('scroll', highlightMenu);
window.addEventListener('click', highlightMenu);</pre>
              # style.css
               # style.css.map
                                                                           const hideMobilaManu - () -> /
const menuB (property) innerWidth: number is-active');
if (window.innerWidth <= 768 && menuBars) {
    menu.classList.toggle('is-active');
}</pre>
            o index.html
            menuLinks.classList.remove('active');
            nrss.xml
             sitemap.xml
                                                                            menuLinks.addEventListener('click', hideMobileMenu);
navLogo.addEventListener('click', hideMobileMenu);
                                                                                   document.querySelector(".popup").style.display = "flex";
                                                                            document.querySelector(".close").addEventListener("click", function(){
    document.querySelector(".popup").style.display = "none";
                                                                            const username =document.getElementById('username');
const password =document.getElementById('password');
         > NPM SCRIPTS
```

```
Tile Edit Selection View Go Run Terminal Help
                                                                                                 main.js - SAJT JS - Visual Studio Code
                                      Ф
                                                         prikaziGreskuZa(password,
}
else{
    prikaziTacnoZa(password);
}
                                                              prikaziGreskuZa(password, 'Password ne moze biti prazan!');
           # style.css
           # style.css.map
                                                             else if(password2Value !== passwordValue){
    prikaziGreskuZa(password2, 'Password nije isti!');
         o index.html

    robots.txt

         nrss.xml
                                                        function prikaziGreskuZa(input, message){
  const formControl = input.parentElement;
  const small = formControl.querySelector('small');
                                                        function prikaziTacnoZa(input){
                                                             const formControl = input.parentElement;
formControl.className = 'form-control success';
 > OUTLINE
       > NPM SCRIPTS
```

Student: Mihailo Vlajkovic 206/19