

SECTION 1 - SUMMARY TABLE

Personalized records, both pooled and stratified by personalization timing, compared to a matched cohort on standard treatment with a minimum early follow-up requirement of 2 measurements.

Table sectioned by: administrative & metadata, key baseline and final characteristics, outcomes at personalization purchase and start, outcomes at fixed post-personalization timepoints.

Key insights: Personalization is generally associated with an increased adherence. In the latter 2 subgroups, this can be attributed to immortal time bias given the longer time elapsed until starting personalization. However, even in the earliest group, a slight increase in median (not mean!) follow-up length can be observed. An increased adherence at 120 days is observed across all personalized groups. While weight loss at 120 days is not different between cases and controls, total weight loss is improved in the personalized cohort, which can be attributed to the increased adherence these patients show.

The key question so far is whether this increased adherence is caused by personalization, or the higher baseline motivation itself is a driver of choosing personalized treatment. A potential consideration can be genetic differences across groups, although this is less likely to influence treatment timing choices.

Variable	Matched control (Follow-up ≥ 2 measurements)	All personalized	Personalized - 1st month	Personalized - 2nd month	Personalized - later	<i>P</i> (<i>omnibus</i>)
N	963	963	454	319	190	
Treatment administration metadata & timing of personalization delivery						
Number of medical records per patient	1.33 $\pm$ 0.66 [1.00 [1.00–1.50]]	1.18 $\pm$ 0.44 [1.00 [1.00–1.00]]	1.17 $\pm$ 0.41 [1.00 [1.00–1.00]]	1.14 $\pm$ 0.41 [1.00 [1.00–1.00]]	1.26 $\pm$ 0.54 [1.00 [1.00–1.00]]	2.91252E-10
Medical record sequence	1.00 $\pm$ 0.00 [1.00 [1.00–1.00]]	1.00 $\pm$ 0.00 [1.00 [1.00–1.00]]	1.00 $\pm$ 0.00 [1.00 [1.00–1.00]]	1.00 $\pm$ 0.00 [1.00 [1.00–1.00]]	1.00 $\pm$ 0.00 [1.00 [1.00–1.00]]	
Record start to first measurement (days)	11.62 $\pm$ 50.36 [5.00 [3.00–9.00]]	9.26 $\pm$ 37.95 [5.00 [3.00–8.00]]	9.97 $\pm$ 45.80 [5.00 [3.00–7.00]]	6.41 $\pm$ 6.65 [5.00 [3.00–7.00]]	12.32 $\pm$ 46.97 [5.00 [3.00–10.75]]	0.276148714
Record start to genomics prescription (days)	1.53 $\pm$ 28.23 [0.00 [0.00–0.00]]	1.53 $\pm$ 33.36 [0.00 [0.00–0.00]]	2.01 $\pm$ 41.32 [0.00 [0.00–0.00]]	0.00 $\pm$ 0.00 [0.00 [0.00–0.00]]	2.95 $\pm$ 39.55 [0.00 [0.00–0.00]]	0.563961472
Genomics prescription to purchase (days)	N/A	23.40 $\pm$ 59.69 [1.00 [0.00–15.00]]	3.64 $\pm$ 20.88 [0.00 [0.00–3.00]]	7.86 $\pm$ 11.96 [1.00 [0.00–14.00]]	87.48 $\pm$ 100.14 [56.00 [7.00–125.00]]	4.6617E-44

First measurement to genomics purchase (days)	N/A	14.69 ± 57.05 [-3.00 [-5.00–8.00]]	-5.64 ± 6.46 [-4.00 [-6.00–2.00]]	0.74 ± 11.62 [-3.00 [-5.00–1.50]]	77.33 ± 98.06 [45.00 [0.00–110.00]]	2.17796E-48
Genomics purchase to sampling (days)	N/A	11.43 ± 16.75 [6.00 [3.00–13.00]]	5.94 ± 5.40 [4.50 [2.00–8.00]]	10.37 ± 9.75 [8.50 [3.00–15.00]]	23.98 ± 29.36 [13.00 [5.00–41.00]]	3.86404E-16
Genomics sampling to results (days)	N/A	25.24 ± 14.87 [23.00 [18.00–29.00]]	19.38 ± 6.37 [20.00 [15.00–24.00]]	28.45 ± 8.93 [28.00 [22.00–33.00]]	33.87 ± 26.82 [26.00 [19.00–36.00]]	4.6617E-44
First measurement to genomics results (days)	N/A	50.82 ± 61.89 [31.00 [22.00–52.00]]	20.75 ± 6.34 [22.00 [17.00–26.00]]	40.99 ± 8.57 [39.00 [34.00–48.00]]	139.21 ± 95.32 [106.00 [76.00–162.75]]	1.4127E-175
Genomics results to last measurement (days)	N/A	102.75 ± 86.23 [84.00 [40.00–144.00]]	104.11 ± 86.45 [84.00 [39.25–149.75]]	103.97 ± 84.55 [86.00 [42.00–147.00]]	97.43 ± 88.71 [72.00 [37.25–135.75]]	0.612889914
Baseline characteristics & Key outcomes						
Belgium (% of patients)	16 (1.7%)	16 (1.7%)	1 (0.2%)	7 (2.2%)	8 (4.2%)	0.010071079
Switzerland (% of patients)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	

Spain (% of patients)	682 (70.8%)	677 (70.3%)	354 (78.0%)	219 (68.7%)	104 (54.7%)	5.2404E-07
Italy (% of patients)	161 (16.7%)	173 (18.0%)	69 (15.2%)	55 (17.2%)	49 (25.8%)	0.030052926
Portugal (% of patients)	104 (10.8%)	97 (10.1%)	30 (6.6%)	38 (11.9%)	29 (15.3%)	0.014727378
Sex (% of women)	735 (76.3%)	754 (78.3%)	358 (78.9%)	249 (78.1%)	147 (77.4%)	0.804137745
Age (years)	48.01 ± 10.13 [47.00 [41.00–55.00]]	47.79 ± 10.12 [48.00 [41.00–54.00]]	48.05 ± 10.31 [49.00 [41.00–55.00]]	47.10 ± 10.00 [47.00 [40.50–53.00]]	48.35 ± 9.87 [49.00 [42.25–55.00]]	0.612889914
Baseline weight (kg)	86.75 ± 15.30 [84.40 [75.50–95.10]]	86.96 ± 14.90 [85.70 [75.90–95.65]]	86.21 ± 14.60 [84.95 [75.20–94.50]]	86.63 ± 15.30 [85.40 [74.60–95.40]]	89.31 ± 14.79 [87.60 [78.90–98.60]]	0.147675878
Baseline BMI (kg/m²)	31.44 ± 4.16 [30.97 [28.22–34.00]]	31.52 ± 4.27 [31.02 [28.28–34.16]]	31.34 ± 4.06 [30.95 [28.11–34.06]]	31.30 ± 4.34 [30.71 [27.82–34.09]]	32.31 ± 4.53 [31.72 [28.98–34.51]]	0.135375493
Measured follow-up length (days)	133.56 ± 119.91 [103.00 [45.00–185.50]]	155.05 ± 107.04 [132.00 [79.50–199.00]]	126.35 ± 86.34 [107.00 [60.00–173.0 0]]	146.46 ± 85.35 [133.00 [84.50–188.00]]	238.07 ± 138.43 [200.50 [130.00–290.50]]	7.03916E-38

Number of visits	4.82 ± 4.89 [4.00 [2.00–6.00]]	5.77 ± 4.56 [5.00 [3.00–8.00]]	5.26 ± 3.94 [4.00 [2.00–7.00]]	5.39 ± 3.79 [5.00 [3.00–7.50]]	7.66 ± 6.31 [6.00 [3.00–10.00]]	2.08973E-14
Number of total measurements	24.39 ± 28.70 [16.00 [8.00–28.00]]	29.36 ± 30.21 [21.00 [13.00–36.00]]	24.55 ± 22.63 [17.00 [10.00–30.00]]	28.38 ± 25.16 [21.00 [13.00–34.00]]	42.47 ± 46.08 [28.00 [20.00–46.50]]	1.70612E-26
Total weight loss (kg)	-10.72 ± 7.62 [-9.40 [-14.50–5.25]]	-12.71 ± 7.47 [-11.40 [-16.60–7.60]]	-11.60 ± 7.01 [-10.40 [-15.70–6.80]]]	-12.74 ± 6.75 [-11.40 [-15.85–8.55]]	-15.32 ± 8.93 [-13.60 [-19.83–9.62]]	6.49298E-19
Total weight loss (%)	-11.98 ± 7.44 [-11.29 [-16.46–6.59]]	-14.29 ± 7.05 [-13.63 [-18.47–9.50]]	-13.14 ± 6.79 [-12.69 [-17.59–8.22]]]	-14.46 ± 6.22 [-13.50 [-18.11–10.51]]	-16.78 ± 8.24 [-15.68 [-20.92–11.48]]	1.75159E-21
BMI reduction (kg/m²)	-3.89 ± 2.75 [-3.42 [-5.22–1.94]]	-4.61 ± 2.69 [-4.17 [-5.96–2.80]]	-4.21 ± 2.51 [-3.81 [-5.62–2.46]]	-4.61 ± 2.35 [-4.16 [-5.58–3.11]]	-5.57 ± 3.32 [-5.07 [-7.23–3.39]]	1.1383E-19
120-day dropouts (n)	597 (62.0%)	453 (47.0%)	255 (56.2%)	154 (48.3%)	44 (23.2%)	8.52447E-24
120-day weight loss (kg)	-14.49 ± 6.47 [-14.10 [-18.80–10.00]]	-14.69 ± 5.90 [-14.40 [-17.90–10.90]]	-14.52 ± 5.96 [-14.50 [-17.15–10.9 0]]	-14.31 ± 6.09 [-13.80 [-17.30–10.40]]	-15.34 ± 5.60 [-14.95 [-19.20–11.50]]	0.485776809

120-day weight loss (%)	-15.96 ± 5.68 [-16.59 [-19.82—12.48]]	-16.37 ± 5.07 [-16.46 [-19.48—13.46]]	-16.16 ± 5.14 [-16.44 [-19.27—12.91]]	-16.16 ± 4.97 [-16.16 [-19.22—13.48]]	-16.90 ± 5.08 [-16.69 [-20.28—13.59]]	0.64192557 9
120-day weight loss rate (kg/day)	-0.12 ± 0.05 [-0.12 [-0.16—0.08]]	-0.12 ± 0.05 [-0.12 [-0.15—0.09]]	-0.12 ± 0.05 [-0.12 [-0.14—0.09]]	-0.12 ± 0.05 [-0.12 [-0.15—0.09]]	-0.13 ± 0.05 [-0.12 [-0.16—0.10]]	0.52892511
120-day weight loss rate (%/day)	-0.13 ± 0.05 [-0.14 [-0.17—0.10]]	-0.14 ± 0.04 [-0.14 [-0.16—0.11]]	-0.13 ± 0.04 [-0.14 [-0.16—0.11]]	-0.14 ± 0.04 [-0.14 [-0.16—0.11]]	-0.14 ± 0.04 [-0.14 [-0.17—0.11]]	0.66611029 9
Achieved 10% weight loss (n)	616 (64.0%)	755 (78.4%)	316 (69.6%)	265 (83.1%)	174 (91.6%)	5.34191E-2 2
Days to 10% weight loss	49.56 ± 30.76 [43.00 [35.00—56.00]]	49.16 ± 21.26 [44.00 [36.00—56.50]]	50.12 ± 24.29 [44.00 [35.00—58.25]]	48.06 ± 18.98 [44.00 [36.00—55.00]]	49.08 ± 18.51 [47.00 [35.25—57.75]]	0.61288991 4
Outcomes when purchasing personalization (only among personalized)						
Weight at genomics purchase	N/A	83.81 ± 14.03 [82.90 [73.20—91.75]]	85.69 ± 13.89 [84.90 [75.20—93.70]]	84.44 ± 14.36 [83.70 [73.00—92.30]]	79.35 ± 12.83 [77.40 [71.10—86.70]]	0.00010012
Weight loss at genomics purchase (kg)	N/A	-2.52 ± 5.68 [0.00 [-2.40—0.00]]	-0.09 ± 0.56 [0.00 [0.00—0.00]]	-1.28 ± 2.51 [0.00 [-1.40—0.00]]	-8.93 ± 8.86 [-7.40 [-13.90—0.00]]	3.00776E-5 8

Weight loss at genomics purchase (%)	N/A	-2.77 ± 5.88 [0.00 [-2.98–0.00]]	-0.11 ± 0.68 [0.00 [0.00–0.00]]	-1.48 ± 2.78 [0.00 [-1.80–0.00]]	-9.69 ± 8.77 [-8.51 [-15.22–0.00]]	1.9523E-58
Weight loss rate at genomics purchase (kg/day)	N/A	-0.06 ± 0.11 [0.00 [-0.07–0.00]]	-0.01 ± 0.05 [0.00 [0.00–0.00]]	-0.07 ± 0.14 [0.00 [-0.11–0.00]]	-0.12 ± 0.11 [-0.12 [-0.19–0.00]]	4.52647E-43
Weight loss rate at genomics purchase (%/day)	N/A	-0.07 ± 0.13 [0.00 [-0.08–0.00]]	-0.01 ± 0.06 [0.00 [0.00–0.00]]	-0.08 ± 0.15 [0.00 [-0.14–0.00]]	-0.14 ± 0.12 [-0.13 [-0.21–0.00]]	3.34551E-42
Outcomes when starting personalization (only among personalized)						
Weight at genomics results	N/A	79.27 ± 13.60 [77.90 [69.10–87.40]]	81.16 ± 13.57 [80.30 [70.90–89.00]]	78.77 ± 13.72 [77.80 [68.40–86.80]]	75.24 ± 12.52 [73.75 [66.57–82.33]]	6.68216E-06
Weight loss at genomics results (kg)	N/A	-7.94 ± 5.22 [-6.85 [-9.70–4.80]]	-5.23 ± 2.49 [-5.00 [-6.60–3.70]]	-8.21 ± 3.24 [-7.80 [-9.70–6.20]]	-14.54 ± 7.12 [-13.30 [-17.92–10.00]]	2.19702E-81
Weight loss at genomics results (%)	N/A	-8.94 ± 5.12 [-7.95 [-11.03–5.70]]	-5.98 ± 2.44 [-6.06 [-7.48–4.49]]	-9.37 ± 2.90 [-9.38 [-11.15–7.69]]	-15.92 ± 6.35 [-14.92 [-19.51–11.93]]	4.27156E-95

Weight loss rate at genomics results (kg/day)	N/A	-0.22 ± 0.11 [-0.20 [-0.26—0.15]]	-0.26 ± 0.13 [-0.24 [-0.31—0.19]]	-0.20 ± 0.08 [-0.19 [-0.24—0.16]]	-0.13 ± 0.06 [-0.13 [-0.17—0.09]]	1.10836E-46
Weight loss rate at genomics results (%/day)	N/A	-0.25 ± 0.12 [-0.24 [-0.30—0.18]]	-0.30 ± 0.14 [-0.29 [-0.35—0.23]]	-0.23 ± 0.07 [-0.23 [-0.27—0.19]]	-0.15 ± 0.06 [-0.15 [-0.19—0.10]]	9.818E-64
Outcomes of the personalized phase (only among personalized)						
Post-personalization final weight loss (kg)	N/A	-5.00 ± 5.90 [-3.60 [-8.02—0.90]]	-6.55 ± 6.04 [-5.35 [-9.80—2.20]]	-4.67 ± 5.41 [-3.40 [-6.90—1.10]]	-1.47 ± 4.63 [-0.80 [-3.00—0.70]]	1.37149E-25
Post-personalization final weight loss (%)	N/A	-6.03 ± 6.66 [-4.75 [-10.08—1.21]]	-7.82 ± 6.55 [-7.07 [-12.09—2.78]]	-5.72 ± 6.07 [-4.38 [-8.84—1.48]]	-1.83 ± 6.02 [-1.03 [-3.92—0.86]]	1.06412E-24
Post-personalization final weight loss rate (kg/d)	N/A	-0.06 ± 0.09 [-0.05 [-0.09—0.02]]	-0.08 ± 0.07 [-0.07 [-0.11—0.04]]	-0.06 ± 0.12 [-0.04 [-0.08—0.02]]	-0.02 ± 0.06 [-0.01 [-0.05—0.01]]	1.30255E-27
Post-personalization final weight loss rate (%/d)	N/A	-0.08 ± 0.11 [-0.07 [-0.11—0.02]]	-0.10 ± 0.08 [-0.09 [-0.13—0.05]]	-0.08 ± 0.14 [-0.06 [-0.11—0.02]]	-0.02 ± 0.08 [-0.02 [-0.06—0.01]]	3.83585E-26
Additional baseline-relative final weight loss (%)	N/A	-5.56 ± 6.10 [-4.40 [-9.07—1.13]]	-7.34 ± 6.13 [-6.67	-5.19 ± 5.51 [-4.02 [-8.04—1.31]]	-1.52 ± 4.93 [-0.89 [-3.36—0.72]]	1.30255E-27


			[-11.43--2.66]]			
Post-personalization 30-day weight loss (kg)	N/A	-3.06 ± 2.15 [-3.10 [-4.40--1.60]]	-3.71 ± 1.95 [-3.80 [-4.80--2.60]]	-2.90 ± 2.12 [-2.70 [-4.20--1.43]]	-1.39 ± 1.85 [-1.25 [-2.63--0.00]]	3.24376E-23
Post-personalization 30-day weight loss (%)	N/A	-3.77 ± 2.44 [-4.07 [-5.58--2.14]]	-4.52 ± 2.12 [-4.73 [-6.04--3.38]]	-3.60 ± 2.33 [-3.83 [-5.27--2.03]]	-1.81 ± 2.46 [-1.60 [-3.41--0.00]]	2.49708E-22
Post-personalization 30-day weight loss rate (%/d)	N/A	-0.13 ± 0.08 [-0.14 [-0.19--0.07]]	-0.15 ± 0.07 [-0.16 [-0.20--0.11]]	-0.12 ± 0.08 [-0.13 [-0.18--0.07]]	-0.06 ± 0.08 [-0.05 [-0.11--0.00]]	1.01388E-22
Additional baseline-relative 30-day weight loss (%)	N/A	-3.46 ± 2.24 [-3.74 [-5.14--1.90]]	-4.23 ± 1.98 [-4.44 [-5.66--3.17]]	-3.25 ± 2.11 [-3.54 [-4.79--1.86]]	-1.50 ± 2.00 [-1.40 [-2.97--0.00]]	3.08135E-28
Post-personalization 60-day weight loss (kg)	N/A	-5.34 ± 3.60 [-5.35 [-7.67--2.90]]	-6.50 ± 3.41 [-6.40 [-8.70--4.30]]	-4.85 ± 3.38 [-4.80 [-6.70--2.40]]	-2.55 ± 2.89 [-2.40 [-4.80--0.53]]	1.80323E-19
Post-personalization 60-day weight loss (%)	N/A	-6.52 ± 3.99 [-7.05 [-9.38--3.91]]	-7.82 ± 3.58 [-7.98 [-10.21--5.95]]	-5.99 ± 3.72 [-6.10 [-8.67--3.15]]	-3.33 ± 3.83 [-3.20 [-6.25--0.83]]	8.23119E-19
Post-personalization 60-day weight loss rate (%/d)	N/A	-0.11 ± 0.07 [-0.12 [-0.16--0.07]]	-0.13 ± 0.06 [-0.13 [-0.17--0.10]]	-0.10 ± 0.06 [-0.10 [-0.15--0.05]]	-0.06 ± 0.07 [-0.05 [-0.10--0.01]]	2.09751E-18

Additional baseline-relative 60-day weight loss (%)	N/A	-5.99 ± 3.68 [-6.30 [-8.58--3.46]]	-7.33 ± 3.33 [-7.54 [-9.55--5.62]]	-5.41 ± 3.37 [-5.62 [-7.82--2.93]]	-2.74 ± 3.11 [-2.79 [-5.19--0.70]]	7.86808E-24
Post-personalization 90-day weight loss (kg)	N/A	-6.86 ± 5.12 [-6.80 [-10.10--3.20]]	-8.38 ± 4.72 [-8.60 [-10.90--5.80]]]	-6.55 ± 4.82 [-5.80 [-9.30--3.25]]	-2.75 ± 4.58 [-1.70 [-7.10--0.23]]	2.89022E-14
Post-personalization 90-day weight loss (%)	N/A	-8.25 ± 5.66 [-8.87 [-12.32--4.54]]	-9.90 ± 4.93 [-10.08 [-13.29--7.39]]]	-8.04 ± 5.18 [-7.95 [-11.36--4.56]]	-3.51 ± 6.09 [-2.44 [-8.29--0.31]]	9.53528E-13
Post-personalization 90-day weight loss rate (%/d)	N/A	-0.09 ± 0.06 [-0.10 [-0.14--0.05]]	-0.11 ± 0.05 [-0.11 [-0.15--0.09]]	-0.09 ± 0.06 [-0.09 [-0.13--0.05]]	-0.04 ± 0.07 [-0.03 [-0.10--0.00]]	1.69254E-12
Additional baseline-relative 90-day weight loss (%)	N/A	-7.57 ± 5.21 [-8.10 [-11.31--4.07]]	-9.28 ± 4.61 [-9.44 [-12.45--7.01]]	-7.28 ± 4.70 [-7.29 [-10.29--4.15]]	-2.84 ± 5.00 [-2.12 [-7.14--0.23]]	3.04973E-16


SECTION 2 - SUMMARY FIGURES

The following figures reflect key insights from the summary table.


1. Alluvial plot with key adherence and weight loss outcomes across groups, with outcomes being 120-day adherence and 10% weight loss achievement.




2. Kaplan-Meier plots of total adherence and weight loss speed across groups. The late personalization group's adherence significantly differs from that of other groups. Weight loss speed differences have a tendency towards but do not cross the significance threshold.



3. Violin plots of 120 day weight loss across groups with violin width representing adherence at 120 days. While weight loss is roughly equal across groups, adherence is increased with later personalization, likely reflecting initial immortal time bias.




4. Whole intervention weight change trajectories of personalized patients, with median genomics purchase and results dates indicated on trajectories.




Supplement to previous figure: self-measurements before and after personalization across cohorts.


Patient-level measurement timing around personalization (start-to-finish)



- Post-personalization weight change trajectories across personalized patients. Left: raw trajectories. Right: adjusted trajectories for age, sex, baseline BMI and country in a linear mixed model.




6. Post-personalization adherence across personalized patients.



SECTION 3 - QUASI-MECHANISTIC MODELS

7. Whole intervention weight change trajectories compared between cases and controls with a comparable pre-personalization trajectory matched individually to each case. Median personalization start time is mapped to each cohort's trajectories. *NOTE: matching is currently imperfect, especially in the late cohort, to be fine-tuned.*



Summary statistics of the above analysis:

N total: 832 pairs after excluding unmatched pairs

Outcome Summary: All patients

outcome	n_pairs	treated_mean	control_mean	diff_mean	wilcoxon_p
---------	---------	--------------	--------------	-----------	------------

Final weight loss (%)	823	6.328	5.910	0.419	0.056
Final weight loss (kg)	823	5.127	4.801	0.326	0.067
30-day weight loss (%)	525	3.957	3.923	0.034	0.759
60-day weight loss (%)	319	7.005	6.542	0.463	0.098

Outcome Summary: 1st month patients (n=406)

	outcome	n_pairs	treated_mean	control_mean	diff_mean	wilcoxon_p
Final weight loss (%)	406	7.879	7.041	0.838	0.017	
Final weight loss (kg)	406	6.484	5.865	0.620	0.026	
30-day weight loss (%)	278	4.700	4.509	0.191	0.572	
60-day weight loss (%)	166	8.217	7.556	0.660	0.053	


Outcome Summary: 2nd month patients (n=286)

	outcome	n_pairs	treated_mean	control_mean	diff_mean	wilcoxon_p
Final weight loss (%)	286	5.785	5.782	0.003	0.856	
Final weight loss (kg)	286	4.607	4.560	0.047	0.866	
30-day weight loss (%)	186	3.553	3.614	-0.061	0.486	
60-day weight loss (%)	112	6.282	5.966	0.316	0.587	

Outcome Summary: Late patients (n=140)

	outcome	n_pairs	treated_mean	control_mean	diff_mean	wilcoxon_p
Final weight loss (%)	131	2.707	2.682	0.025	0.980	
Final weight loss (kg)	131	2.057	2.031	0.027	0.981	
30-day weight loss (%)	61	1.805	2.194	-0.388	0.367	
60-day weight loss (%)	41	4.077	4.010	0.067	0.908	

8. Impact on personalization reception on self-monitoring trends. Self-monitoring (total number of measurements per day across all patients) does not substantially increase after personalization.



9. *PRELIMINAR*: Association of pre-personalization measurement frequencies with personalization: do patients with more intense initial self-monitoring as a proxy for adherence tend to opt in to genetics more? *Although this is a quick preliminary test which was not revised thoroughly yet, it suggests that patients who eventually opt in for personalization, even if they do it later, do not show a more intense self-monitoring behavior, but the opposite. This is a possible argument against self-selection bias risk of highly motivated patients, although more on a proxy and not on a mechanistic level.*

ALL PATIENTS

Outcome Summary:							
	outcome	n_pairs	treated_mean	control_mean	diff_mean	diff_median	wilcoxon_p
Pre-landmark measurement count		921	13.682	20.490	-6.808	-4.000	0.000
Pre-landmark measurement rate per 30d		918	10.174	15.246	-5.072	-3.251	0.000
Pre-landmark unique measurement days		921	12.935	18.866	-5.932	-3.000	0.000

LATE PATIENTS ONLY

Outcome Summary:							
	outcome	n_pairs	treated_mean	control_mean	diff_mean	diff_median	wilcoxon_p
Pre-landmark measurement count		111	22.297	33.640	-11.342	-4.000	0.000
Pre-landmark measurement rate per 30d		110	8.879	13.296	-4.417	-2.565	0.000
Pre-landmark unique measurement days		111	21.027	31.847	-10.820	-4.000	0.000