

Fawn



- Task 1 What does the 3-letter acronym FTP stand for? File Transfer Protocol
- Task 2 Which port does the FTP service listen on usually? 21
- Task 3 FTP sends data in the clear, without any encryption. What acronym is used for a later protocol designed to provide similar functionality to FTP but securely, as an extension of the SSH protocol? SFTP
- Task 4 What is the command we can use to send an ICMP echo request to test our connection to the target? Ping
- Task 5 From your scans, what version is FTP running on the target? vsftpd 3.0.3
- Task 6 From your scans, what OS type is running on the target? Unix
- Task 7 What is the command we need to run in order to display the 'ftp' client help menu? ftp-?
- Task 8 What is username that is used over FTP when you want to log in without having an account? Anonymous
- Task 9 What is the response code we get for the FTP message 'Login successful'? 230
- Task 10 Hint There are a couple of commands we can use to list the files and directories available on the FTP server. One is dir. What is the other that is a common way to list files on a Linux system. ls
- Task 11 What is the command used to download the file we found on the FTP server? Get
- Submit Flag

Se realiza un escaneo completo:

- **sudo** → permisos de admin (necesario para escaneo SYN)
- **-sS** → SYN scan (rápido y sigiloso)
- **-Pn** → no hace ping antes (asume que el host está activo)
- **-sV** → detecta versión del servicio (ej: FTP, SSH versión exacta)

- **--min-rate 5000** → fuerza velocidad alta (mínimo 5000 paquetes/seg)

```
(camila@DESKTOPE2)~[~/HTB]
$ sudo nmap -sS -Pn -sV --min-rate 5000 10.129.112.10
Starting Nmap 7.95 ( https://nmap.org ) at 2026-05-04 16:33 -05
Nmap scan report for 10.129.112.10
Host is up (0.18s latency).
Not shown: 999 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
21/tcp    open  ftp      vsftpd 3.0.3
Service Info: OS: Unix

Service detection performed. Please report any incorrect results at https://nmap.org/submit/
Nmap done: 1 IP address (1 host up) scanned in 1.33 seconds
```

```
(camila@DESKTOPE2)~[~/HTB]
$ ftp 10.129.112.10 → Conexión por ftp con la IP
Connected to 10.129.112.10.
220 (vsFTPD 3.0.3)
Name (10.129.112.10:camila): anonymous → Usuario por defecto
331 Please specify the password.
Password: → Sin usuario debido a que el usuario por defecto es suficiente
230 Login successful.
Remote system type is UNIX.
Using binary mode to transfer files.
ftp> ls → Listar los archivos
229 Entering Extended Passive Mode (|||31860|)
150 Here comes the directory listing.
-rw-r--r-- 1 0 0 32 Jun 04 2021 flag.txt
226 Directory send OK.
ftp> get flag.txt → Obtener archivo
local: flag.txt remote: flag.txt
229 Entering Extended Passive Mode (|||25018|)
150 Opening BINARY mode data connection for flag.txt (32 bytes).
100% |*****| 32 309.40 KiB/s 00:00 ETA
226 Transfer complete.
32 bytes received in 00:00 (0.17 KiB/s)
ftp> bye → Salir de ftp
221 Goodbye.
```

Leer flag con cat

```
(camila@DESKTOPE2)~[~/HTB]
$ ls
flag.txt  miau

(camila@DESKTOPE2)~[~/HTB]
$ cat flag.txt
035db21c881520061c53e0536e44f815
```