Codata

0.2.1

Generated by Doxygen 1.9.1

Chapter 1

Introduction

codata is a (Modern) Fortran library providing the codata constants 2010, 2014 and 2018. It also provides a API for the C language. The raw codata from http://physics.nist.gov/constants are parsed line by line where the columns name, value, uncertainty and unit are formatted to be conform to Fortran double precision. The formatted (as strings) names, values, uncertainties and units are then inserted in a derived type in the generated Fortran module. The latter are then inserted into an array.

The generated Fortran module is then compiled (f2008+) into a shared and a static library libcodata with the Fortran and C headers. The static and shared libraries can be installed in order to be included in Fortran or C programs.

The compilation was tested on Linux (Debian), MacOS, Windows.

The sources are available on github. The online documentation is available here. A pdf version of the documentation can be found here.

1.1 Installation

See the file INSTALL.

1.2 Dependencies

See the file REQUIREMENTS.

1.3 License information

See the file LICENSE.

Chapter 2

Codata 0.1.0 Release Note

2.1 Changes

Implementation of:

- the parser of the codata raw data
- the generator of the Fortran modules
- the C API and C header
- the python wrapper (will be moved to its repository next release).

2.2 Download

Codata Releases

2.3 Contributors

Milan Skocic

2.4 Commits

Full Changelog: https://github.com/MilanSkocic/codata/compare/....0.1.0

Chapter 3

Codata 0.2.0 Release Note

3.1 Changes

- Bug fixes for the codata 2010.
- Bug fixes in the tests linked to the codata 2010.
- Add python wrapper for the number of constants method.

3.2 Download

Codata Releases

3.3 Contributors

Milan Skocic

3.4 Commits

Full Changelog: https://github.com/MilanSkocic/codata/compare/0.1.0...0.2.0

Chapter 4

Codata 0.2.1 Release Note

4.1 Changes

- Integration of Intel Fortran compiler and MSVC in cmake scripts.
- Add specifications and instructions for compiling on Windows

4.2 Download

Codata Releases

4.3 Contributors

Milan Skocic

4.4 Commits

Full Changelog: https://github.com/MilanSkocic/codata/compare/0.2.0...0.2.1

Chapter 5

install

Cmake is necessary for compiling and instaling the library.

5.1 Create build directory

- mkdir build
- cd build

5.2 Generate a makefile

- On Unix-like OS: `cmake -G "Unix Makefiles" -S .. -DCMAKE_BUILD_TYPE=release -DCMAKE_INSTALL_PREFIX=/path/to/folder`
- On windows with MSYS2: `cmake -G "Unix Makefiles" -S .. -DCMAKE_BUILD_TYPE=release -DCMAKE_INSTALL_PREFIX=/path/to/folder`
- On windows with ifort and msvc: `cmake -G "NMake Makefiles" -S .. -DCMAKE_BUILD_TYPE=release -DCMAKE_INSTALL_PREFIX=/path/to/folder`

5.3 Build either with cmake

```
cmake --build .
```

5.4 Run tests

```
ctest
```

5.5 Install

```
cmake --install .
```

5.6 Dependencies

On windows when compiled with Intel Fortran compiler, the `Intel Fortran redistributable` must be installed.

Chapter 6

license

GNU GENERAL PUBLIC LICENSE Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. https://fsf.org/ Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program–to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

1. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

1. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

1. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

1. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

```
a) The work must carry prominent notices stating that you modified
it, and giving a relevant date.

b) The work must carry prominent notices stating that it is
released under this License and any conditions added under section
7.  This requirement modifies the requirement in section 4 to
"keep intact all notices".

c) You must license the entire work, as a whole, under this
License to anyone who comes into possession of a copy.  This
License will therefore apply, along with any applicable section 7
additional terms, to the whole of the work, and all its parts,
regardless of how they are packaged.  This License gives no
permission to license the work in any other way, but it does not
invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display
Appropriate Legal Notices; however, if the Program has interactive
interfaces that do not display Appropriate Legal Notices, your
work need not make them do so.
```

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

1. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

```
a) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by the
Corresponding Source fixed on a durable physical medium
customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by a
written offer, valid for at least three years and valid for as
long as you offer spare parts or customer support for that product
model, to give anyone who possesses the object code either (1) a
copy of the Corresponding Source for all the software in the
product that is covered by this License, on a durable physical
medium customarily used for software interchange, for a price no
more than your reasonable cost of physically performing this
conveying of source, or (2) access to copy the
Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the
written offer to provide the Corresponding Source.  This
alternative is allowed only occasionally and noncommercially, and
only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge.  You need not require recipients to copy the
Corresponding Source along with the object code.  If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the
Corresponding Source.  Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.
```

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

1. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

```
a) Disclaiming warranty or limiting liability differently from the
terms of sections 15 and 16 of this License; or

b) Requiring preservation of specified reasonable legal notices or
author attributions in that material or in the Appropriate Legal
Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or
requiring that modified versions of such material be marked in
reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or
authors of the material; or

e) Declining to grant rights under trademark law for use of some
trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that
material by anyone who conveys the material (or modified versions of
it) with contractual assumptions of liability to the recipient, for
any liability that these contractual assumptions directly impose on
those licensors and authors.
```

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

1. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

1. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

1. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

1. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

1. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

1. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

1. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

1. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

1. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

1. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year>  <name of author>

This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program.  If not, see <https://www.gnu.org/licenses/>.
```

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program>  Copyright (C) <year>  <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type 'show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type 'show c' for details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see https://www.gnu.org/licenses/.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read https://www.gnu.org/licenses/why-not-lgpl.html.

Chapter 7

Codata Raw Data

The raw data that are processed for generating the C and Fortran source codes are the followings:

7.1 2018

```
            Fundamental Physical Constants --- Complete Listing
            2018 CODATA adjustment
  From:  http://physics.nist.gov/constants
  Quantity                                                  Value                 Uncertainty
       Unit
-------------------------------------------------------------------------------------------------------------------------------
alpha particle-electron mass ratio                          7294.299 541 42       0.000 000 24

alpha particle mass                                         6.644 657 3357 e-27   0.000 000 0020 e-27
        kg
alpha particle mass energy equivalent                       5.971 920 1914 e-10   0.000 000 0018 e-10
        J
alpha particle mass energy equivalent in MeV                3727.379 4066         0.000 0011
        MeV
alpha particle mass in u                                    4.001 506 179 127     0.000 000 000 063
        u
alpha particle molar mass                                   4.001 506 1777 e-3    0.000 000 0012 e-3
        kg mol^-1
alpha particle-proton mass ratio                            3.972 599 690 09      0.000 000 000 22

alpha particle relative atomic mass                         4.001 506 179 127     0.000 000 000 063

Angstrom star                                               1.000 014 95 e-10     0.000 000 90 e-10
        m
atomic mass constant                                        1.660 539 066 60 e-27 0.000 000 000 50 e-27
        kg
atomic mass constant energy equivalent                      1.492 418 085 60 e-10 0.000 000 000 45 e-10
        J
atomic mass constant energy equivalent in MeV               931.494 102 42        0.000 000 28
        MeV
atomic mass unit-electron volt relationship                 9.314 941 0242 e8     0.000 000 0028 e8
        eV
atomic mass unit-hartree relationship                       3.423 177 6874 e7     0.000 000 0010 e7
        E_h
atomic mass unit-hertz relationship                         2.252 342 718 71 e23  0.000 000 000 68 e23
        Hz
atomic mass unit-inverse meter relationship                 7.513 006 6104 e14    0.000 000 0023 e14
        m^-1
atomic mass unit-joule relationship                         1.492 418 085 60 e-10 0.000 000 000 45 e-10
        J
atomic mass unit-kelvin relationship                        1.080 954 019 16 e13  0.000 000 000 33 e13
        K
atomic mass unit-kilogram relationship                      1.660 539 066 60 e-27 0.000 000 000 50 e-27
        kg
atomic unit of 1st hyperpolarizability                      3.206 361 3061 e-53   0.000 000 0015 e-53
        C^3 m^3 J^-2
atomic unit of 2nd hyperpolarizability                      6.235 379 9905 e-65   0.000 000 0038 e-65
        C^4 m^4 J^-3
atomic unit of action                                       1.054 571 817... e-34 (exact)
        J s
atomic unit of charge                                       1.602 176 634 e-19    (exact)
        C
```

```
atomic unit of charge density                          1.081 202 384 57 e12     0.000 000 000 49 e12
        C m^-3
atomic unit of current                                 6.623 618 237 510 e-3    0.000 000 000 013 e-3
        A
atomic unit of electric dipole mom.                    8.478 353 6255 e-30      0.000 000 0013 e-30
        C m
atomic unit of electric field                          5.142 206 747 63 e11     0.000 000 000 78 e11
        V m^-1
atomic unit of electric field gradient                 9.717 362 4292 e21       0.000 000 0029 e21
        V m^-2
atomic unit of electric polarizability                 1.648 777 274 36 e-41    0.000 000 000 50 e-41
        C^2 m^2 J^-1
atomic unit of electric potential                      27.211 386 245 988       0.000 000 000 053
        V
atomic unit of electric quadrupole mom.                4.486 551 5246 e-40      0.000 000 0014 e-40
        C m^2
atomic unit of energy                                  4.359 744 722 2071 e-18  0.000 000 000 0085 e-18
        J
atomic unit of force                                   8.238 723 4983 e-8       0.000 000 0012 e-8
        N
atomic unit of length                                  5.291 772 109 03 e-11    0.000 000 000 80 e-11
        m
atomic unit of mag. dipole mom.                        1.854 802 015 66 e-23    0.000 000 000 56 e-23
        J T^-1
atomic unit of mag. flux density                       2.350 517 567 58 e5      0.000 000 000 71 e5
        T
atomic unit of magnetizability                         7.891 036 6008 e-29      0.000 000 0048 e-29
        J T^-2
atomic unit of mass                                    9.109 383 7015 e-31      0.000 000 0028 e-31
        kg
atomic unit of momentum                                1.992 851 914 10 e-24    0.000 000 000 30 e-24
        kg m s^-1
atomic unit of permittivity                            1.112 650 055 45 e-10    0.000 000 000 17 e-10
        F m^-1
atomic unit of time                                    2.418 884 326 5857 e-17  0.000 000 000 0047 e-17
        s
atomic unit of velocity                                2.187 691 263 64 e6      0.000 000 000 33 e6
        m s^-1
Avogadro constant                                      6.022 140 76 e23         (exact)
        mol^-1
Bohr magneton                                          9.274 010 0783 e-24      0.000 000 0028 e-24
        J T^-1
Bohr magneton in eV/T                                  5.788 381 8060 e-5       0.000 000 0017 e-5
        eV T^-1
Bohr magneton in Hz/T                                  1.399 624 493 61 e10     0.000 000 000 42 e10
        Hz T^-1
Bohr magneton in inverse meter per tesla               46.686 447 783           0.000 000 014
        m^-1 T^-1
Bohr magneton in K/T                                   0.671 713 815 63         0.000 000 000 20
        K T^-1
Bohr radius                                            5.291 772 109 03 e-11    0.000 000 000 80 e-11
        m
Boltzmann constant                                     1.380 649 e-23           (exact)
        J K^-1
Boltzmann constant in eV/K                             8.617 333 262... e-5     (exact)
        eV K^-1
Boltzmann constant in Hz/K                             2.083 661 912... e10     (exact)
        Hz K^-1
Boltzmann constant in inverse meter per kelvin         69.503 480 04...         (exact)
        m^-1 K^-1
characteristic impedance of vacuum                     376.730 313 668          0.000 000 057
        ohm
classical electron radius                              2.817 940 3262 e-15      0.000 000 0013 e-15
        m
Compton wavelength                                     2.426 310 238 67 e-12    0.000 000 000 73 e-12
        m
conductance quantum                                    7.748 091 729... e-5     (exact)
        S
conventional value of ampere-90                        1.000 000 088 87...      (exact)
        A
conventional value of coulomb-90                       1.000 000 088 87...      (exact)
        C
conventional value of farad-90                         0.999 999 982 20...      (exact)
        F
conventional value of henry-90                         1.000 000 017 79...      (exact)
        H
conventional value of Josephson constant               483 597.9 e9             (exact)
        Hz V^-1
conventional value of ohm-90                           1.000 000 017 79...      (exact)
        ohm
conventional value of volt-90                          1.000 000 106 66...      (exact)
        V
conventional value of von Klitzing constant            25 812.807               (exact)
        ohm
conventional value of watt-90                          1.000 000 195 53...      (exact)
        W
Copper x unit                                          1.002 076 97 e-13        0.000 000 28 e-13
```

m		
deuteron-electron mag. mom. ratio	-4.664 345 551 e-4	0.000 000 012 e-4
deuteron-electron mass ratio	3670.482 967 88	0.000 000 13
deuteron g factor	0.857 438 2338	0.000 000 0022
deuteron mag. mom.	4.330 735 094 e-27	0.000 000 011 e-27
J T^-1		
deuteron mag. mom. to Bohr magneton ratio	4.669 754 570 e-4	0.000 000 012 e-4
deuteron mag. mom. to nuclear magneton ratio	0.857 438 2338	0.000 000 0022
deuteron mass	3.343 583 7724 e-27	0.000 000 0010 e-27
kg		
deuteron mass energy equivalent	3.005 063 231 02 e-10	0.000 000 000 91 e-10
J		
deuteron mass energy equivalent in MeV	1875.612 942 57	0.000 000 57
MeV		
deuteron mass in u	2.013 553 212 745	0.000 000 000 040
u		
deuteron molar mass	2.013 553 212 05 e-3	0.000 000 000 61 e-3
kg mol^-1		
deuteron-neutron mag. mom. ratio	-0.448 206 53	0.000 000 11
deuteron-proton mag. mom. ratio	0.307 012 209 39	0.000 000 000 79
deuteron-proton mass ratio	1.999 007 501 39	0.000 000 000 11
deuteron relative atomic mass	2.013 553 212 745	0.000 000 000 040
deuteron rms charge radius	2.127 99 e-15	0.000 74 e-15
m		
electron charge to mass quotient	-1.758 820 010 76 e11	0.000 000 000 53 e11
C kg^-1		
electron-deuteron mag. mom. ratio	-2143.923 4915	0.000 0056
electron-deuteron mass ratio	2.724 437 107 462 e-4	0.000 000 000 096 e-4
electron g factor	-2.002 319 304 362 56	0.000 000 000 000 35
electron gyromag. ratio	1.760 859 630 23 e11	0.000 000 000 53 e11
s^-1 T^-1		
electron gyromag. ratio in MHz/T	28 024.951 4242	0.000 0085
MHz T^-1		
electron-helion mass ratio	1.819 543 074 573 e-4	0.000 000 000 079 e-4
electron mag. mom.	-9.284 764 7043 e-24	0.000 000 0028 e-24
J T^-1		
electron mag. mom. anomaly	1.159 652 181 28 e-3	0.000 000 000 18 e-3
electron mag. mom. to Bohr magneton ratio	-1.001 159 652 181 28	0.000 000 000 000 18
electron mag. mom. to nuclear magneton ratio	-1838.281 971 88	0.000 000 11
electron mass	9.109 383 7015 e-31	0.000 000 0028 e-31
kg		
electron mass energy equivalent	8.187 105 7769 e-14	0.000 000 0025 e-14
J		
electron mass energy equivalent in MeV	0.510 998 950 00	0.000 000 000 15
MeV		
electron mass in u	5.485 799 090 65 e-4	0.000 000 000 16 e-4
u		
electron molar mass	5.485 799 0888 e-7	0.000 000 0017 e-7
kg mol^-1		
electron-muon mag. mom. ratio	206.766 9883	0.000 0046
electron-muon mass ratio	4.836 331 69 e-3	0.000 000 11 e-3
electron-neutron mag. mom. ratio	960.920 50	0.000 23
electron-neutron mass ratio	5.438 673 4424 e-4	0.000 000 0026 e-4
electron-proton mag. mom. ratio	-658.210 687 89	0.000 000 20
electron-proton mass ratio	5.446 170 214 87 e-4	0.000 000 000 33 e-4
electron relative atomic mass	5.485 799 090 65 e-4	0.000 000 000 16 e-4
electron-tau mass ratio	2.875 85 e-4	0.000 19 e-4
electron to alpha particle mass ratio	1.370 933 554 787 e-4	0.000 000 000 045 e-4
electron to shielded helion mag. mom. ratio	864.058 257	0.000 010
electron to shielded proton mag. mom. ratio	-658.227 5971	0.000 0072

electron-triton mass ratio	1.819 200 062 251 e-4	0.000 000 000 090 e-4
electron volt	1.602 176 634 e-19	(exact)
J		
electron volt-atomic mass unit relationship	1.073 544 102 33 e-9	0.000 000 000 32 e-9
u		
electron volt-hartree relationship	3.674 932 217 5655 e-2	0.000 000 000 0071 e-2
E_h		
electron volt-hertz relationship	2.417 989 242... e14	(exact)
Hz		
electron volt-inverse meter relationship	8.065 543 937... e5	(exact)
m^-1		
electron volt-joule relationship	1.602 176 634 e-19	(exact)
J		
electron volt-kelvin relationship	1.160 451 812... e4	(exact)
K		
electron volt-kilogram relationship	1.782 661 921... e-36	(exact)
kg		
elementary charge	1.602 176 634 e-19	(exact)
C		
elementary charge over h-bar	1.519 267 447... e15	(exact)
A J^-1		
Faraday constant	96 485.332 12...	(exact)
C mol^-1		
Fermi coupling constant	1.166 3787 e-5	0.000 0006 e-5
GeV^-2		
fine-structure constant	7.297 352 5693 e-3	0.000 000 0011 e-3
first radiation constant	3.741 771 852... e-16	(exact)
W m^2		
first radiation constant for spectral radiance	1.191 042 972... e-16	(exact)
W m^2 sr^-1		
hartree-atomic mass unit relationship	2.921 262 322 05 e-8	0.000 000 000 88 e-8
u		
hartree-electron volt relationship	27.211 386 245 988	0.000 000 000 053
eV		
Hartree energy	4.359 744 722 2071 e-18	0.000 000 000 0085 e-18
J		
Hartree energy in eV	27.211 386 245 988	0.000 000 000 053
eV		
hartree-hertz relationship	6.579 683 920 502 e15	0.000 000 000 013 e15
Hz		
hartree-inverse meter relationship	2.194 746 313 6320 e7	0.000 000 000 0043 e7
m^-1		
hartree-joule relationship	4.359 744 722 2071 e-18	0.000 000 000 0085 e-18
J		
hartree-kelvin relationship	3.157 750 248 0407 e5	0.000 000 000 0061 e5
K		
hartree-kilogram relationship	4.850 870 209 5432 e-35	0.000 000 000 0094 e-35
kg		
helion-electron mass ratio	5495.885 280 07	0.000 000 24
helion g factor	-4.255 250 615	0.000 000 050
helion mag. mom.	-1.074 617 532 e-26	0.000 000 013 e-26
J T^-1		
helion mag. mom. to Bohr magneton ratio	-1.158 740 958 e-3	0.000 000 014 e-3
helion mag. mom. to nuclear magneton ratio	-2.127 625 307	0.000 000 025
helion mass	5.006 412 7796 e-27	0.000 000 0015 e-27
kg		
helion mass energy equivalent	4.499 539 4125 e-10	0.000 000 0014 e-10
J		
helion mass energy equivalent in MeV	2808.391 607 43	0.000 000 85
MeV		
helion mass in u	3.014 932 247 175	0.000 000 000 097
u		
helion molar mass	3.014 932 246 13 e-3	0.000 000 000 91 e-3
kg mol^-1		
helion-proton mass ratio	2.993 152 671 67	0.000 000 000 13
helion relative atomic mass	3.014 932 247 175	0.000 000 000 097
helion shielding shift	5.996 743 e-5	0.000 010 e-5
hertz-atomic mass unit relationship	4.439 821 6652 e-24	0.000 000 0013 e-24
u		
hertz-electron volt relationship	4.135 667 696... e-15	(exact)
eV		
hertz-hartree relationship	1.519 829 846 0570 e-16	0.000 000 000 0029 e-16
E_h		
hertz-inverse meter relationship	3.335 640 951... e-9	(exact)
m^-1		
hertz-joule relationship	6.626 070 15 e-34	(exact)
J		
hertz-kelvin relationship	4.799 243 073... e-11	(exact)

	K		
hertz-kilogram relationship		7.372 497 323... e-51	(exact)
	kg		
hyperfine transition frequency of Cs-133		9 192 631 770	(exact)
	Hz		
inverse fine-structure constant		137.035 999 084	0.000 000 021
inverse meter-atomic mass unit relationship		1.331 025 050 10 e-15	0.000 000 000 40 e-15
	u		
inverse meter-electron volt relationship		1.239 841 984... e-6	(exact)
	eV		
inverse meter-hartree relationship		4.556 335 252 9120 e-8	0.000 000 000 0088 e-8
	E_h		
inverse meter-hertz relationship		299 792 458	(exact)
	Hz		
inverse meter-joule relationship		1.986 445 857... e-25	(exact)
	J		
inverse meter-kelvin relationship		1.438 776 877... e-2	(exact)
	K		
inverse meter-kilogram relationship		2.210 219 094... e-42	(exact)
	kg		
inverse of conductance quantum		12 906.403 72...	(exact)
	ohm		
Josephson constant		483 597.848 4... e9	(exact)
	Hz V^-1		
joule-atomic mass unit relationship		6.700 535 2565 e9	0.000 000 0020 e9
	u		
joule-electron volt relationship		6.241 509 074... e18	(exact)
	eV		
joule-hartree relationship		2.293 712 278 3963 e17	0.000 000 000 0045 e17
	E_h		
joule-hertz relationship		1.509 190 179... e33	(exact)
	Hz		
joule-inverse meter relationship		5.034 116 567... e24	(exact)
	m^-1		
joule-kelvin relationship		7.242 970 516... e22	(exact)
	K		
joule-kilogram relationship		1.112 650 056... e-17	(exact)
	kg		
kelvin-atomic mass unit relationship		9.251 087 3014 e-14	0.000 000 0028 e-14
	u		
kelvin-electron volt relationship		8.617 333 262... e-5	(exact)
	eV		
kelvin-hartree relationship		3.166 811 563 4556 e-6	0.000 000 000 0061 e-6
	E_h		
kelvin-hertz relationship		2.083 661 912... e10	(exact)
	Hz		
kelvin-inverse meter relationship		69.503 480 04...	(exact)
	m^-1		
kelvin-joule relationship		1.380 649 e-23	(exact)
	J		
kelvin-kilogram relationship		1.536 179 187... e-40	(exact)
	kg		
kilogram-atomic mass unit relationship		6.022 140 7621 e26	0.000 000 0018 e26
	u		
kilogram-electron volt relationship		5.609 588 603... e35	(exact)
	eV		
kilogram-hartree relationship		2.061 485 788 7409 e34	0.000 000 000 0040 e34
	E_h		
kilogram-hertz relationship		1.356 392 489... e50	(exact)
	Hz		
kilogram-inverse meter relationship		4.524 438 335... e41	(exact)
	m^-1		
kilogram-joule relationship		8.987 551 787... e16	(exact)
	J		
kilogram-kelvin relationship		6.509 657 260... e39	(exact)
	K		
lattice parameter of silicon		5.431 020 511 e-10	0.000 000 089 e-10
	m		
lattice spacing of ideal Si (220)		1.920 155 716 e-10	0.000 000 032 e-10
	m		
Loschmidt constant (273.15 K, 100 kPa)		2.651 645 804... e25	(exact)
	m^-3		
Loschmidt constant (273.15 K, 101.325 kPa)		2.686 780 111... e25	(exact)
	m^-3		
luminous efficacy		683	(exact)
	lm W^-1		
mag. flux quantum		2.067 833 848... e-15	(exact)
	Wb		
molar gas constant		8.314 462 618...	(exact)
	J mol^-1 K^-1		
molar mass constant		0.999 999 999 65 e-3	0.000 000 000 30 e-3
	kg mol^-1		
molar mass of carbon-12		11.999 999 9958 e-3	0.000 000 0036 e-3
	kg mol^-1		
molar Planck constant		3.990 312 712... e-10	(exact)
	J Hz^-1 mol^-1		

molar volume of ideal gas (273.15 K, 100 kPa) m^3 mol^-1	22.710 954 64... e-3	(exact)
molar volume of ideal gas (273.15 K, 101.325 kPa) m^3 mol^-1	22.413 969 54... e-3	(exact)
molar volume of silicon m^3 mol^-1	1.205 883 199 e-5	0.000 000 060 e-5
Molybdenum x unit m	1.002 099 52 e-13	0.000 000 53 e-13
muon Compton wavelength m	1.173 444 110 e-14	0.000 000 026 e-14
muon-electron mass ratio	206.768 2830	0.000 0046
muon g factor	-2.002 331 8418	0.000 000 0013
muon mag. mom. J T^-1	-4.490 448 30 e-26	0.000 000 10 e-26
muon mag. mom. anomaly	1.165 920 89 e-3	0.000 000 63 e-3
muon mag. mom. to Bohr magneton ratio	-4.841 970 47 e-3	0.000 000 11 e-3
muon mag. mom. to nuclear magneton ratio	-8.890 597 03	0.000 000 20
muon mass kg	1.883 531 627 e-28	0.000 000 042 e-28
muon mass energy equivalent J	1.692 833 804 e-11	0.000 000 038 e-11
muon mass energy equivalent in MeV MeV	105.658 3755	0.000 0023
muon mass in u u	0.113 428 9259	0.000 000 0025
muon molar mass kg mol^-1	1.134 289 259 e-4	0.000 000 025 e-4
muon-neutron mass ratio	0.112 454 5170	0.000 000 0025
muon-proton mag. mom. ratio	-3.183 345 142	0.000 000 071
muon-proton mass ratio	0.112 609 5264	0.000 000 0025
muon-tau mass ratio	5.946 35 e-2	0.000 40 e-2
natural unit of action J s	1.054 571 817... e-34	(exact)
natural unit of action in eV s eV s	6.582 119 569... e-16	(exact)
natural unit of energy J	8.187 105 7769 e-14	0.000 000 0025 e-14
natural unit of energy in MeV MeV	0.510 998 950 00	0.000 000 000 15
natural unit of length m	3.861 592 6796 e-13	0.000 000 0012 e-13
natural unit of mass kg	9.109 383 7015 e-31	0.000 000 0028 e-31
natural unit of momentum kg m s^-1	2.730 924 530 75 e-22	0.000 000 000 82 e-22
natural unit of momentum in MeV/c MeV/c	0.510 998 950 00	0.000 000 000 15
natural unit of time s	1.288 088 668 19 e-21	0.000 000 000 39 e-21
natural unit of velocity m s^-1	299 792 458	(exact)
neutron Compton wavelength m	1.319 590 905 81 e-15	0.000 000 000 75 e-15
neutron-electron mag. mom. ratio	1.040 668 82 e-3	0.000 000 25 e-3
neutron-electron mass ratio	1838.683 661 73	0.000 000 89
neutron g factor	-3.826 085 45	0.000 000 90
neutron gyromag. ratio s^-1 T^-1	1.832 471 71 e8	0.000 000 43 e8
neutron gyromag. ratio in MHz/T MHz T^-1	29.164 6931	0.000 0069
neutron mag. mom. J T^-1	-9.662 3651 e-27	0.000 0023 e-27
neutron mag. mom. to Bohr magneton ratio	-1.041 875 63 e-3	0.000 000 25 e-3
neutron mag. mom. to nuclear magneton ratio	-1.913 042 73	0.000 000 45
neutron mass kg	1.674 927 498 04 e-27	0.000 000 000 95 e-27
neutron mass energy equivalent J	1.505 349 762 87 e-10	0.000 000 000 86 e-10
neutron mass energy equivalent in MeV MeV	939.565 420 52	0.000 000 54
neutron mass in u u	1.008 664 915 95	0.000 000 000 49
neutron molar mass	1.008 664 915 60 e-3	0.000 000 000 57 e-3

kg mol^-1		
neutron-muon mass ratio	8.892 484 06	0.000 000 20
neutron-proton mag. mom. ratio	-0.684 979 34	0.000 000 16
neutron-proton mass difference	2.305 574 35 e-30	0.000 000 82 e-30
kg		
neutron-proton mass difference energy equivalent	2.072 146 89 e-13	0.000 000 74 e-13
J		
neutron-proton mass difference energy equivalent in MeV	1.293 332 36	0.000 000 46
MeV		
neutron-proton mass difference in u	1.388 449 33 e-3	0.000 000 49 e-3
u		
neutron-proton mass ratio	1.001 378 419 31	0.000 000 000 49
neutron relative atomic mass	1.008 664 915 95	0.000 000 000 49
neutron-tau mass ratio	0.528 779	0.000 036
neutron to shielded proton mag. mom. ratio	-0.684 996 94	0.000 000 16
Newtonian constant of gravitation	6.674 30 e-11	0.000 15 e-11
m^3 kg^-1 s^-2		
Newtonian constant of gravitation over h-bar c	6.708 83 e-39	0.000 15 e-39
(GeV/c^2)^-2		
nuclear magneton	5.050 783 7461 e-27	0.000 000 0015 e-27
J T^-1		
nuclear magneton in eV/T	3.152 451 258 44 e-8	0.000 000 000 96 e-8
eV T^-1		
nuclear magneton in inverse meter per tesla	2.542 623 413 53 e-2	0.000 000 000 78 e-2
m^-1 T^-1		
nuclear magneton in K/T	3.658 267 7756 e-4	0.000 000 0011 e-4
K T^-1		
nuclear magneton in MHz/T	7.622 593 2291	0.000 000 0023
MHz T^-1		
Planck constant	6.626 070 15 e-34	(exact)
J Hz^-1		
Planck constant in eV/Hz	4.135 667 696... e-15	(exact)
eV Hz^-1		
Planck length	1.616 255 e-35	0.000 018 e-35
m		
Planck mass	2.176 434 e-8	0.000 024 e-8
kg		
Planck mass energy equivalent in GeV	1.220 890 e19	0.000 014 e19
GeV		
Planck temperature	1.416 784 e32	0.000 016 e32
K		
Planck time	5.391 247 e-44	0.000 060 e-44
s		
proton charge to mass quotient	9.578 833 1560 e7	0.000 000 0029 e7
C kg^-1		
proton Compton wavelength	1.321 409 855 39 e-15	0.000 000 000 40 e-15
m		
proton-electron mass ratio	1836.152 673 43	0.000 000 11
proton g factor	5.585 694 6893	0.000 000 0016
proton gyromag. ratio	2.675 221 8744 e8	0.000 000 0011 e8
s^-1 T^-1		
proton gyromag. ratio in MHz/T	42.577 478 518	0.000 000 018
MHz T^-1		
proton mag. mom.	1.410 606 797 36 e-26	0.000 000 000 60 e-26
J T^-1		
proton mag. mom. to Bohr magneton ratio	1.521 032 202 30 e-3	0.000 000 000 46 e-3
proton mag. mom. to nuclear magneton ratio	2.792 847 344 63	0.000 000 000 82
proton mag. shielding correction	2.5689 e-5	0.0011 e-5
proton mass	1.672 621 923 69 e-27	0.000 000 000 51 e-27
kg		
proton mass energy equivalent	1.503 277 615 98 e-10	0.000 000 000 46 e-10
J		
proton mass energy equivalent in MeV	938.272 088 16	0.000 000 29
MeV		
proton mass in u	1.007 276 466 621	0.000 000 000 053
u		
proton molar mass	1.007 276 466 27 e-3	0.000 000 000 31 e-3
kg mol^-1		
proton-muon mass ratio	8.880 243 37	0.000 000 20
proton-neutron mag. mom. ratio	-1.459 898 05	0.000 000 34
proton-neutron mass ratio	0.998 623 478 12	0.000 000 000 49
proton relative atomic mass	1.007 276 466 621	0.000 000 000 053

proton rms charge radius	8.414 e-16	0.019 e-16
m		
proton-tau mass ratio	0.528 051	0.000 036
quantum of circulation	3.636 947 5516 e-4	0.000 000 0011 e-4
m^2 s^-1		
quantum of circulation times 2	7.273 895 1032 e-4	0.000 000 0022 e-4
m^2 s^-1		
reduced Compton wavelength	3.861 592 6796 e-13	0.000 000 0012 e-13
m		
reduced muon Compton wavelength	1.867 594 306 e-15	0.000 000 042 e-15
m		
reduced neutron Compton wavelength	2.100 194 1552 e-16	0.000 000 0012 e-16
m		
reduced Planck constant	1.054 571 817... e-34	(exact)
J s		
reduced Planck constant in eV s	6.582 119 569... e-16	(exact)
eV s		
reduced Planck constant times c in MeV fm	197.326 980 4...	(exact)
MeV fm		
reduced proton Compton wavelength	2.103 089 103 36 e-16	0.000 000 000 64 e-16
m		
reduced tau Compton wavelength	1.110 538 e-16	0.000 075 e-16
m		
Rydberg constant	10 973 731.568 160	0.000 021
m^-1		
Rydberg constant times c in Hz	3.289 841 960 2508 e15	0.000 000 000 0064 e15
Hz		
Rydberg constant times hc in eV	13.605 693 122 994	0.000 000 000 026
eV		
Rydberg constant times hc in J	2.179 872 361 1035 e-18	0.000 000 000 0042 e-18
J		
Sackur-Tetrode constant (1 K, 100 kPa)	-1.151 707 537 06	0.000 000 000 45
Sackur-Tetrode constant (1 K, 101.325 kPa)	-1.164 870 523 58	0.000 000 000 45
second radiation constant	1.438 776 877... e-2	(exact)
m K		
shielded helion gyromag. ratio	2.037 894 569 e8	0.000 000 024 e8
s^-1 T^-1		
shielded helion gyromag. ratio in MHz/T	32.434 099 42	0.000 000 38
MHz T^-1		
shielded helion mag. mom.	-1.074 553 090 e-26	0.000 000 013 e-26
J T^-1		
shielded helion mag. mom. to Bohr magneton ratio	-1.158 671 471 e-3	0.000 000 014 e-3
shielded helion mag. mom. to nuclear magneton ratio	-2.127 497 719	0.000 000 025
shielded helion to proton mag. mom. ratio	-0.761 766 5618	0.000 000 0089
shielded helion to shielded proton mag. mom. ratio	-0.761 786 1313	0.000 000 0033
shielded proton gyromag. ratio	2.675 153 151 e8	0.000 000 029 e8
s^-1 T^-1		
shielded proton gyromag. ratio in MHz/T	42.576 384 74	0.000 000 46
MHz T^-1		
shielded proton mag. mom.	1.410 570 560 e-26	0.000 000 015 e-26
J T^-1		
shielded proton mag. mom. to Bohr magneton ratio	1.520 993 128 e-3	0.000 000 017 e-3
shielded proton mag. mom. to nuclear magneton ratio	2.792 775 599	0.000 000 030
shielding difference of d and p in HD	2.0200 e-8	0.0020 e-8
shielding difference of t and p in HT	2.4140 e-8	0.0020 e-8
speed of light in vacuum	299 792 458	(exact)
m s^-1		
standard acceleration of gravity	9.806 65	(exact)
m s^-2		
standard atmosphere	101 325	(exact)
Pa		
standard-state pressure	100 000	(exact)
Pa		
Stefan-Boltzmann constant	5.670 374 419... e-8	(exact)
W m^-2 K^-4		
tau Compton wavelength	6.977 71 e-16	0.000 47 e-16
m		
tau-electron mass ratio	3477.23	0.23
tau energy equivalent	1776.86	0.12
MeV		
tau mass	3.167 54 e-27	0.000 21 e-27
kg		
tau mass energy equivalent	2.846 84 e-10	0.000 19 e-10
J		
tau mass in u	1.907 54	0.000 13

```
        u
tau molar mass                                          1.907 54 e-3            0.000 13 e-3
        kg mol^-1
tau-muon mass ratio                                     16.8170                 0.0011

tau-neutron mass ratio                                  1.891 15                0.000 13

tau-proton mass ratio                                   1.893 76                0.000 13

Thomson cross section                                   6.652 458 7321 e-29     0.000 000 0060 e-29
        m^2
triton-electron mass ratio                              5496.921 535 73         0.000 000 27

triton g factor                                         5.957 924 931           0.000 000 012

triton mag. mom.                                        1.504 609 5202 e-26     0.000 000 0030 e-26
        J T^-1
triton mag. mom. to Bohr magneton ratio                 1.622 393 6651 e-3      0.000 000 0032 e-3

triton mag. mom. to nuclear magneton ratio              2.978 962 4656          0.000 000 0059

triton mass                                             5.007 356 7446 e-27     0.000 000 0015 e-27
        kg
triton mass energy equivalent                           4.500 387 8060 e-10     0.000 000 0014 e-10
        J
triton mass energy equivalent in MeV                    2808.921 132 98         0.000 000 85
        MeV
triton mass in u                                        3.015 500 716 21        0.000 000 000 12
        u
triton molar mass                                       3.015 500 715 17 e-3    0.000 000 000 92 e-3
        kg mol^-1
triton-proton mass ratio                                2.993 717 034 14        0.000 000 000 15

triton relative atomic mass                             3.015 500 716 21        0.000 000 000 12

triton to proton mag. mom. ratio                        1.066 639 9191          0.000 000 0021

unified atomic mass unit                                1.660 539 066 60 e-27   0.000 000 000 50 e-27
        kg
vacuum electric permittivity                            8.854 187 8128 e-12     0.000 000 0013 e-12
        F m^-1
vacuum mag. permeability                                1.256 637 062 12 e-6    0.000 000 000 19 e-6
        N A^-2
von Klitzing constant                                   25 812.807 45...        (exact)
        ohm
weak mixing angle                                       0.222 90                0.000 30

Wien frequency displacement law constant                5.878 925 757... e10    (exact)
        Hz K^-1
Wien wavelength displacement law constant               2.897 771 955... e-3    (exact)
        m K
W to Z mass ratio                                       0.881 53                0.000 17
```

7.2 2014

```
            2014 Fundamental Physical Constants --- Complete Listing
  From:  http://physics.nist.gov/constants
  Quantity                                                Value                 Uncertainty
       Unit
-------------------------------------------------------------------------------------------------------------------------------
{220} lattice spacing of silicon                        192.015 5714 e-12       0.000 0032 e-12
        m
alpha particle-electron mass ratio                      7294.299 541 36         0.000 000 24

alpha particle mass                                     6.644 657 230 e-27      0.000 000 082 e-27
        kg
alpha particle mass energy equivalent                   5.971 920 097 e-10      0.000 000 073 e-10
        J
alpha particle mass energy equivalent in MeV            3727.379 378            0.000 023
        MeV
alpha particle mass in u                                4.001 506 179 127       0.000 000 000 063
        u
alpha particle molar mass                               4.001 506 179 127 e-3   0.000 000 000 063 e-3
        kg mol^-1
alpha particle-proton mass ratio                        3.972 599 689 07        0.000 000 000 36

Angstrom star                                           1.000 014 95 e-10       0.000 000 90 e-10
        m
atomic mass constant                                    1.660 539 040 e-27      0.000 000 020 e-27
        kg
atomic mass constant energy equivalent                  1.492 418 062 e-10      0.000 000 018 e-10
        J
```

atomic mass constant energy equivalent in MeV MeV	931.494 0954	0.000 0057
atomic mass unit-electron volt relationship eV	931.494 0954 e6	0.000 0057 e6
atomic mass unit-hartree relationship E_h	3.423 177 6902 e7	0.000 000 0016 e7
atomic mass unit-hertz relationship Hz	2.252 342 7206 e23	0.000 000 0010 e23
atomic mass unit-inverse meter relationship m^-1	7.513 006 6166 e14	0.000 000 0034 e14
atomic mass unit-joule relationship J	1.492 418 062 e-10	0.000 000 018 e-10
atomic mass unit-kelvin relationship K	1.080 954 38 e13	0.000 000 62 e13
atomic mass unit-kilogram relationship kg	1.660 539 040 e-27	0.000 000 020 e-27
atomic unit of 1st hyperpolarizability C^3 m^3 J^-2	3.206 361 329 e-53	0.000 000 020 e-53
atomic unit of 2nd hyperpolarizability C^4 m^4 J^-3	6.235 380 085 e-65	0.000 000 077 e-65
atomic unit of action J s	1.054 571 800 e-34	0.000 000 013 e-34
atomic unit of charge C	1.602 176 6208 e-19	0.000 000 0098 e-19
atomic unit of charge density C m^-3	1.081 202 3770 e12	0.000 000 0067 e12
atomic unit of current A	6.623 618 183 e-3	0.000 000 041 e-3
atomic unit of electric dipole mom. C m	8.478 353 552 e-30	0.000 000 052 e-30
atomic unit of electric field V m^-1	5.142 206 707 e11	0.000 000 032 e11
atomic unit of electric field gradient V m^-2	9.717 362 356 e21	0.000 000 060 e21
atomic unit of electric polarizability C^2 m^2 J^-1	1.648 777 2731 e-41	0.000 000 0011 e-41
atomic unit of electric potential V	27.211 386 02	0.000 000 17
atomic unit of electric quadrupole mom. C m^2	4.486 551 484 e-40	0.000 000 028 e-40
atomic unit of energy J	4.359 744 650 e-18	0.000 000 054 e-18
atomic unit of force N	8.238 723 36 e-8	0.000 000 10 e-8
atomic unit of length m	0.529 177 210 67 e-10	0.000 000 000 12 e-10
atomic unit of mag. dipole mom. J T^-1	1.854 801 999 e-23	0.000 000 011 e-23
atomic unit of mag. flux density T	2.350 517 550 e5	0.000 000 014 e5
atomic unit of magnetizability J T^-2	7.891 036 5886 e-29	0.000 000 0090 e-29
atomic unit of mass kg	9.109 383 56 e-31	0.000 000 11 e-31
atomic unit of mom.um kg m s^-1	1.992 851 882 e-24	0.000 000 024 e-24
atomic unit of permittivity F m^-1	1.112 650 056... e-10	(exact)
atomic unit of time s	2.418 884 326 509 e-17	0.000 000 000 014 e-17
atomic unit of velocity m s^-1	2.187 691 262 77 e6	0.000 000 000 50 e6
Avogadro constant mol^-1	6.022 140 857 e23	0.000 000 074 e23
Bohr magneton J T^-1	927.400 9994 e-26	0.000 0057 e-26
Bohr magneton in eV/T eV T^-1	5.788 381 8012 e-5	0.000 000 0026 e-5
Bohr magneton in Hz/T Hz T^-1	13.996 245 042 e9	0.000 000 086 e9
Bohr magneton in inverse meters per tesla m^-1 T^-1	46.686 448 14	0.000 000 29
Bohr magneton in K/T K T^-1	0.671 714 05	0.000 000 39
Bohr radius m	0.529 177 210 67 e-10	0.000 000 000 12 e-10
Boltzmann constant J K^-1	1.380 648 52 e-23	0.000 000 79 e-23
Boltzmann constant in eV/K eV K^-1	8.617 3303 e-5	0.000 0050 e-5
Boltzmann constant in Hz/K Hz K^-1	2.083 6612 e10	0.000 0012 e10
Boltzmann constant in inverse meters per kelvin m^-1 K^-1	69.503 457	0.000 040
characteristic impedance of vacuum ohm	376.730 313 461...	(exact)
classical electron radius	2.817 940 3227 e-15	0.000 000 0019 e-15

m		
Compton wavelength	2.426 310 2367 e-12	0.000 000 0011 e-12
m		
Compton wavelength over 2 pi	386.159 267 64 e-15	0.000 000 18 e-15
m		
conductance quantum	7.748 091 7310 e-5	0.000 000 0018 e-5
S		
conventional value of Josephson constant	483 597.9 e9	(exact)
Hz V^-1		
conventional value of von Klitzing constant	25 812.807	(exact)
ohm		
Cu x unit	1.002 076 97 e-13	0.000 000 28 e-13
m		
deuteron-electron mag. mom. ratio	-4.664 345 535 e-4	0.000 000 026 e-4
deuteron-electron mass ratio	3670.482 967 85	0.000 000 13
deuteron g factor	0.857 438 2311	0.000 000 0048
deuteron mag. mom.	0.433 073 5040 e-26	0.000 000 0036 e-26
J T^-1		
deuteron mag. mom. to Bohr magneton ratio	0.466 975 4554 e-3	0.000 000 0026 e-3
deuteron mag. mom. to nuclear magneton ratio	0.857 438 2311	0.000 000 0048
deuteron mass	3.343 583 719 e-27	0.000 000 041 e-27
kg		
deuteron mass energy equivalent	3.005 063 183 e-10	0.000 000 037 e-10
J		
deuteron mass energy equivalent in MeV	1875.612 928	0.000 012
MeV		
deuteron mass in u	2.013 553 212 745	0.000 000 000 040
u		
deuteron molar mass	2.013 553 212 745 e-3	0.000 000 000 040 e-3
kg mol^-1		
deuteron-neutron mag. mom. ratio	-0.448 206 52	0.000 000 11
deuteron-proton mag. mom. ratio	0.307 012 2077	0.000 000 0015
deuteron-proton mass ratio	1.999 007 500 87	0.000 000 000 19
deuteron rms charge radius	2.1413 e-15	0.0025 e-15
m		
electric constant	8.854 187 817... e-12	(exact)
F m^-1		
electron charge to mass quotient	-1.758 820 024 e11	0.000 000 011 e11
C kg^-1		
electron-deuteron mag. mom. ratio	-2143.923 499	0.000 012
electron-deuteron mass ratio	2.724 437 107 484 e-4	0.000 000 000 096 e-4
electron g factor	-2.002 319 304 361 82	0.000 000 000 000 52
electron gyromag. ratio	1.760 859 644 e11	0.000 000 011 e11
s^-1 T^-1		
electron gyromag. ratio over 2 pi	28 024.951 64	0.000 17
MHz T^-1		
electron-helion mass ratio	1.819 543 074 854 e-4	0.000 000 000 088 e-4
electron mag. mom.	-928.476 4620 e-26	0.000 0057 e-26
J T^-1		
electron mag. mom. anomaly	1.159 652 180 91 e-3	0.000 000 000 26 e-3
electron mag. mom. to Bohr magneton ratio	-1.001 159 652 180 91	0.000 000 000 000 26
electron mag. mom. to nuclear magneton ratio	-1838.281 972 34	0.000 000 17
electron mass	9.109 383 56 e-31	0.000 000 11 e-31
kg		
electron mass energy equivalent	8.187 105 65 e-14	0.000 000 10 e-14
J		
electron mass energy equivalent in MeV	0.510 998 9461	0.000 000 0031
MeV		
electron mass in u	5.485 799 090 70 e-4	0.000 000 000 16 e-4
u		
electron molar mass	5.485 799 090 70 e-7	0.000 000 000 16 e-7
kg mol^-1		
electron-muon mag. mom. ratio	206.766 9880	0.000 0046
electron-muon mass ratio	4.836 331 70 e-3	0.000 000 11 e-3
electron-neutron mag. mom. ratio	960.920 50	0.000 23
electron-neutron mass ratio	5.438 673 4428 e-4	0.000 000 0027 e-4
electron-proton mag. mom. ratio	-658.210 6866	0.000 0020

electron-proton mass ratio	5.446 170 213 52 e-4	0.000 000 000 52 e-4
electron-tau mass ratio	2.875 92 e-4	0.000 26 e-4
electron to alpha particle mass ratio	1.370 933 554 798 e-4	0.000 000 000 045 e-4
electron to shielded helion mag. mom. ratio	864.058 257	0.000 010
electron to shielded proton mag. mom. ratio	-658.227 5971	0.000 0072
electron-triton mass ratio	1.819 200 062 203 e-4	0.000 000 000 084 e-4
electron volt	1.602 176 6208 e-19	0.000 000 0098 e-19
J		
electron volt-atomic mass unit relationship	1.073 544 1105 e-9	0.000 000 0066 e-9
u		
electron volt-hartree relationship	3.674 932 248 e-2	0.000 000 023 e-2
E_h		
electron volt-hertz relationship	2.417 989 262 e14	0.000 000 015 e14
Hz		
electron volt-inverse meter relationship	8.065 544 005 e5	0.000 000 050 e5
m^-1		
electron volt-joule relationship	1.602 176 6208 e-19	0.000 000 0098 e-19
J		
electron volt-kelvin relationship	1.160 452 21 e4	0.000 000 67 e4
K		
electron volt-kilogram relationship	1.782 661 907 e-36	0.000 000 011 e-36
kg		
elementary charge	1.602 176 6208 e-19	0.000 000 0098 e-19
C		
elementary charge over h	2.417 989 262 e14	0.000 000 015 e14
A J^-1		
Faraday constant	96 485.332 89	0.000 59
C mol^-1		
Faraday constant for conventional electric current	96 485.3251	0.0012
C_90 mol^-1		
Fermi coupling constant	1.166 3787 e-5	0.000 0006 e-5
GeV^-2		
fine-structure constant	7.297 352 5664 e-3	0.000 000 0017 e-3
first radiation constant	3.741 771 790 e-16	0.000 000 046 e-16
W m^2		
first radiation constant for spectral radiance	1.191 042 953 e-16	0.000 000 015 e-16
W m^2 sr^-1		
hartree-atomic mass unit relationship	2.921 262 3197 e-8	0.000 000 0013 e-8
u		
hartree-electron volt relationship	27.211 386 02	0.000 000 17
eV		
Hartree energy	4.359 744 650 e-18	0.000 000 054 e-18
J		
Hartree energy in eV	27.211 386 02	0.000 000 17
eV		
hartree-hertz relationship	6.579 683 920 711 e15	0.000 000 000 039 e15
Hz		
hartree-inverse meter relationship	2.194 746 313 702 e7	0.000 000 000 013 e7
m^-1		
hartree-joule relationship	4.359 744 650 e-18	0.000 000 054 e-18
J		
hartree-kelvin relationship	3.157 7513 e5	0.000 0018 e5
K		
hartree-kilogram relationship	4.850 870 129 e-35	0.000 000 060 e-35
kg		
helion-electron mass ratio	5495.885 279 22	0.000 000 27
helion g factor	-4.255 250 616	0.000 000 050
helion mag. mom.	-1.074 617 522 e-26	0.000 000 014 e-26
J T^-1		
helion mag. mom. to Bohr magneton ratio	-1.158 740 958 e-3	0.000 000 014 e-3
helion mag. mom. to nuclear magneton ratio	-2.127 625 308	0.000 000 025
helion mass	5.006 412 700 e-27	0.000 000 062 e-27
kg		
helion mass energy equivalent	4.499 539 341 e-10	0.000 000 055 e-10
J		
helion mass energy equivalent in MeV	2808.391 586	0.000 017
MeV		
helion mass in u	3.014 932 246 73	0.000 000 000 12
u		
helion molar mass	3.014 932 246 73 e-3	0.000 000 000 12 e-3
kg mol^-1		
helion-proton mass ratio	2.993 152 670 46	0.000 000 000 29
hertz-atomic mass unit relationship	4.439 821 6616 e-24	0.000 000 0020 e-24
u		
hertz-electron volt relationship	4.135 667 662 e-15	0.000 000 025 e-15

eV		
hertz-hartree relationship	1.519 829 846 0088 e-16	0.000 000 000 0090 e-16
E_h		
hertz-inverse meter relationship	3.335 640 951... e-9	(exact)
m^-1		
hertz-joule relationship	6.626 070 040 e-34	0.000 000 081 e-34
J		
hertz-kelvin relationship	4.799 2447 e-11	0.000 0028 e-11
K		
hertz-kilogram relationship	7.372 497 201 e-51	0.000 000 091 e-51
kg		
inverse fine-structure constant	137.035 999 139	0.000 000 031
inverse meter-atomic mass unit relationship	1.331 025 049 00 e-15	0.000 000 000 61 e-15
u		
inverse meter-electron volt relationship	1.239 841 9739 e-6	0.000 000 0076 e-6
eV		
inverse meter-hartree relationship	4.556 335 252 767 e-8	0.000 000 000 027 e-8
E_h		
inverse meter-hertz relationship	299 792 458	(exact)
Hz		
inverse meter-joule relationship	1.986 445 824 e-25	0.000 000 024 e-25
J		
inverse meter-kelvin relationship	1.438 777 36 e-2	0.000 000 83 e-2
K		
inverse meter-kilogram relationship	2.210 219 057 e-42	0.000 000 027 e-42
kg		
inverse of conductance quantum	12 906.403 7278	0.000 0029
ohm		
Josephson constant	483 597.8525 e9	0.0030 e9
Hz V^-1		
joule-atomic mass unit relationship	6.700 535 363 e9	0.000 000 082 e9
u		
joule-electron volt relationship	6.241 509 126 e18	0.000 000 038 e18
eV		
joule-hartree relationship	2.293 712 317 e17	0.000 000 028 e17
E_h		
joule-hertz relationship	1.509 190 205 e33	0.000 000 019 e33
Hz		
joule-inverse meter relationship	5.034 116 651 e24	0.000 000 062 e24
m^-1		
joule-kelvin relationship	7.242 9731 e22	0.000 0042 e22
K		
joule-kilogram relationship	1.112 650 056... e-17	(exact)
kg		
kelvin-atomic mass unit relationship	9.251 0842 e-14	0.000 0053 e-14
u		
kelvin-electron volt relationship	8.617 3303 e-5	0.000 0050 e-5
eV		
kelvin-hartree relationship	3.166 8105 e-6	0.000 0018 e-6
E_h		
kelvin-hertz relationship	2.083 6612 e10	0.000 0012 e10
Hz		
kelvin-inverse meter relationship	69.503 457	0.000 040
m^-1		
kelvin-joule relationship	1.380 648 52 e-23	0.000 000 79 e-23
J		
kelvin-kilogram relationship	1.536 178 65 e-40	0.000 000 88 e-40
kg		
kilogram-atomic mass unit relationship	6.022 140 857 e26	0.000 000 074 e26
u		
kilogram-electron volt relationship	5.609 588 650 e35	0.000 000 034 e35
eV		
kilogram-hartree relationship	2.061 485 823 e34	0.000 000 025 e34
E_h		
kilogram-hertz relationship	1.356 392 512 e50	0.000 000 017 e50
Hz		
kilogram-inverse meter relationship	4.524 438 411 e41	0.000 000 056 e41
m^-1		
kilogram-joule relationship	8.987 551 787... e16	(exact)
J		
kilogram-kelvin relationship	6.509 6595 e39	0.000 0037 e39
K		
lattice parameter of silicon	543.102 0504 e-12	0.000 0089 e-12
m		
Loschmidt constant (273.15 K, 100 kPa)	2.651 6467 e25	0.000 0015 e25
m^-3		
Loschmidt constant (273.15 K, 101.325 kPa)	2.686 7811 e25	0.000 0015 e25
m^-3		
mag. constant	12.566 370 614... e-7	(exact)
N A^-2		
mag. flux quantum	2.067 833 831 e-15	0.000 000 013 e-15
Wb		
molar gas constant	8.314 4598	0.000 0048
J mol^-1 K^-1		
molar mass constant	1 e-3	(exact)
kg mol^-1		

molar mass of carbon-12 kg mol^-1	12 e-3	(exact)
molar Planck constant J s mol^-1	3.990 312 7110 e-10	0.000 000 0018 e-10
molar Planck constant times c J m mol^-1	0.119 626 565 582	0.000 000 000 054
molar volume of ideal gas (273.15 K, 100 kPa) m^3 mol^-1	22.710 947 e-3	0.000 013 e-3
molar volume of ideal gas (273.15 K, 101.325 kPa) m^3 mol^-1	22.413 962 e-3	0.000 013 e-3
molar volume of silicon m^3 mol^-1	12.058 832 14 e-6	0.000 000 61 e-6
Mo x unit m	1.002 099 52 e-13	0.000 000 53 e-13
muon Compton wavelength m	11.734 441 11 e-15	0.000 000 26 e-15
muon Compton wavelength over 2 pi m	1.867 594 308 e-15	0.000 000 042 e-15
muon-electron mass ratio	206.768 2826	0.000 0046
muon g factor	-2.002 331 8418	0.000 000 0013
muon mag. mom. J T^-1	-4.490 448 26 e-26	0.000 000 10 e-26
muon mag. mom. anomaly	1.165 920 89 e-3	0.000 000 63 e-3
muon mag. mom. to Bohr magneton ratio	-4.841 970 48 e-3	0.000 000 11 e-3
muon mag. mom. to nuclear magneton ratio	-8.890 597 05	0.000 000 20
muon mass kg	1.883 531 594 e-28	0.000 000 048 e-28
muon mass energy equivalent J	1.692 833 774 e-11	0.000 000 043 e-11
muon mass energy equivalent in MeV MeV	105.658 3745	0.000 0024
muon mass in u u	0.113 428 9257	0.000 000 0025
muon molar mass kg mol^-1	0.113 428 9257 e-3	0.000 000 0025 e-3
muon-neutron mass ratio	0.112 454 5167	0.000 000 0025
muon-proton mag. mom. ratio	-3.183 345 142	0.000 000 071
muon-proton mass ratio	0.112 609 5262	0.000 000 0025
muon-tau mass ratio	5.946 49 e-2	0.000 54 e-2
natural unit of action J s	1.054 571 800 e-34	0.000 000 013 e-34
natural unit of action in eV s eV s	6.582 119 514 e-16	0.000 000 040 e-16
natural unit of energy J	8.187 105 65 e-14	0.000 000 10 e-14
natural unit of energy in MeV MeV	0.510 998 9461	0.000 000 0031
natural unit of length m	386.159 267 64 e-15	0.000 000 18 e-15
natural unit of mass kg	9.109 383 56 e-31	0.000 000 11 e-31
natural unit of mom.um kg m s^-1	2.730 924 488 e-22	0.000 000 034 e-22
natural unit of mom.um in MeV/c MeV/c	0.510 998 9461	0.000 000 0031
natural unit of time s	1.288 088 667 12 e-21	0.000 000 000 58 e-21
natural unit of velocity m s^-1	299 792 458	(exact)
neutron Compton wavelength m	1.319 590 904 81 e-15	0.000 000 000 88 e-15
neutron Compton wavelength over 2 pi m	0.210 019 415 36 e-15	0.000 000 000 14 e-15
neutron-electron mag. mom. ratio	1.040 668 82 e-3	0.000 000 25 e-3
neutron-electron mass ratio	1838.683 661 58	0.000 000 90
neutron g factor	-3.826 085 45	0.000 000 90
neutron gyromag. ratio s^-1 T^-1	1.832 471 72 e8	0.000 000 43 e8
neutron gyromag. ratio over 2 pi MHz T^-1	29.164 6933	0.000 0069
neutron mag. mom. J T^-1	-0.966 236 50 e-26	0.000 000 23 e-26
neutron mag. mom. to Bohr magneton ratio	-1.041 875 63 e-3	0.000 000 25 e-3
neutron mag. mom. to nuclear magneton ratio	-1.913 042 73	0.000 000 45

neutron mass kg	1.674 927 471 e-27	0.000 000 021 e-27
neutron mass energy equivalent J	1.505 349 739 e-10	0.000 000 019 e-10
neutron mass energy equivalent in MeV MeV	939.565 4133	0.000 0058
neutron mass in u u	1.008 664 915 88	0.000 000 000 49
neutron molar mass kg mol^-1	1.008 664 915 88 e-3	0.000 000 000 49 e-3
neutron-muon mass ratio	8.892 484 08	0.000 000 20
neutron-proton mag. mom. ratio	-0.684 979 34	0.000 000 16
neutron-proton mass difference	2.305 573 77 e-30	0.000 000 85 e-30
neutron-proton mass difference energy equivalent	2.072 146 37 e-13	0.000 000 76 e-13
neutron-proton mass difference energy equivalent in MeV	1.293 332 05	0.000 000 48
neutron-proton mass difference in u	0.001 388 449 00	0.000 000 000 51
neutron-proton mass ratio	1.001 378 418 98	0.000 000 000 51
neutron-tau mass ratio	0.528 790	0.000 048
neutron to shielded proton mag. mom. ratio	-0.684 996 94	0.000 000 16
Newtonian constant of gravitation m^3 kg^-1 s^-2	6.674 08 e-11	0.000 31 e-11
Newtonian constant of gravitation over h-bar c (GeV/c^2)^-2	6.708 61 e-39	0.000 31 e-39
nuclear magneton J T^-1	5.050 783 699 e-27	0.000 000 031 e-27
nuclear magneton in eV/T eV T^-1	3.152 451 2550 e-8	0.000 000 0015 e-8
nuclear magneton in inverse meters per tesla m^-1 T^-1	2.542 623 432 e-2	0.000 000 016 e-2
nuclear magneton in K/T K T^-1	3.658 2690 e-4	0.000 0021 e-4
nuclear magneton in MHz/T MHz T^-1	7.622 593 285	0.000 000 047
Planck constant J s	6.626 070 040 e-34	0.000 000 081 e-34
Planck constant in eV s eV s	4.135 667 662 e-15	0.000 000 025 e-15
Planck constant over 2 pi J s	1.054 571 800 e-34	0.000 000 013 e-34
Planck constant over 2 pi in eV s eV s	6.582 119 514 e-16	0.000 000 040 e-16
Planck constant over 2 pi times c in MeV fm MeV fm	197.326 9788	0.000 0012
Planck length m	1.616 229 e-35	0.000 038 e-35
Planck mass kg	2.176 470 e-8	0.000 051 e-8
Planck mass energy equivalent in GeV GeV	1.220 910 e19	0.000 029 e19
Planck temperature K	1.416 808 e32	0.000 033 e32
Planck time s	5.391 16 e-44	0.000 13 e-44
proton charge to mass quotient C kg^-1	9.578 833 226 e7	0.000 000 059 e7
proton Compton wavelength m	1.321 409 853 96 e-15	0.000 000 000 61 e-15
proton Compton wavelength over 2 pi m	0.210 308 910 109 e-15	0.000 000 000 097 e-15
proton-electron mass ratio	1836.152 673 89	0.000 000 17
proton g factor	5.585 694 702	0.000 000 017
proton gyromag. ratio s^-1 T^-1	2.675 221 900 e8	0.000 000 018 e8
proton gyromag. ratio over 2 pi MHz T^-1	42.577 478 92	0.000 000 29
proton mag. mom. J T^-1	1.410 606 7873 e-26	0.000 000 0097 e-26
proton mag. mom. to Bohr magneton ratio	1.521 032 2053 e-3	0.000 000 0046 e-3
proton mag. mom. to nuclear magneton ratio	2.792 847 3508	0.000 000 0085
proton mag. shielding correction	25.691 e-6	0.011 e-6
proton mass kg	1.672 621 898 e-27	0.000 000 021 e-27

proton mass energy equivalent	1.503 277 593 e-10	0.000 000 018 e-10
J		
proton mass energy equivalent in MeV	938.272 0813	0.000 0058
MeV		
proton mass in u	1.007 276 466 879	0.000 000 000 091
u		
proton molar mass	1.007 276 466 879 e-3	0.000 000 000 091 e-3
kg mol^-1		
proton-muon mass ratio	8.880 243 38	0.000 000 20
proton-neutron mag. mom. ratio	-1.459 898 05	0.000 000 34
proton-neutron mass ratio	0.998 623 478 44	0.000 000 000 51
proton rms charge radius	0.8751 e-15	0.0061 e-15
m		
proton-tau mass ratio	0.528 063	0.000 048
quantum of circulation	3.636 947 5486 e-4	0.000 000 0017 e-4
m^2 s^-1		
quantum of circulation times 2	7.273 895 0972 e-4	0.000 000 0033 e-4
m^2 s^-1		
Rydberg constant	10 973 731.568 508	0.000 065
m^-1		
Rydberg constant times c in Hz	3.289 841 960 355 e15	0.000 000 000 019 e15
Hz		
Rydberg constant times hc in eV	13.605 693 009	0.000 000 084
eV		
Rydberg constant times hc in J	2.179 872 325 e-18	0.000 000 027 e-18
J		
Sackur-Tetrode constant (1 K, 100 kPa)	-1.151 7084	0.000 0014
Sackur-Tetrode constant (1 K, 101.325 kPa)	-1.164 8714	0.000 0014
second radiation constant	1.438 777 36 e-2	0.000 000 83 e-2
m K		
shielded helion gyromag. ratio	2.037 894 585 e8	0.000 000 027 e8
s^-1 T^-1		
shielded helion gyromag. ratio over 2 pi	32.434 099 66	0.000 000 43
MHz T^-1		
shielded helion mag. mom.	-1.074 553 080 e-26	0.000 000 014 e-26
J T^-1		
shielded helion mag. mom. to Bohr magneton ratio	-1.158 671 471 e-3	0.000 000 014 e-3
shielded helion mag. mom. to nuclear magneton ratio	-2.127 497 720	0.000 000 025
shielded helion to proton mag. mom. ratio	-0.761 766 5603	0.000 000 0092
shielded helion to shielded proton mag. mom. ratio	-0.761 786 1313	0.000 000 0033
shielded proton gyromag. ratio	2.675 153 171 e8	0.000 000 033 e8
s^-1 T^-1		
shielded proton gyromag. ratio over 2 pi	42.576 385 07	0.000 000 53
MHz T^-1		
shielded proton mag. mom.	1.410 570 547 e-26	0.000 000 018 e-26
J T^-1		
shielded proton mag. mom. to Bohr magneton ratio	1.520 993 128 e-3	0.000 000 017 e-3
shielded proton mag. mom. to nuclear magneton ratio	2.792 775 600	0.000 000 030
speed of light in vacuum	299 792 458	(exact)
m s^-1		
standard acceleration of gravity	9.806 65	(exact)
m s^-2		
standard atmosphere	101 325	(exact)
Pa		
standard-state pressure	100 000	(exact)
Pa		
Stefan-Boltzmann constant	5.670 367 e-8	0.000 013 e-8
W m^-2 K^-4		
tau Compton wavelength	0.697 787 e-15	0.000 063 e-15
m		
tau Compton wavelength over 2 pi	0.111 056 e-15	0.000 010 e-15
m		
tau-electron mass ratio	3477.15	0.31
tau mass	3.167 47 e-27	0.000 29 e-27
kg		
tau mass energy equivalent	2.846 78 e-10	0.000 26 e-10
J		
tau mass energy equivalent in MeV	1776.82	0.16
MeV		
tau mass in u	1.907 49	0.000 17
u		
tau molar mass	1.907 49 e-3	0.000 17 e-3
kg mol^-1		
tau-muon mass ratio	16.8167	0.0015

tau-neutron mass ratio	1.891 11	0.000 17
tau-proton mass ratio	1.893 72	0.000 17
Thomson cross section m^2	0.665 245 871 58 e-28	0.000 000 000 91 e-28
triton-electron mass ratio	5496.921 535 88	0.000 000 26
triton g factor	5.957 924 920	0.000 000 028
triton mag. mom. J T^-1	1.504 609 503 e-26	0.000 000 012 e-26
triton mag. mom. to Bohr magneton ratio	1.622 393 6616 e-3	0.000 000 0076 e-3
triton mag. mom. to nuclear magneton ratio	2.978 962 460	0.000 000 014
triton mass kg	5.007 356 665 e-27	0.000 000 062 e-27
triton mass energy equivalent J	4.500 387 735 e-10	0.000 000 055 e-10
triton mass energy equivalent in MeV MeV	2808.921 112	0.000 017
triton mass in u u	3.015 500 716 32	0.000 000 000 11
triton molar mass kg mol^-1	3.015 500 716 32 e-3	0.000 000 000 11 e-3
triton-proton mass ratio	2.993 717 033 48	0.000 000 000 22
unified atomic mass unit kg	1.660 539 040 e-27	0.000 000 020 e-27
von Klitzing constant ohm	25 812.807 4555	0.000 0059
weak mixing angle	0.2223	0.0021
Wien frequency displacement law constant Hz K^-1	5.878 9238 e10	0.000 0034 e10
Wien wavelength displacement law constant m K	2.897 7729 e-3	0.000 0017 e-3

7.3 2010

2010 Fundamental Physical Constants --- Complete Listing

From: http://physics.nist.gov/constants

Quantity Unit	Value	Uncertainty
{220} lattice spacing of silicon m	192.015 5714 e-12	0.000 0032 e-12
alpha particle-electron mass ratio	7294.299 5361	0.000 0029
alpha particle mass kg	6.644 656 75 e-27	0.000 000 29 e-27
alpha particle mass energy equivalent J	5.971 919 67 e-10	0.000 000 26 e-10
alpha particle mass energy equivalent in MeV MeV	3727.379 240	0.000 082
alpha particle mass in u u	4.001 506 179 125	0.000 000 000 062
alpha particle molar mass kg mol^-1	4.001 506 179 125 e-3	0.000 000 000 062 e-3
alpha particle-proton mass ratio	3.972 599 689 33	0.000 000 000 36
Angstrom star m	1.000 014 95 e-10	0.000 000 90 e-10
atomic mass constant kg	1.660 538 921 e-27	0.000 000 073 e-27
atomic mass constant energy equivalent J	1.492 417 954 e-10	0.000 000 066 e-10
atomic mass constant energy equivalent in MeV MeV	931.494 061	0.000 021
atomic mass unit-electron volt relationship eV	931.494 061 e6	0.000 021 e6
atomic mass unit-hartree relationship E_h	3.423 177 6845 e7	0.000 000 0024 e7
atomic mass unit-hertz relationship Hz	2.252 342 7168 e23	0.000 000 0016 e23
atomic mass unit-inverse meter relationship m^-1	7.513 006 6042 e14	0.000 000 0053 e14
atomic mass unit-joule relationship J	1.492 417 954 e-10	0.000 000 066 e-10
atomic mass unit-kelvin relationship K	1.080 954 08 e13	0.000 000 98 e13

atomic mass unit-kilogram relationship	1.660 538 921 e-27	0.000 000 073 e-27
kg		
atomic unit of 1st hyperpolarizability	3.206 361 449 e-53	0.000 000 071 e-53
C^3 m^3 J^-2		
atomic unit of 2nd hyperpolarizability	6.235 380 54 e-65	0.000 000 28 e-65
C^4 m^4 J^-3		
atomic unit of action	1.054 571 726 e-34	0.000 000 047 e-34
J s		
atomic unit of charge	1.602 176 565 e-19	0.000 000 035 e-19
C		
atomic unit of charge density	1.081 202 338 e12	0.000 000 024 e12
C m^-3		
atomic unit of current	6.623 617 95 e-3	0.000 000 15 e-3
A		
atomic unit of electric dipole mom.	8.478 353 26 e-30	0.000 000 19 e-30
C m		
atomic unit of electric field	5.142 206 52 e11	0.000 000 11 e11
V m^-1		
atomic unit of electric field gradient	9.717 362 00 e21	0.000 000 21 e21
V m^-2		
atomic unit of electric polarizability	1.648 777 2754 e-41	0.000 000 0016 e-41
C^2 m^2 J^-1		
atomic unit of electric potential	27.211 385 05	0.000 000 60
V		
atomic unit of electric quadrupole mom.	4.486 551 331 e-40	0.000 000 099 e-40
C m^2		
atomic unit of energy	4.359 744 34 e-18	0.000 000 19 e-18
J		
atomic unit of force	8.238 722 78 e-8	0.000 000 36 e-8
N		
atomic unit of length	0.529 177 210 92 e-10	0.000 000 000 17 e-10
m		
atomic unit of mag. dipole mom.	1.854 801 936 e-23	0.000 000 041 e-23
J T^-1		
atomic unit of mag. flux density	2.350 517 464 e5	0.000 000 052 e5
T		
atomic unit of magnetizability	7.891 036 607 e-29	0.000 000 013 e-29
J T^-2		
atomic unit of mass	9.109 382 91 e-31	0.000 000 40 e-31
kg		
atomic unit of mom.um	1.992 851 740 e-24	0.000 000 088 e-24
kg m s^-1		
atomic unit of permittivity	1.112 650 056... e-10	(exact)
F m^-1		
atomic unit of time	2.418 884 326 502 e-17	0.000 000 000 012 e-17
s		
atomic unit of velocity	2.187 691 263 79 e6	0.000 000 000 71 e6
m s^-1		
Avogadro constant	6.022 141 29 e23	0.000 000 27 e23
mol^-1		
Bohr magneton	927.400 968 e-26	0.000 020 e-26
J T^-1		
Bohr magneton in eV/T	5.788 381 8066 e-5	0.000 000 0038 e-5
eV T^-1		
Bohr magneton in Hz/T	13.996 245 55 e9	0.000 000 31 e9
Hz T^-1		
Bohr magneton in inverse meters per tesla	46.686 4498	0.000 0010
m^-1 T^-1		
Bohr magneton in K/T	0.671 713 88	0.000 000 61
K T^-1		
Bohr radius	0.529 177 210 92 e-10	0.000 000 000 17 e-10
m		
Boltzmann constant	1.380 6488 e-23	0.000 0013 e-23
J K^-1		
Boltzmann constant in eV/K	8.617 3324 e-5	0.000 0078 e-5
eV K^-1		
Boltzmann constant in Hz/K	2.083 6618 e10	0.000 0019 e10
Hz K^-1		
Boltzmann constant in inverse meters per kelvin	69.503 476	0.000 063
m^-1 K^-1		
characteristic impedance of vacuum	376.730 313 461...	(exact)
ohm		
classical electron radius	2.817 940 3267 e-15	0.000 000 0027 e-15
m		
Compton wavelength	2.426 310 2389 e-12	0.000 000 0016 e-12
m		
Compton wavelength over 2 pi	386.159 268 00 e-15	0.000 000 25 e-15
m		
conductance quantum	7.748 091 7346 e-5	0.000 000 0025 e-5
S		
conventional value of Josephson constant	483 597.9 e9	(exact)
Hz V^-1		
conventional value of von Klitzing constant	25 812.807	(exact)
ohm		
Cu x unit	1.002 076 97 e-13	0.000 000 28 e-13
m		
deuteron-electron mag. mom. ratio	-4.664 345 537 e-4	0.000 000 039 e-4

deuteron-electron mass ratio	3670.482 9652	0.000 0015
deuteron g factor	0.857 438 2308	0.000 000 0072
deuteron mag. mom. J T^-1	0.433 073 489 e-26	0.000 000 010 e-26
deuteron mag. mom. to Bohr magneton ratio	0.466 975 4556 e-3	0.000 000 0039 e-3
deuteron mag. mom. to nuclear magneton ratio	0.857 438 2308	0.000 000 0072
deuteron mass kg	3.343 583 48 e-27	0.000 000 15 e-27
deuteron mass energy equivalent J	3.005 062 97 e-10	0.000 000 13 e-10
deuteron mass energy equivalent in MeV MeV	1875.612 859	0.000 041
deuteron mass in u u	2.013 553 212 712	0.000 000 000 077
deuteron molar mass kg mol^-1	2.013 553 212 712 e-3	0.000 000 000 077 e-3
deuteron-neutron mag. mom. ratio	-0.448 206 52	0.000 000 11
deuteron-proton mag. mom. ratio	0.307 012 2070	0.000 000 0024
deuteron-proton mass ratio	1.999 007 500 97	0.000 000 000 18
deuteron rms charge radius m	2.1424 e-15	0.0021 e-15
electric constant F m^-1	8.854 187 817... e-12	(exact)
electron charge to mass quotient C kg^-1	-1.758 820 088 e11	0.000 000 039 e11
electron-deuteron mag. mom. ratio	-2143.923 498	0.000 018
electron-deuteron mass ratio	2.724 437 1095 e-4	0.000 000 0011 e-4
electron g factor	-2.002 319 304 361 53	0.000 000 000 000 53
electron gyromag. ratio s^-1 T^-1	1.760 859 708 e11	0.000 000 039 e11
electron gyromag. ratio over 2 pi MHz T^-1	28 024.952 66	0.000 62
electron-helion mass ratio	1.819 543 0761 e-4	0.000 000 0017 e-4
electron mag. mom. J T^-1	-928.476 430 e-26	0.000 021 e-26
electron mag. mom. anomaly	1.159 652 180 76 e-3	0.000 000 000 27 e-3
electron mag. mom. to Bohr magneton ratio	-1.001 159 652 180 76	0.000 000 000 000 27
electron mag. mom. to nuclear magneton ratio	-1838.281 970 90	0.000 000 75
electron mass kg	9.109 382 91 e-31	0.000 000 40 e-31
electron mass energy equivalent J	8.187 105 06 e-14	0.000 000 36 e-14
electron mass energy equivalent in MeV MeV	0.510 998 928	0.000 000 011
electron mass in u u	5.485 799 0946 e-4	0.000 000 0022 e-4
electron molar mass kg mol^-1	5.485 799 0946 e-7	0.000 000 0022 e-7
electron-muon mag. mom. ratio	206.766 9896	0.000 0052
electron-muon mass ratio	4.836 331 66 e-3	0.000 000 12 e-3
electron-neutron mag. mom. ratio	960.920 50	0.000 23
electron-neutron mass ratio	5.438 673 4461 e-4	0.000 000 0032 e-4
electron-proton mag. mom. ratio	-658.210 6848	0.000 0054
electron-proton mass ratio	5.446 170 2178 e-4	0.000 000 0022 e-4
electron-tau mass ratio	2.875 92 e-4	0.000 26 e-4
electron to alpha particle mass ratio	1.370 933 555 78 e-4	0.000 000 000 55 e-4
electron to shielded helion mag. mom. ratio	864.058 257	0.000 010
electron to shielded proton mag. mom. ratio	-658.227 5971	0.000 0072
electron-triton mass ratio	1.819 200 0653 e-4	0.000 000 0017 e-4
electron volt J	1.602 176 565 e-19	0.000 000 035 e-19

electron volt-atomic mass unit relationship	1.073 544 150 e-9	0.000 000 024 e-9
u		
electron volt-hartree relationship	3.674 932 379 e-2	0.000 000 081 e-2
E_h		
electron volt-hertz relationship	2.417 989 348 e14	0.000 000 053 e14
Hz		
electron volt-inverse meter relationship	8.065 544 29 e5	0.000 000 18 e5
m^-1		
electron volt-joule relationship	1.602 176 565 e-19	0.000 000 035 e-19
J		
electron volt-kelvin relationship	1.160 4519 e4	0.000 0011 e4
K		
electron volt-kilogram relationship	1.782 661 845 e-36	0.000 000 039 e-36
kg		
elementary charge	1.602 176 565 e-19	0.000 000 035 e-19
C		
elementary charge over h	2.417 989 348 e14	0.000 000 053 e14
A J^-1		
Faraday constant	96 485.3365	0.0021
C mol^-1		
Faraday constant for conventional electric current	96 485.3321	0.0043
C_90 mol^-1		
Fermi coupling constant	1.166 364 e-5	0.000 005 e-5
GeV^-2		
fine-structure constant	7.297 352 5698 e-3	0.000 000 0024 e-3
first radiation constant	3.741 771 53 e-16	0.000 000 17 e-16
W m^2		
first radiation constant for spectral radiance	1.191 042 869 e-16	0.000 000 053 e-16
W m^2 sr^-1		
hartree-atomic mass unit relationship	2.921 262 3246 e-8	0.000 000 0021 e-8
u		
hartree-electron volt relationship	27.211 385 05	0.000 000 60
eV		
Hartree energy	4.359 744 34 e-18	0.000 000 19 e-18
J		
Hartree energy in eV	27.211 385 05	0.000 000 60
eV		
hartree-hertz relationship	6.579 683 920 729 e15	0.000 000 000 033 e15
Hz		
hartree-inverse meter relationship	2.194 746 313 708 e7	0.000 000 000 011 e7
m^-1		
hartree-joule relationship	4.359 744 34 e-18	0.000 000 19 e-18
J		
hartree-kelvin relationship	3.157 7504 e5	0.000 0029 e5
K		
hartree-kilogram relationship	4.850 869 79 e-35	0.000 000 21 e-35
kg		
helion-electron mass ratio	5495.885 2754	0.000 0050
helion g factor	-4.255 250 613	0.000 000 050
helion mag. mom.	-1.074 617 486 e-26	0.000 000 027 e-26
J T^-1		
helion mag. mom. to Bohr magneton ratio	-1.158 740 958 e-3	0.000 000 014 e-3
helion mag. mom. to nuclear magneton ratio	-2.127 625 306	0.000 000 025
helion mass	5.006 412 34 e-27	0.000 000 22 e-27
kg		
helion mass energy equivalent	4.499 539 02 e-10	0.000 000 20 e-10
J		
helion mass energy equivalent in MeV	2808.391 482	0.000 062
MeV		
helion mass in u	3.014 932 2468	0.000 000 0025
u		
helion molar mass	3.014 932 2468 e-3	0.000 000 0025 e-3
kg mol^-1		
helion-proton mass ratio	2.993 152 6707	0.000 000 0025
hertz-atomic mass unit relationship	4.439 821 6689 e-24	0.000 000 0031 e-24
u		
hertz-electron volt relationship	4.135 667 516 e-15	0.000 000 091 e-15
eV		
hertz-hartree relationship	1.519 829 846 0045 e-16	0.000 000 000 0076 e-16
E_h		
hertz-inverse meter relationship	3.335 640 951... e-9	(exact)
m^-1		
hertz-joule relationship	6.626 069 57 e-34	0.000 000 29 e-34
J		
hertz-kelvin relationship	4.799 2434 e-11	0.000 0044 e-11
K		
hertz-kilogram relationship	7.372 496 68 e-51	0.000 000 33 e-51
kg		
inverse fine-structure constant	137.035 999 074	0.000 000 044
inverse meter-atomic mass unit relationship	1.331 025 051 20 e-15	0.000 000 000 94 e-15

u		
inverse meter-electron volt relationship	1.239 841 930 e-6	0.000 000 027 e-6
eV		
inverse meter-hartree relationship	4.556 335 252 755 e-8	0.000 000 000 023 e-8
E_h		
inverse meter-hertz relationship	299 792 458	(exact)
Hz		
inverse meter-joule relationship	1.986 445 684 e-25	0.000 000 088 e-25
J		
inverse meter-kelvin relationship	1.438 7770 e-2	0.000 0013 e-2
K		
inverse meter-kilogram relationship	2.210 218 902 e-42	0.000 000 098 e-42
kg		
inverse of conductance quantum	12 906.403 7217	0.000 0042
ohm		
Josephson constant	483 597.870 e9	0.011 e9
Hz V^-1		
joule-atomic mass unit relationship	6.700 535 85 e9	0.000 000 30 e9
u		
joule-electron volt relationship	6.241 509 34 e18	0.000 000 14 e18
eV		
joule-hartree relationship	2.293 712 48 e17	0.000 000 10 e17
E_h		
joule-hertz relationship	1.509 190 311 e33	0.000 000 067 e33
Hz		
joule-inverse meter relationship	5.034 117 01 e24	0.000 000 22 e24
m^-1		
joule-kelvin relationship	7.242 9716 e22	0.000 0066 e22
K		
joule-kilogram relationship	1.112 650 056... e-17	(exact)
kg		
kelvin-atomic mass unit relationship	9.251 0868 e-14	0.000 0084 e-14
u		
kelvin-electron volt relationship	8.617 3324 e-5	0.000 0078 e-5
eV		
kelvin-hartree relationship	3.166 8114 e-6	0.000 0029 e-6
E_h		
kelvin-hertz relationship	2.083 6618 e10	0.000 0019 e10
Hz		
kelvin-inverse meter relationship	69.503 476	0.000 063
m^-1		
kelvin-joule relationship	1.380 6488 e-23	0.000 0013 e-23
J		
kelvin-kilogram relationship	1.536 1790 e-40	0.000 0014 e-40
kg		
kilogram-atomic mass unit relationship	6.022 141 29 e26	0.000 000 27 e26
u		
kilogram-electron volt relationship	5.609 588 85 e35	0.000 000 12 e35
eV		
kilogram-hartree relationship	2.061 485 968 e34	0.000 000 091 e34
E_h		
kilogram-hertz relationship	1.356 392 608 e50	0.000 000 060 e50
Hz		
kilogram-inverse meter relationship	4.524 438 73 e41	0.000 000 20 e41
m^-1		
kilogram-joule relationship	8.987 551 787... e16	(exact)
J		
kilogram-kelvin relationship	6.509 6582 e39	0.000 0059 e39
K		
lattice parameter of silicon	543.102 0504 e-12	0.000 0089 e-12
m		
Loschmidt constant (273.15 K, 100 kPa)	2.651 6462 e25	0.000 0024 e25
m^-3		
Loschmidt constant (273.15 K, 101.325 kPa)	2.686 7805 e25	0.000 0024 e25
m^-3		
mag. constant	12.566 370 614... e-7	(exact)
N A^-2		
mag. flux quantum	2.067 833 758 e-15	0.000 000 046 e-15
Wb		
molar gas constant	8.314 4621	0.000 0075
J mol^-1 K^-1		
molar mass constant	1 e-3	(exact)
kg mol^-1		
molar mass of carbon-12	12 e-3	(exact)
kg mol^-1		
molar Planck constant	3.990 312 7176 e-10	0.000 000 0028 e-10
J s mol^-1		
molar Planck constant times c	0.119 626 565 779	0.000 000 000 084
J m mol^-1		
molar volume of ideal gas (273.15 K, 100 kPa)	22.710 953 e-3	0.000 021 e-3
m^3 mol^-1		
molar volume of ideal gas (273.15 K, 101.325 kPa)	22.413 968 e-3	0.000 020 e-3
m^3 mol^-1		
molar volume of silicon	12.058 833 01 e-6	0.000 000 80 e-6
m^3 mol^-1		
Mo x unit	1.002 099 52 e-13	0.000 000 53 e-13
m		

muon Compton wavelength	11.734 441 03 e-15	0.000 000 30 e-15
m		
muon Compton wavelength over 2 pi	1.867 594 294 e-15	0.000 000 047 e-15
m		
muon-electron mass ratio	206.768 2843	0.000 0052
muon g factor	-2.002 331 8418	0.000 000 0013
muon mag. mom.	-4.490 448 07 e-26	0.000 000 15 e-26
J T^-1		
muon mag. mom. anomaly	1.165 920 91 e-3	0.000 000 63 e-3
muon mag. mom. to Bohr magneton ratio	-4.841 970 44 e-3	0.000 000 12 e-3
muon mag. mom. to nuclear magneton ratio	-8.890 596 97	0.000 000 22
muon mass	1.883 531 475 e-28	0.000 000 096 e-28
kg		
muon mass energy equivalent	1.692 833 667 e-11	0.000 000 086 e-11
J		
muon mass energy equivalent in MeV	105.658 3715	0.000 0035
MeV		
muon mass in u	0.113 428 9267	0.000 000 0029
u		
muon molar mass	0.113 428 9267 e-3	0.000 000 0029 e-3
kg mol^-1		
muon-neutron mass ratio	0.112 454 5177	0.000 000 0028
muon-proton mag. mom. ratio	-3.183 345 107	0.000 000 084
muon-proton mass ratio	0.112 609 5272	0.000 000 0028
muon-tau mass ratio	5.946 49 e-2	0.000 54 e-2
natural unit of action	1.054 571 726 e-34	0.000 000 047 e-34
J s		
natural unit of action in eV s	6.582 119 28 e-16	0.000 000 15 e-16
eV s		
natural unit of energy	8.187 105 06 e-14	0.000 000 36 e-14
J		
natural unit of energy in MeV	0.510 998 928	0.000 000 011
MeV		
natural unit of length	386.159 268 00 e-15	0.000 000 25 e-15
m		
natural unit of mass	9.109 382 91 e-31	0.000 000 40 e-31
kg		
natural unit of mom.um	2.730 924 29 e-22	0.000 000 12 e-22
kg m s^-1		
natural unit of mom.um in MeV/c	0.510 998 928	0.000 000 011
MeV/c		
natural unit of time	1.288 088 668 33 e-21	0.000 000 000 83 e-21
s		
natural unit of velocity	299 792 458	(exact)
m s^-1		
neutron Compton wavelength	1.319 590 9068 e-15	0.000 000 0011 e-15
m		
neutron Compton wavelength over 2 pi	0.210 019 415 68 e-15	0.000 000 000 17 e-15
m		
neutron-electron mag. mom. ratio	1.040 668 82 e-3	0.000 000 25 e-3
neutron-electron mass ratio	1838.683 6605	0.000 0011
neutron g factor	-3.826 085 45	0.000 000 90
neutron gyromag. ratio	1.832 471 79 e8	0.000 000 43 e8
s^-1 T^-1		
neutron gyromag. ratio over 2 pi	29.164 6943	0.000 0069
MHz T^-1		
neutron mag. mom.	-0.966 236 47 e-26	0.000 000 23 e-26
J T^-1		
neutron mag. mom. to Bohr magneton ratio	-1.041 875 63 e-3	0.000 000 25 e-3
neutron mag. mom. to nuclear magneton ratio	-1.913 042 72	0.000 000 45
neutron mass	1.674 927 351 e-27	0.000 000 074 e-27
kg		
neutron mass energy equivalent	1.505 349 631 e-10	0.000 000 066 e-10
J		
neutron mass energy equivalent in MeV	939.565 379	0.000 021
MeV		
neutron mass in u	1.008 664 916 00	0.000 000 000 43
u		
neutron molar mass	1.008 664 916 00 e-3	0.000 000 000 43 e-3
kg mol^-1		
neutron-muon mass ratio	8.892 484 00	0.000 000 22
neutron-proton mag. mom. ratio	-0.684 979 34	0.000 000 16

neutron-proton mass difference	2.305 573 92 e-30	0.000 000 76 e-30
neutron-proton mass difference energy equivalent	2.072 146 50 e-13	0.000 000 68 e-13
neutron-proton mass difference energy equivalent in MeV	1.293 332 17	0.000 000 42
neutron-proton mass difference in u	0.001 388 449 19	0.000 000 000 45
neutron-proton mass ratio	1.001 378 419 17	0.000 000 000 45
neutron-tau mass ratio	0.528 790	0.000 048
neutron to shielded proton mag. mom. ratio	-0.684 996 94	0.000 000 16
Newtonian constant of gravitation m^3 kg^-1 s^-2	6.673 84 e-11	0.000 80 e-11
Newtonian constant of gravitation over h-bar c (GeV/c^2)^-2	6.708 37 e-39	0.000 80 e-39
nuclear magneton J T^-1	5.050 783 53 e-27	0.000 000 11 e-27
nuclear magneton in eV/T eV T^-1	3.152 451 2605 e-8	0.000 000 0022 e-8
nuclear magneton in inverse meters per tesla m^-1 T^-1	2.542 623 527 e-2	0.000 000 056 e-2
nuclear magneton in K/T K T^-1	3.658 2682 e-4	0.000 0033 e-4
nuclear magneton in MHz/T MHz T^-1	7.622 593 57	0.000 000 17
Planck constant J s	6.626 069 57 e-34	0.000 000 29 e-34
Planck constant in eV s eV s	4.135 667 516 e-15	0.000 000 091 e-15
Planck constant over 2 pi J s	1.054 571 726 e-34	0.000 000 047 e-34
Planck constant over 2 pi in eV s eV s	6.582 119 28 e-16	0.000 000 15 e-16
Planck constant over 2 pi times c in MeV fm MeV fm	197.326 9718	0.000 0044
Planck length m	1.616 199 e-35	0.000 097 e-35
Planck mass kg	2.176 51 e-8	0.000 13 e-8
Planck mass energy equivalent in GeV GeV	1.220 932 e19	0.000 073 e19
Planck temperature K	1.416 833 e32	0.000 085 e32
Planck time s	5.391 06 e-44	0.000 32 e-44
proton charge to mass quotient C kg^-1	9.578 833 58 e7	0.000 000 21 e7
proton Compton wavelength m	1.321 409 856 23 e-15	0.000 000 000 94 e-15
proton Compton wavelength over 2 pi m	0.210 308 910 47 e-15	0.000 000 000 15 e-15
proton-electron mass ratio	1836.152 672 45	0.000 000 75
proton g factor	5.585 694 713	0.000 000 046
proton gyromag. ratio s^-1 T^-1	2.675 222 005 e8	0.000 000 063 e8
proton gyromag. ratio over 2 pi MHz T^-1	42.577 4806	0.000 0010
proton mag. mom. J T^-1	1.410 606 743 e-26	0.000 000 033 e-26
proton mag. mom. to Bohr magneton ratio	1.521 032 210 e-3	0.000 000 012 e-3
proton mag. mom. to nuclear magneton ratio	2.792 847 356	0.000 000 023
proton mag. shielding correction	25.694 e-6	0.014 e-6
proton mass kg	1.672 621 777 e-27	0.000 000 074 e-27
proton mass energy equivalent J	1.503 277 484 e-10	0.000 000 066 e-10
proton mass energy equivalent in MeV MeV	938.272 046	0.000 021
proton mass in u u	1.007 276 466 812	0.000 000 000 090
proton molar mass kg mol^-1	1.007 276 466 812 e-3	0.000 000 000 090 e-3
proton-muon mass ratio	8.880 243 31	0.000 000 22
proton-neutron mag. mom. ratio	-1.459 898 06	0.000 000 34
proton-neutron mass ratio	0.998 623 478 26	0.000 000 000 45

proton rms charge radius	0.8775 e-15	0.0051 e-15
m		
proton-tau mass ratio	0.528 063	0.000 048
quantum of circulation	3.636 947 5520 e-4	0.000 000 0024 e-4
m^2 s^-1		
quantum of circulation times 2	7.273 895 1040 e-4	0.000 000 0047 e-4
m^2 s^-1		
Rydberg constant	10 973 731.568 539	0.000 055
m^-1		
Rydberg constant times c in Hz	3.289 841 960 364 e15	0.000 000 000 017 e15
Hz		
Rydberg constant times hc in eV	13.605 692 53	0.000 000 30
eV		
Rydberg constant times hc in J	2.179 872 171 e-18	0.000 000 096 e-18
J		
Sackur-Tetrode constant (1 K, 100 kPa)	-1.151 7078	0.000 0023
Sackur-Tetrode constant (1 K, 101.325 kPa)	-1.164 8708	0.000 0023
second radiation constant	1.438 7770 e-2	0.000 0013 e-2
m K		
shielded helion gyromag. ratio	2.037 894 659 e8	0.000 000 051 e8
s^-1 T^-1		
shielded helion gyromag. ratio over 2 pi	32.434 100 84	0.000 000 81
MHz T^-1		
shielded helion mag. mom.	-1.074 553 044 e-26	0.000 000 027 e-26
J T^-1		
shielded helion mag. mom. to Bohr magneton ratio	-1.158 671 471 e-3	0.000 000 014 e-3
shielded helion mag. mom. to nuclear magneton ratio	-2.127 497 718	0.000 000 025
shielded helion to proton mag. mom. ratio	-0.761 766 558	0.000 000 011
shielded helion to shielded proton mag. mom. ratio	-0.761 786 1313	0.000 000 0033
shielded proton gyromag. ratio	2.675 153 268 e8	0.000 000 066 e8
s^-1 T^-1		
shielded proton gyromag. ratio over 2 pi	42.576 3866	0.000 0010
MHz T^-1		
shielded proton mag. mom.	1.410 570 499 e-26	0.000 000 035 e-26
J T^-1		
shielded proton mag. mom. to Bohr magneton ratio	1.520 993 128 e-3	0.000 000 017 e-3
shielded proton mag. mom. to nuclear magneton ratio	2.792 775 598	0.000 000 030
speed of light in vacuum	299 792 458	(exact)
m s^-1		
standard acceleration of gravity	9.806 65	(exact)
m s^-2		
standard atmosphere	101 325	(exact)
Pa		
standard-state pressure	100 000	(exact)
Pa		
Stefan-Boltzmann constant	5.670 373 e-8	0.000 021 e-8
W m^-2 K^-4		
tau Compton wavelength	0.697 787 e-15	0.000 063 e-15
m		
tau Compton wavelength over 2 pi	0.111 056 e-15	0.000 010 e-15
m		
tau-electron mass ratio	3477.15	0.31
tau mass	3.167 47 e-27	0.000 29 e-27
kg		
tau mass energy equivalent	2.846 78 e-10	0.000 26 e-10
J		
tau mass energy equivalent in MeV	1776.82	0.16
MeV		
tau mass in u	1.907 49	0.000 17
u		
tau molar mass	1.907 49 e-3	0.000 17 e-3
kg mol^-1		
tau-muon mass ratio	16.8167	0.0015
tau-neutron mass ratio	1.891 11	0.000 17
tau-proton mass ratio	1.893 72	0.000 17
Thomson cross section	0.665 245 8734 e-28	0.000 000 0013 e-28
m^2		
triton-electron mass ratio	5496.921 5267	0.000 0050
triton g factor	5.957 924 896	0.000 000 076
triton mag. mom.	1.504 609 447 e-26	0.000 000 038 e-26
J T^-1		
triton mag. mom. to Bohr magneton ratio	1.622 393 657 e-3	0.000 000 021 e-3

triton mag. mom. to nuclear magneton ratio	2.978 962 448	0.000 000 038
triton mass	5.007 356 30 e-27	0.000 000 22 e-27
kg		
triton mass energy equivalent	4.500 387 41 e-10	0.000 000 20 e-10
J		
triton mass energy equivalent in MeV	2808.921 005	0.000 062
MeV		
triton mass in u	3.015 500 7134	0.000 000 0025
u		
triton molar mass	3.015 500 7134 e-3	0.000 000 0025 e-3
kg mol^-1		
triton-proton mass ratio	2.993 717 0308	0.000 000 0025
unified atomic mass unit	1.660 538 921 e-27	0.000 000 073 e-27
kg		
von Klitzing constant	25 812.807 4434	0.000 0084
ohm		
weak mixing angle	0.2223	0.0021
Wien frequency displacement law constant	5.878 9254 e10	0.000 0053 e10
Hz K^-1		
Wien wavelength displacement law constant	2.897 7721 e-3	0.000 0026 e-3
m K		

Chapter 8

requirements

gcc>=4.6 or msvc>=14

gfortran>=4.6 or ifort>=18

cmake>=3.20

Chapter 9

Modules Index

9.1 Modules List

Here is a list of all modules with brief descriptions:

Chapter 10

Data Type Index

10.1 Data Types List

Here are the data types with brief descriptions:

Chapter 11

File Index

11.1 File List

Here is a list of all files with brief descriptions:

Chapter 12

Module Documentation

12.1 codata Module Reference

Codata constants.

Functions/Subroutines

- subroutine, public codata_set_year (year)

  Set the revision year for the codata constants.
- pure character(len=4) function, public codata_get_year ()

  Get the set year for the codata constants.
- integer function, public codata_get_number_constants ()

  Get the number of constants.
- subroutine, public codata_print ()

  Display all constants.
- character(len=:) function, allocatable, public codata_get_name_by_index (index)

  Get the name of the constant by index.
- real(real64) function, public codata_get_value_by_index (index)

  Get the value of the constant by index.
- real(real64) function, public codata_get_uncertainty_by_index (index)

  Get the vauncertaintylue of the constant by index.
- character(len=:) function, allocatable, public codata_get_unit_by_index (index)

  Get the unit of the constant by index.
- real(real64) function, public codata_get_value (name)

  Get the value of the constant by name.
- real(real64) function, public codata_get_uncertainty (name)

  Get the uncertainty of the constant by name.
- character(len=25) function, public codata_get_unit (name)

  Get the unit of the constant by name.

12.1.1 Detailed Description

Codata constants.

Codata constants wrapped in an array of derived type with members name, value, uncertainty and unit. Methods for getting the member values are available.

12.1.2 Function/Subroutine Documentation

12.1.2.1 codata_get_name_by_index()

```
character(len=:)  function, allocatable, public codata::codata_get_name_by_index (
            integer, intent(in) index )
```

Get the name of the constant by index.

Parameters

in	*index*	Index of the position.

Returns

name or empty if not found.

12.1.2.2 codata_get_number_constants()

```
integer function, public codata::codata_get_number_constants
```

Get the number of constants.

Returns

Number of constants

12.1.2.3 codata_get_uncertainty()

```
real(real64) function, public codata::codata_get_uncertainty (
            character(len=*), intent(in) name )
```

Get the uncertainty of the constant by name.

Parameters

in	*name*	Name of the constant

Returns

value or NaN if not found

12.1.2.4 codata_get_uncertainty_by_index()

```
real(real64) function, public codata::codata_get_uncertainty_by_index (
             integer, intent(in) index )
```

Get the vauncertaintylue of the constant by index.

Parameters

in	*index*	Index of the position.

Returns

value or NaN if not found.

12.1.2.5 codata_get_unit()

```
character(len=25) function, public codata::codata_get_unit (
             character(len=*), intent(in) name )
```

Get the unit of the constant by name.

Parameters

in	*name*	Name of the constant

Returns

unit or None if not found

12.1.2.6 codata_get_unit_by_index()

```
character(len=:)  function, allocatable, public codata::codata_get_unit_by_index (
             integer, intent(in) index )
```

Get the unit of the constant by index.

Parameters

in	*index*	Index of the position.

Returns

name or empty if not found.

12.1.2.7 codata_get_value()

```
real(real64) function, public codata::codata_get_value (
             character(len=*), intent(in) name )
```

Get the value of the constant by name.

Parameters

in	*name*	Name of the constant

Returns

value or NaN if not found

12.1.2.8 codata_get_value_by_index()

```
real(real64) function, public codata::codata_get_value_by_index (
             integer, intent(in) index )
```

Get the value of the constant by index.

Parameters

in	*index*	Index of the position.

Returns

value or NaN if not found.

12.1.2.9 codata_get_year()

```
pure character(len=4) function, public codata::codata_get_year
```

Get the set year for the codata constants.

Returns

Year of the codata constants

12.1.2.10 codata_print()

```
subroutine, public codata::codata_print
```

Display all constants.

12.1.2.11 codata_set_year()

```
subroutine, public codata::codata_set_year (
             character(len=*), intent(in) year )
```

Set the revision year for the codata constants.

Parameters

in	*year*	Year of the revision.

12.2 codata_2010 Module Reference

Codata constants.

Variables

- type(codata_t_constant), dimension(335), target, public codata_constants_2010 = [codata_2010_10 ,codata_2010_20 ,codata_2010_30 ,codata_2010_40 ,codata_2010_50 ,codata_2010_60 ,codata_2010_70 ,codata_2010_80 ,codata_2010_90 ,codata_2010_100 ,codata_2010_110 ,codata_2010_120 ,codata_↩ 2010_130 ,codata_2010_140 ,codata_2010_150 ,codata_2010_160 ,codata_2010_170 ,codata_2010_180 ,codata_2010_190 ,codata_2010_200 ,codata_2010_210 ,codata_2010_220 ,codata_2010_230 ,codata_↩ 2010_240 ,codata_2010_250 ,codata_2010_260 ,codata_2010_270 ,codata_2010_280 ,codata_2010_290 ,codata_2010_300 ,codata_2010_310 ,codata_2010_320 ,codata_2010_330 ,codata_2010_335]

12.2.1 Detailed Description

Codata constants.

Autogenerated from NIST table.

12.2.2 Variable Documentation

12.2.2.1 codata_constants_2010

```
type(codata_t_constant), dimension(335), target, public codata_2010::codata_constants_2010
= [codata_2010_10 ,codata_2010_20 ,codata_2010_30 ,codata_2010_40 ,codata_2010_50 ,codata↩
_2010_60 ,codata_2010_70 ,codata_2010_80 ,codata_2010_90 ,codata_2010_100 ,codata_2010_110
,codata_2010_120 ,codata_2010_130 ,codata_2010_140 ,codata_2010_150 ,codata_2010_160 ,codata↩
_2010_170 ,codata_2010_180 ,codata_2010_190 ,codata_2010_200 ,codata_2010_210 ,codata_2010_220
,codata_2010_230 ,codata_2010_240 ,codata_2010_250 ,codata_2010_260 ,codata_2010_270 ,codata↩
_2010_280 ,codata_2010_290 ,codata_2010_300 ,codata_2010_310 ,codata_2010_320 ,codata_2010_330
,codata_2010_335 ]
```

12.3 codata_2014 Module Reference

Codata constants.

Variables

- type(codata_t_constant), dimension(335), target, public codata_constants_2014 = [codata_2014_10 ,codata_2014_20 ,codata_2014_30 ,codata_2014_40 ,codata_2014_50 ,codata_2014_60 ,codata_2014_70 ,codata_2014_80 ,codata_2014_90 ,codata_2014_100 ,codata_2014_110 ,codata_2014_120 ,codata_↩ 2014_130 ,codata_2014_140 ,codata_2014_150 ,codata_2014_160 ,codata_2014_170 ,codata_2014_180 ,codata_2014_190 ,codata_2014_200 ,codata_2014_210 ,codata_2014_220 ,codata_2014_230 ,codata_↩ 2014_240 ,codata_2014_250 ,codata_2014_260 ,codata_2014_270 ,codata_2014_280 ,codata_2014_290 ,codata_2014_300 ,codata_2014_310 ,codata_2014_320 ,codata_2014_330 ,codata_2014_335]

12.3.1 Detailed Description

Codata constants.

Autogenerated from NIST table.

12.3.2 Variable Documentation

12.3.2.1 codata_constants_2014

```
type(codata_t_constant), dimension(335), target, public codata_2014::codata_constants_2014
= [codata_2014_10 ,codata_2014_20 ,codata_2014_30 ,codata_2014_40 ,codata_2014_50 ,codata↩
_2014_60 ,codata_2014_70 ,codata_2014_80 ,codata_2014_90 ,codata_2014_100 ,codata_2014_110
,codata_2014_120 ,codata_2014_130 ,codata_2014_140 ,codata_2014_150 ,codata_2014_160 ,codata↩
_2014_170 ,codata_2014_180 ,codata_2014_190 ,codata_2014_200 ,codata_2014_210 ,codata_2014_220
,codata_2014_230 ,codata_2014_240 ,codata_2014_250 ,codata_2014_260 ,codata_2014_270 ,codata↩
_2014_280 ,codata_2014_290 ,codata_2014_300 ,codata_2014_310 ,codata_2014_320 ,codata_2014_330
,codata_2014_335 ]
```

12.4 codata_2018 Module Reference

Codata constants.

Variables

- type(codata_t_constant), dimension(354), target, public codata_constants_2018 = [codata_2018_10 ,codata_2018_20 ,codata_2018_30 ,codata_2018_40 ,codata_2018_50 ,codata_2018_60 ,codata_2018_70 ,codata_2018_80 ,codata_2018_90 ,codata_2018_100 ,codata_2018_110 ,codata_2018_120 ,codata_↩ 2018_130 ,codata_2018_140 ,codata_2018_150 ,codata_2018_160 ,codata_2018_170 ,codata_2018_180 ,codata_2018_190 ,codata_2018_200 ,codata_2018_210 ,codata_2018_220 ,codata_2018_230 ,codata_↩ 2018_240 ,codata_2018_250 ,codata_2018_260 ,codata_2018_270 ,codata_2018_280 ,codata_2018_290 ,codata_2018_300 ,codata_2018_310 ,codata_2018_320 ,codata_2018_330 ,codata_2018_340 ,codata_↩ 2018_350 ,codata_2018_354]

12.4.1 Detailed Description

Codata constants.

Autogenerated from NIST table.

12.4.2 Variable Documentation

12.4.2.1 codata_constants_2018

```
type(codata_t_constant), dimension(354), target, public codata_2018::codata_constants_2018
= [codata_2018_10 ,codata_2018_20 ,codata_2018_30 ,codata_2018_40 ,codata_2018_50 ,codata↩
_2018_60 ,codata_2018_70 ,codata_2018_80 ,codata_2018_90 ,codata_2018_100 ,codata_2018_110
,codata_2018_120 ,codata_2018_130 ,codata_2018_140 ,codata_2018_150 ,codata_2018_160 ,codata↩
_2018_170 ,codata_2018_180 ,codata_2018_190 ,codata_2018_200 ,codata_2018_210 ,codata_2018_220
,codata_2018_230 ,codata_2018_240 ,codata_2018_250 ,codata_2018_260 ,codata_2018_270 ,codata↩
_2018_280 ,codata_2018_290 ,codata_2018_300 ,codata_2018_310 ,codata_2018_320 ,codata_2018_330
,codata_2018_340 ,codata_2018_350 ,codata_2018_354 ]
```

12.5 codata_base Module Reference

Base module.

Variables

- type(codata_t_constant), dimension(:), pointer, public codata_constants

  Pointer to the codata table.
- logical, public codata_is_set = .false.

  flag for indicating if the codata year is set
- character(len=4), public codata_year = "2018"

  year that was set

12.5.1 Detailed Description

Base module.

Here are defined all common variables needed for the codata module.

12.5.2 Variable Documentation

12.5.2.1 codata_constants

```
type(codata_t_constant), dimension(:), pointer, public codata_base::codata_constants
```

Pointer to the codata table.

Pointer that will point to the adequat codata table according to the choosen year. By default, it points to the last update of codata values.

12.5.2.2 codata_is_set

```
logical, public codata_base::codata_is_set = .false.
```

flag for indicating if the codata year is set

12.5.2.3 codata_year

```
character(len=4), public codata_base::codata_year = "2018"
```

year that was set

12.6 codata_capi Module Reference

C API for the codata constants.

Functions/Subroutines

- subroutine codata_capi_set_year (char_p, length)

  Set the revision year for the codata constants.
- type(c_ptr) function codata_capi_get_year ()

  Get the set year for the codata constants return Year of the codata constants.
- integer(c_int) function codata_capi_get_number_constants ()

  Get the number of constants.
- subroutine codata_capi_print ()

  Display all constants.
- type(c_ptr) function codata_capi_get_name_by_index (index)

  Get the name of the constant by index.
- real(c_double) function codata_capi_get_value_by_index (index)

  Get the value of the constant by index.
- real(c_double) function codata_capi_get_uncertainty_by_index (index)

  Get the uncertainty of the constant by index.
- type(c_ptr) function codata_capi_get_unit_by_index (index)

  Get the unit of the constant by index.
- real(c_double) function codata_capi_get_value (char_p, length)

  Get the value of the constant by name.
- real(c_double) function codata_capi_get_uncertainty (char_p, length)

  Get the uncertainty of the constant by name.
- type(c_ptr) function codata_capi_get_unit (char_p, length)

  Get the unit of the constant by name.

Variables

- character(len=:), allocatable, target capi_name

  Allocatable for a Fortran string representing the name of the constant.
- character(len=:), pointer capi_name_ptr

  Fortran pointer to the string representing the name of the constant.
- character(len=:), allocatable, target capi_unit

  Allocatable for a Fortran string representing the unit of the constant.
- character(len=:), pointer capi_unit_ptr

  Fortran pointer to the string representing the unit of the constant.
- character(len=:), allocatable, target capi_year

  Allocatable for a Fortran string representing the codata year.
- character(len=:), pointer capi_year_ptr

  Fortran pointer to the string representing the codata year.

12.6.1 Detailed Description

C API for the codata constants.

Provide C compatible getters and setters for accessing the codata constants.

12.6.2 Function/Subroutine Documentation

12.6.2.1 codata_capi_get_name_by_index()

```
type(c_ptr) function codata_capi::codata_capi_get_name_by_index (
             integer(c_int), intent(in), value index )
```

Get the name of the constant by index.

Parameters

in	*index*	Index of the position.

Returns

name or empty if not found.

12.6.2.2 codata_capi_get_number_constants()

```
integer(c_int) function codata_capi::codata_capi_get_number_constants
```

Get the number of constants.

Returns

Number of constants

12.6.2.3 codata_capi_get_uncertainty()

```
real(c_double) function codata_capi::codata_capi_get_uncertainty (
             type(c_ptr), intent(in), value char_p,
             integer(c_int), intent(in), value length )
```

Get the uncertainty of the constant by name.

Parameters

in	*char_p*	Name of the constant
in	*length*	Length of the string

Returns

value or NaN if not found

12.6.2.4 codata_capi_get_uncertainty_by_index()

```
real(c_double) function codata_capi::codata_capi_get_uncertainty_by_index (
            integer(c_int), intent(in), value index )
```

Get the uncertainty of the constant by index.

Parameters

in	*index*	Index of the position.

Returns

value or NaN if not found.

12.6.2.5 codata_capi_get_unit()

```
type(c_ptr) function codata_capi::codata_capi_get_unit (
            type(c_ptr), intent(in), value char_p,
            integer(c_int), intent(in), value length )
```

Get the unit of the constant by name.

Parameters

in	*char_p*	Name of the constant
in	*length*	Length of the string

Returns

unit or None if not found

12.6.2.6 codata_capi_get_unit_by_index()

```
type(c_ptr) function codata_capi::codata_capi_get_unit_by_index (
            integer(c_int), intent(in), value index )
```

Get the unit of the constant by index.

Parameters

in	*index*	Index of the position.

Returns

name or empty if not found.

12.6.2.7 codata_capi_get_value()

```
real(c_double) function codata_capi::codata_capi_get_value (
            type(c_ptr), intent(in), value char_p,
            integer(c_int), intent(in), value length )
```

Get the value of the constant by name.

Parameters

in	*char_p*	Name of the constant
in	*length*	Length of the string

Returns

value or NaN if not found

12.6.2.8 codata_capi_get_value_by_index()

```
real(c_double) function codata_capi::codata_capi_get_value_by_index (
            integer(c_int), intent(in), value index )
```

Get the value of the constant by index.

Parameters

in	*index*	Index of the position.

Returns

value or NaN if not found.

12.6.2.9 codata_capi_get_year()

```
type(c_ptr) function codata_capi::codata_capi_get_year
```

Get the set year for the codata constants return Year of the codata constants.

12.6.2.10 codata_capi_print()

```
subroutine codata_capi::codata_capi_print
```

Display all constants.

12.6.2.11 codata_capi_set_year()

```
subroutine codata_capi::codata_capi_set_year (
            type(c_ptr), intent(in), value char_p,
            integer(c_int), intent(in), value length )
```

Set the revision year for the codata constants.

Parameters

in	*char_p*	Year of the revision.
in	*length*	Length of the string.

12.6.3 Variable Documentation

12.6.3.1 capi_name

```
character(len=:), allocatable, target codata_capi::capi_name
```

Allocatable for a Fortran string representing the name of the constant.

It is used for interoperability Fortran and C strings.

12.6.3.2 capi_name_ptr

```
character(len=:), pointer codata_capi::capi_name_ptr
```

Fortran pointer to the string representing the name of the constant.

It is used for interoperability Fortran and C strings.

12.6.3.3 capi_unit

```
character(len=:), allocatable, target codata_capi::capi_unit
```

Allocatable for a Fortran string representing the unit of the constant.

It is used for interoperability Fortran and C strings.

12.6.3.4 capi_unit_ptr

```
character(len=:), pointer codata_capi::capi_unit_ptr
```

Fortran pointer to the string representing the unit of the constant.

It is used for interoperability Fortran and C strings.

12.6.3.5 capi_year

```
character(len=:), allocatable, target codata_capi::capi_year
```

Allocatable for a Fortran string representing the codata year.

It is used for interoperability Fortran and C strings.

12.6.3.6 capi_year_ptr

```
character(len=:), pointer codata_capi::capi_year_ptr
```

Fortran pointer to the string representing the codata year.

It is used for interoperability Fortran and C strings.

Chapter 13

Data Type Documentation

13.1 codata_file_props Struct Reference

Properties of the file for the codata raw data.

Data Fields

- int n
- int index_header_end
- char codata_path [18]
- char year [5]
- char fmodule_path [18]

13.1.1 Detailed Description

Properties of the file for the codata raw data.

13.1.2 Field Documentation

13.1.2.1 codata_path

```
char codata_file_props::codata_path[18]
```

Filepath to the raw codata constants.

13.1.2.2 fmodule_path

```
char codata_file_props::fmodule_path[18]
```

Filepath of the generated Fortran module.

13.1.2.3 index_header_end

```
int codata_file_props::index_header_end
```

Number of lines for the header.

13.1.2.4 n

```
int codata_file_props::n
```

Number of lines.

13.1.2.5 year

```
char codata_file_props::year[5]
```

Year of release of the codata constants.

The documentation for this struct was generated from the following file:

- src/generator.c

Chapter 14

File Documentation

14.1 app/config.c File Reference

Provides the configuration of the codata library.

```
#include <stdio.h>
#include "config.h"
```

Include dependency graph for config.c:



Functions

- int main (int argc, char **argv)

14.1.1 Detailed Description

Provides the configuration of the codata library.

14.1.2 Function Documentation

14.1.2.1 main()

```
int main (
             int argc,
             char ** argv )
```

14.2 doxygen/introduction/install.md File Reference

14.3 doxygen/introduction/license.md File Reference

14.4 doxygen/introduction/raw_codata.md File Reference

14.5 doxygen/introduction/requirements.md File Reference

14.6 doxygen/releases/0.1.0-notes.md File Reference

14.7 doxygen/releases/0.2.0-notes.md File Reference

14.8 doxygen/releases/0.2.1-notes.md File Reference

14.9 README.md File Reference

14.10 src/codata.f90 File Reference

Codata module.

Modules

- module codata

  Codata constants.

Functions/Subroutines

- subroutine, public codata::codata_set_year (year)

  Set the revision year for the codata constants.
- pure character(len=4) function, public codata::codata_get_year ()

  Get the set year for the codata constants.
- integer function, public codata::codata_get_number_constants ()

  Get the number of constants.
- subroutine, public codata::codata_print ()

  Display all constants.
- character(len=:) function, allocatable, public codata::codata_get_name_by_index (index)

  Get the name of the constant by index.
- real(real64) function, public codata::codata_get_value_by_index (index)

  Get the value of the constant by index.
- real(real64) function, public codata::codata_get_uncertainty_by_index (index)

  Get the vauncertaintylue of the constant by index.
- character(len=:) function, allocatable, public codata::codata_get_unit_by_index (index)

  Get the unit of the constant by index.
- real(real64) function, public codata::codata_get_value (name)

  Get the value of the constant by name.
- real(real64) function, public codata::codata_get_uncertainty (name)

  Get the uncertainty of the constant by name.
- character(len=25) function, public codata::codata_get_unit (name)

  Get the unit of the constant by name.

14.10.1 Detailed Description

Codata module.

14.11 src/codata.h File Reference

C header for the codata library.

Functions

- void codata_capi_set_year (char *year, int length)

  Set the revision year for the codata constants.
- char * codata_capi_get_year ()

  Get the set year for the codata constants return Year of the codata constants.
- int codata_capi_get_number_constants ()

  Get the number of constants.
- void codata_capi_print ()

  Display all constants.
- double codata_capi_get_value (char *name, int length)

  Get the value of the constant by name.
- double codata_capi_get_uncertainty (char *name, int length)

  Get the uncertainty of the constant by name.

- char * codata_capi_get_unit (char *name, int length)

  Get the unit of the constant by name.
- double codata_capi_get_value_by_index (int index)

  Get the value of the constant by index.
- double codata_capi_get_uncertainty_by_index (int index)

  Get the uncertainty of the constant by index.
- char * codata_capi_get_name_by_index (int index)

  Get the name of the constant by index.
- char * codata_capi_get_unit_by_index (int index)

  Get the unit of the constant by index.

14.11.1 Detailed Description

C header for the codata library.

14.11.2 Function Documentation

14.11.2.1 codata_capi_get_name_by_index()

```
char* codata_capi_get_name_by_index (
            int index )
```

Get the name of the constant by index.

Parameters

in	*index*	Index of the position.

Returns

name or None if not found.

14.11.2.2 codata_capi_get_number_constants()

```
int codata_capi_get_number_constants ( )
```

Get the number of constants.

Returns

Number of the constants.

14.11.2.3 codata_capi_get_uncertainty()

```
double codata_capi_get_uncertainty (
            char * name,
            int length )
```

Get the uncertainty of the constant by name.

Parameters

in	*name*	Name of the constant
in	*length*	Length of the string

Returns

value or NaN if not found

14.11.2.4 codata_capi_get_uncertainty_by_index()

```
double codata_capi_get_uncertainty_by_index (
            int index )
```

Get the uncertainty of the constant by index.

Parameters

in	*index*	Index of the position.

Returns

value or NaN if not found.

14.11.2.5 codata_capi_get_unit()

```
char* codata_capi_get_unit (
            char * name,
            int length )
```

Get the unit of the constant by name.

Parameters

in	*name*	Name of the constant
in	*length*	Length of the string

Returns

unit or None if not found

14.11.2.6 codata_capi_get_unit_by_index()

```
char* codata_capi_get_unit_by_index (
            int index )
```

Get the unit of the constant by index.

Parameters

in	*index*	Index of the position.

Returns

unit or None if not found.

14.11.2.7 codata_capi_get_value()

```
double codata_capi_get_value (
            char * name,
            int length )
```

Get the value of the constant by name.

Parameters

in	*name*	Name of the constant
in	*length*	Length of the string

Returns

value or NaN if not found

Examples

example_in_c.c.

14.11.2.8 codata_capi_get_value_by_index()

```
double codata_capi_get_value_by_index (
            int index )
```

Get the value of the constant by index.

Parameters

in	*index*	Index of the position.

Returns

value or NaN if not found.

14.11.2.9 codata_capi_get_year()

```
char* codata_capi_get_year ( )
```

Get the set year for the codata constants return Year of the codata constants.

Examples

example_in_c.c.

14.11.2.10 codata_capi_print()

```
void codata_capi_print ( )
```

Display all constants.

Examples

example_in_c.c.

14.11.2.11 codata_capi_set_year()

```
void codata_capi_set_year (
            char * year,
            int length )
```

Set the revision year for the codata constants.

Parameters

in	*year*	Year of the revision.
in	*length*	Length of the string.

Examples

example_in_c.c.

14.12 src/codata_2010.f90 File Reference

Codata module - autogenerated.

Modules

- module codata_2010

  Codata constants.

Variables

- type(codata_t_constant), dimension(335), target, public codata_2010::codata_constants_2010 = [codata↩ _2010_10 ,codata_2010_20 ,codata_2010_30 ,codata_2010_40 ,codata_2010_50 ,codata_2010_60 ,codata_2010_70 ,codata_2010_80 ,codata_2010_90 ,codata_2010_100 ,codata_2010_110 ,codata_↩ 2010_120 ,codata_2010_130 ,codata_2010_140 ,codata_2010_150 ,codata_2010_160 ,codata_2010_170 ,codata_2010_180 ,codata_2010_190 ,codata_2010_200 ,codata_2010_210 ,codata_2010_220 ,codata_↩ 2010_230 ,codata_2010_240 ,codata_2010_250 ,codata_2010_260 ,codata_2010_270 ,codata_2010_280 ,codata_2010_290 ,codata_2010_300 ,codata_2010_310 ,codata_2010_320 ,codata_2010_330 ,codata_↩ 2010_335]

14.12.1 Detailed Description

Codata module - autogenerated.

14.13 src/codata_2014.f90 File Reference

Codata module - autogenerated.

Modules

- module codata_2014

  Codata constants.

Variables

- type(codata_t_constant), dimension(335), target, public codata_2014::codata_constants_2014 = [codata↩ _2014_10 ,codata_2014_20 ,codata_2014_30 ,codata_2014_40 ,codata_2014_50 ,codata_2014_60 ,codata_2014_70 ,codata_2014_80 ,codata_2014_90 ,codata_2014_100 ,codata_2014_110 ,codata_↩ 2014_120 ,codata_2014_130 ,codata_2014_140 ,codata_2014_150 ,codata_2014_160 ,codata_2014_170 ,codata_2014_180 ,codata_2014_190 ,codata_2014_200 ,codata_2014_210 ,codata_2014_220 ,codata_↩ 2014_230 ,codata_2014_240 ,codata_2014_250 ,codata_2014_260 ,codata_2014_270 ,codata_2014_280 ,codata_2014_290 ,codata_2014_300 ,codata_2014_310 ,codata_2014_320 ,codata_2014_330 ,codata_↩ 2014_335]

14.13.1 Detailed Description

Codata module - autogenerated.

14.14 src/codata_2018.f90 File Reference

Codata module - autogenerated.

Modules

- module codata_2018

  Codata constants.

Variables

- type(codata_t_constant), dimension(354), target, public codata_2018::codata_constants_2018 = [codata_2018_10 ,codata_2018_20 ,codata_2018_30 ,codata_2018_40 ,codata_2018_50 ,codata_2018_60 ,codata_2018_70 ,codata_2018_80 ,codata_2018_90 ,codata_2018_100 ,codata_2018_110 ,codata_2018_120 ,codata_2018_130 ,codata_2018_140 ,codata_2018_150 ,codata_2018_160 ,codata_2018_170 ,codata_2018_180 ,codata_2018_190 ,codata_2018_200 ,codata_2018_210 ,codata_2018_220 ,codata_2018_230 ,codata_2018_240 ,codata_2018_250 ,codata_2018_260 ,codata_2018_270 ,codata_2018_280 ,codata_2018_290 ,codata_2018_300 ,codata_2018_310 ,codata_2018_320 ,codata_2018_330 ,codata_2018_340 ,codata_2018_350 ,codata_2018_354]

14.14.1 Detailed Description

Codata module - autogenerated.

14.15 src/codata_base.f90 File Reference

Base for the codata module.

Modules

- module codata_base

  Base module.

Variables

- type(codata_t_constant), dimension(:), pointer, public codata_base::codata_constants

  Pointer to the codata table.
- logical, public codata_base::codata_is_set = .false.

  flag for indicating if the codata year is set
- character(len=4), public codata_base::codata_year = "2018"

  year that was set

14.15.1 Detailed Description

Base for the codata module.

14.16 src/codata_capi.f90 File Reference

Codata module - C API.

Modules

- module codata_capi

  C API for the codata constants.

Functions/Subroutines

- subroutine codata_capi::codata_capi_set_year (char_p, length)

  Set the revision year for the codata constants.
- type(c_ptr) function codata_capi::codata_capi_get_year ()

  Get the set year for the codata constants return Year of the codata constants.
- integer(c_int) function codata_capi::codata_capi_get_number_constants ()

  Get the number of constants.
- subroutine codata_capi::codata_capi_print ()

  Display all constants.
- type(c_ptr) function codata_capi::codata_capi_get_name_by_index (index)

  Get the name of the constant by index.
- real(c_double) function codata_capi::codata_capi_get_value_by_index (index)

  Get the value of the constant by index.
- real(c_double) function codata_capi::codata_capi_get_uncertainty_by_index (index)

  Get the uncertainty of the constant by index.
- type(c_ptr) function codata_capi::codata_capi_get_unit_by_index (index)

  Get the unit of the constant by index.
- real(c_double) function codata_capi::codata_capi_get_value (char_p, length)

  Get the value of the constant by name.
- real(c_double) function codata_capi::codata_capi_get_uncertainty (char_p, length)

  Get the uncertainty of the constant by name.
- type(c_ptr) function codata_capi::codata_capi_get_unit (char_p, length)

  Get the unit of the constant by name.

Variables

- character(len=:), allocatable, target codata_capi::capi_name

  Allocatable for a Fortran string representing the name of the constant.
- character(len=:), pointer codata_capi::capi_name_ptr

  Fortran pointer to the string representing the name of the constant.
- character(len=:), allocatable, target codata_capi::capi_unit

  Allocatable for a Fortran string representing the unit of the constant.
- character(len=:), pointer codata_capi::capi_unit_ptr

  Fortran pointer to the string representing the unit of the constant.
- character(len=:), allocatable, target codata_capi::capi_year

  Allocatable for a Fortran string representing the codata year.
- character(len=:), pointer codata_capi::capi_year_ptr

  Fortran pointer to the string representing the codata year.

14.16.1 Detailed Description

Codata module - C API.

14.17 src/generator.c File Reference

Generator for Fortran module.

```
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <ctype.h>
```

Include dependency graph for generator.c:



Data Structures

- struct codata_file_props

  Properties of the file for the codata raw data.

Functions

- void format_names (char *line, char *name)

  Format names simply by copying them.
- void format_values (char *line, char *value)

  Format values to be conform to Fortran double precision.
- void format_uncertainties (char *line, char *uncertainty)

  Format the uncertainties to be conform to Fortran double precsion.
- void format_units (char *line, char *unit)

  Format the units to be conform to Fortran strings.
- void clean_line (char *buf, size_t buffer_size)

  Fill the buffer with white space.
- int read_line (FILE *f, char *buf, size_t buffer_size)

  Read the line from f and copy in buf.
- void ltrim (char *buf, size_t buffer_size)

  Remove all white space from the left.

- void rtrim (char *buf, size_t buffer_size)

  Remove all white space from the right.
- int is_blank_line (char *buf, size_t buffer_size)

  Test if the line is a blank line.
- void get_props (struct codata_file_props *props)

  Get the properties of the codata file.
- void print_props (struct codata_file_props *props)

  Print the codata file properties.
- void write_file_doc (FILE *fcode)

  Generate the Fortran file documentation.
- void write_module_doc (FILE *fcode)

  Generate the Fortran module documentation.
- void write_module_declaration (FILE *fcode, struct codata_file_props *props)

  Generate the Fortran module declaration.
- void write_all_constants (FILE *fcodata, FILE *fcode, struct codata_file_props *props)

  Generate all constants in the Fortran module.
- void write_module_end (FILE *fcode, struct codata_file_props *props)

  Generate the end of the Fortran module.
- int main (int argc, char **argv)

  Generated Fortran module.

14.17.1 Detailed Description

Generator for Fortran module.

The raw data from NIST are parsed line by line where the columns name, value, uncertainty and unit are formatted to be conform to Fortran. The formatted (as strings) names, values, uncertainties and units are then inserted in a derived type in the generated Fortran module. The raw codata from http://physics.nist.gov/constants are converted into Fortran code.

14.17.2 Function Documentation

14.17.2.1 clean_line()

```
void clean_line (
            char * buf,
            size_t buffer_size )
```

Fill the buffer with white space.

Parameters

buf	Line to be cleaned
buffer_size	Size of the line.

14.17.2.2 format_names()

```
void format_names (
            char * line,
            char * name )
```

Format names simply by copying them.

Parameters

line	Line to be parsed.
name	String where the name will be copied.

14.17.2.3 format_uncertainties()

```
void format_uncertainties (
            char * line,
            char * uncertainty )
```

Format the uncertainties to be conform to Fortran double precsion.

Parameters

line	Line to be parsed.
uncertainty	String where the uncertainty will be copied.

14.17.2.4 format_units()

```
void format_units (
            char * line,
            char * unit )
```

Format the units to be conform to Fortran strings.

Parameters

line	Line to be parsed.
unit	String where the unit will be copied.

14.17.2.5 format_values()

```
void format_values (
```

```
            char * line,
            char * value )
```

Format values to be conform to Fortran double precision.

Parameters

line	Line to be parsed.
value	String where the value will be copied.

14.17.2.6 get_props()

```
void get_props (
            struct codata_file_props * props )
```

Get the properties of the codata file.

Parameters

props	Properties of the codata file.

14.17.2.7 is_blank_line()

```
int is_blank_line (
            char * buf,
            size_t buffer_size )
```

Test if the line is a blank line.

Parameters

buf	Line to be tested.
buffer_size	Size of the line.

Returns

int Flag indicating if blank(=1) or not (=0).

14.17.2.8 ltrim()

```
void ltrim (
            char * buf,
            size_t buffer_size )
```

Remove all white space from the left.

Parameters

buf	Line to be left trimmed.
buffer_size	Size of the line.

14.17.2.9 main()

```
int main (
            int argc,
            char ** argv )
```

Generated Fortran module.

Parameters

argc	Number of arguments
argv	List of arguments

Returns

int Exit flag.

Examples

example_in_c.c.

14.17.2.10 print_props()

```
void print_props (
            struct codata_file_props * props )
```

Print the codata file properties.

Parameters

props	Properties of the codata file.

14.17.2.11 read_line()

```
int read_line (
            FILE * f,
```

```
            char * buf,
            size_t buffer_size )
```

Read the line from f and copy in buf.

Parameters

f	File pointer where the line will be parsed.
buf	String where the line will be copied.
buffer_size	Size of the buffer.

Returns

int Flag if the line is empty(=1) or not empty(=0).

14.17.2.12 rtrim()

```
void rtrim (
            char * buf,
            size_t buffer_size )
```

Remove all white space from the right.

Parameters

buf	Line to be right trimmed.
buffer_size	Size of the line.

14.17.2.13 write_all_constants()

```
void write_all_constants (
            FILE * fcodata,
            FILE * fcode,
            struct codata_file_props * props )
```

Generate all constants in the Fortran module.

Parameters

fcodata	File pointer to the codata file.
fcode	File pointer to the Fortran module.
props	Properties of the codata file.

14.17.2.14 write_file_doc()

```
void write_file_doc (
            FILE * fcode )
```

Generate the Fortran file documentation.

Parameters

fcode	File pointer of the Fortran module.

14.17.2.15 write_module_declaration()

```
void write_module_declaration (
            FILE * fcode,
            struct codata_file_props * props )
```

Generate the Fortran module declaration.

Parameters

fcode	File pointer of the Fortran module.
props	Properties of the codata file.

14.17.2.16 write_module_doc()

```
void write_module_doc (
            FILE * fcode )
```

Generate the Fortran module documentation.

Parameters

fcode	File pointer of the Fortran module.

14.17.2.17 write_module_end()

```
void write_module_end (
            FILE * fcode,
            struct codata_file_props * props )
```

Generate the end of the Fortran module.

Parameters

fcode	File pointer to the Fortran module.
props	Properties of the codata file.

Chapter 15

Example Documentation

15.1 example_in_fortran.f90

```
1 program example_in_fortran
2     use codata
3     implicit none
4
5     character(len=4) :: year = "2014"
6
7     ! call directly codata, the values used will be the last i.e. 2018
8     call codata_print()
9     print *, "Codata 2018: ", codata_get_value("alpha particle mass")
10     print *, codata_get_year()
11
12     ! Or set the codata values that you want
13     call codata_set_year(year)
14     print *, "Codata 2014: ", codata_get_value("alpha particle mass")
15
16
17     print *, codata_get_year()
18
19 end program
```

15.2 example_in_c.c

```
#include <stdio.h>
#include <string.h>
#include "codata.h"
int main(int argc, char **argv){
    char year[5] = "2014";

    // avoid compiler complaining
    if (argc>1){
        printf("%d %s", argc, argv[1]);
    }
    /* call directly codata, the values used will be the last i.e. 2018 */
    codata_capi_print();
    char name[] = "alpha particle mass";
    printf("Codata 2018: %+23.16e\n", codata_capi_get_value(name, strlen(name)));
    printf("%s\n", codata_capi_get_year());
    /* Or set the codata values that you want */
    codata_capi_set_year(year, 4);
    printf("Codata 2014: %+23.16e\n", codata_capi_get_value(name, strlen(name)));
    printf("%s\n", codata_capi_get_year());

    return 0;
}
```

Index