

NAME

psat – compute the saturation pressure

LIBRARY

iapws library (*libiapws*, *-liapws*)

SYNOPSIS

```

Fortran      pure subroutine psat(Ts,ps)
               real(dp), intent(in), contiguous :: Ts(:)
               real(dp), intent(out), contiguous :: ps(:)

C            void iapws_r797_psat(size_t N,double *Ts,double *ps);

Python       psat(Ts:np.ndarray)->Union[np.ndarray,float]:

```

DESCRIPTION

Compute the saturation pressure *ps* at temperature *Ts*.

Arguments:

Ts(:) Saturation temperature in K.

ps(:) Saturation pressure in MPa.

Validity range: 273.13 K <= T <= 647.096 K

RETURN VALUE

ps is filled with NaN if out of validity range.

EXAMPLES

Fortran:

```

use iapws
real(dp) :: T(1), p(1)
T(1) = 25.0_dp + 273.15_dp
call psat(T, p)

```

C:

```

#include "iapws.h"
double T = 25.0 + 273.15;
double p;
iapws_g704_psat(1, &T, &p);

```

Python:

```

import numpy as np
import pyiapws
T = np.asarray([25.0])
p = pyiapws.psat(T+273.15)
print(p)

```

SEE ALSO

**iapws(1) iapws_lib(3) iapws_psat(3) iapws_Tsat(3) iapws_kh(3) iapws_kd(3) iapws_kw(3) ciaaw(3),
codata(3),**