

Title

Author

April 21, 2026

1 SECTIONS

Section header starts at column 1 and it must be upper case. Subsection are not supported and not left-aligned (upper case) text will not be interpreted as a header.

2 PARAGRAPHS

Paragraphs can be either left-aligned or not. They must be separated by a blank line.

Special characters \$, %, & are protected.

3 MATH

Inline math such as $j = j_0 (\exp(X) - \exp(-X))$ is supported or simple equation environment such as

$$j = j_0 (\exp(X) - \exp(-X))$$

is also supported.

4 LISTS

Three list-like environments are supported: *itemize*, *enumerate* and *description*.

The *description* environment is triggered when the line contains two consecutive spaces. The left part will be the item and right part will be the *description*.

o label description

o label description

o label Multiline descriptions are also supported. They can span over multiple lines either indented after the item or indented to the item beginning. The only requirement is to place 2 spaces after the label.

o long label Long labels can be used with the description being written under the label line.

The *enumerated* list is triggered when the line starts with [0-9]. followed by a space.

1. item 1
2. item 2
3. The item can span over multiple lines no matter what is the indentation across the lines.

The *itemize* environment is triggered when the line starts with [-*o] followed by a space.

- item
- item
- item
- Another item that can span over multiple lines no matter the indentation. txt2latex will map all those lines as part of the item.

A second list:

- item with spaces

5 EXAMPLE

Verbatim text can be added by adding indented text preceded by a blank line.

```
program main
implicit none
real ::x
x=1
end program

$ ls -al ./
$ which \textbf{txt2latex}
```

6 SEE ALSO

codata(3)