

Phase 1: Inception — Phase Overview

Resilio — Mobile Mental Health Platform for Nepal | Milan Shrestha | ID: 23057135 | 01_Inception/README.md

RUP Phase: Inception | **Weeks:** 1–5 | **Dates:** November 2024

Phase Objective

Establish the business case, validate the problem through primary research, identify and engage stakeholders, assess feasibility, estimate risk, and set up the development environment. Deliverables feed Chapter 1 (Introduction) and Chapter 3 (Methodology) of the final report.

Documents in This Folder

File	Contents	Report Reference
`Risk_Register.md`	21 project risks (technical, schedule, domain, legal); likelihood × impact scoring; mitigation strategy; outcome for each risk	Chapter 3, Section 3.3; Appendix N

Key Artefacts Produced in Inception

Artefact	Status	Evidence Location
Project proposal	Done	`Project Artefact/01 Feasibility Study/Week - 01/`
Vision document	Done	Chapter 1 of FYP report
Feasibility study	Done	`Project Artefact/01 Feasibility Study/Week - 03/`
Stakeholder register	Done	Chapter 3, Section 3.2

Artefact	Status	Evidence Location
Pre-survey instrument (166 responses)	Done	`Research/Survey_Instruments_and_Analysis.md`
Risk register	Done	`Risk_Register.md` (this folder)
Initial Gantt chart	Done	Appendix J.1
Work Breakdown Structure	Done	Appendix J.2
Technology selection rationale	Done	`Project Artefact/01 Feasibility Study/Week - 05/`

Key Decisions Made

Decision	Rationale
RUP over Agile/Waterfall	Clinical domain requires upfront risk management and architecture stability before iterative build
SuperTokens over Firebase Auth	OTP passwordless flow suited for Nepal's low-credential-familiarity market; Firebase Auth lacked combined OTP + social recipe
eSewa as sole payment gateway	Nepal-only market; international cards have low penetration; eSewa is the dominant mobile wallet
Android-first deployment	iOS App Store compliance timeline incompatible with FYP submission; deferred to post-submission
Supabase over Firebase Firestore	PostgreSQL Row Level Security provides clinical-grade data isolation; better relational modelling for therapy session data