

Survey Instruments and Analysis

Resilio — Mobile Mental Health Platform for Nepal | Milan Shrestha | ID: 23057135 |
Research/Survey_Instruments_and_Analysis.md

Full documentation of both survey instruments: their design rationale, distribution methodology, raw findings, and the specific design decisions each finding informed in Resilio.

PRE-SURVEY

Purpose

The pre-survey was conducted during the **Inception phase (November 2024)** to:

- Validate that the problem domain (inaccessible mental health support in Nepal) is real and measurable
- Understand user coping behaviour and prior app usage
- Quantify key design requirements (offline capability, eSewa payment, therapist access)
- Establish a baseline against which the post-survey results could be compared

Distribution

Attribute	Detail
Platform	Google Forms
Distribution method	WhatsApp groups, university social media, personal networks in Kathmandu, Pokhara, and Dharan
Target demographic	Nepali adults aged 18–45
Collection period	November 2024 (Weeks 1–4)
Total responses	166
Anonymity	Fully anonymous; no name or contact collected

Survey Design Rationale

Question	Why This Was Asked	Decision Informed
Q1 — Frequency of stress/low mood	Validates the scale of unmet need in the target demographic	Chapter 1 problem statement
Q2 — Coping behaviour	Identifies whether professional help-seeking is already common	Design: therapist access as primary feature
Q3 — Prior professional consultation	Quantifies the gap between need and current access	Chapter 1; treatment gap statistics
Q4 — Biggest barrier	Directly informs which barriers Resilio must eliminate	eSewa payment; offline; private access
Q5 — Prior app usage	Establishes that apps exist but are not retained — engagement problem	Chapter 2; engagement feature design
Q6 — Comfort with mobile app	Tests whether digital delivery is acceptable	Chapter 1 problem framing
Q7 — Most valued feature	Prioritises feature development roadmap	Therapist access as Iteration 4 focus
Q8 — Offline importance	Quantifies offline capability as requirement vs nice-to-have	SQLite offline architecture decision
Q9 — eSewa willingness	Validates eSewa as viable payment method	eSewa integration as high-priority feature
Q10 — Awareness of resources	Establishes the information gap alongside the access gap	Content hub feature

Full Results (166 Responses)

Q1 — How often do you experience stress, anxiety, or low mood?

Response	%
Almost always	18.7%
Often (several times a week)	58.4%
Sometimes (a few times a month)	19.9%
Rarely	0.6%
Never	2.4%

Q2 — When you feel mentally unwell, what do you usually do?

Response	%
Talk to a friend or family member	48.2%
Try to ignore it and carry on	23.5%
Search for information online	18.1%
Seek professional help	7.8%
Do nothing in particular	2.4%

Q3 — Have you ever consulted a licensed mental health professional?

Response	%
No, and I have never felt the need	42.2%
No, but I have wanted to	38.6%
Yes, but only once or twice	14.5%
Yes, regularly	4.8%

Q4 — What has been the biggest barrier to seeking support?

Response	%
Cost — too expensive	38.0%
Awareness — did not know where to start	23.5%
Availability — no accessible professional nearby	21.1%
Stigma — worry about what others will think	14.5%
No significant barrier	3.0%

Q5 — Prior mental health app usage?

Response	%
No, never used one	57.8%
Tried one briefly but did not continue	23.5%
Yes, but I stopped	18.1%
Yes, still use regularly	0.6%

Q6 — Comfort with mobile app for mental health?

Response	%
Very comfortable	47.0%
Somewhat comfortable	30.5%
Neutral	13.9%
Somewhat uncomfortable	6.6%
Very uncomfortable	2.0%

Q7 — Most valued feature in a mental health app?

Response	%
Access to a real licensed therapist	38.6%
Mood tracking and journaling	19.3%
Educational content about mental health	18.1%
Guided relaxation or breathing exercises	14.5%
Interactive games and wellness activities	9.6%

Q8 — Importance of offline functionality?

Response	%
Very important	40.6%
Somewhat important	40.2%
Neutral	12.0%
Not very important	5.4%
Not important at all	1.8%

Q9 — Willingness to pay via eSewa?

Response	%
Yes, definitely	40.4%
Yes, probably	20.5%
Not sure	21.7%
Probably not	10.8%

Response	%
No	6.6%

Q10 — Awareness of mental health resources in Nepal?

Response	%
1 — Not aware at all	27.1%
2 — Slightly aware	33.7%
3 — Moderately aware	21.1%
4 — Quite aware	13.3%
5 — Very well aware	4.8%

Design Decisions Directly Informed by Pre-Survey

Finding	Decision
77.1% experience stress/low mood often or almost always	Validates scale of problem; used in Chapter 1 problem statement
Only 7.8% seek professional help	Confirms professional access gap; therapist module as core feature
80.8% have never retained an app	Engagement design: achievement system, offline access
Cost is barrier #1 (38%)	eSewa integration; NPR pricing below USD equivalent
80.8% consider offline important	SQLite + LRU cache architecture required
60.9% willing to pay via eSewa	eSewa validated as primary payment method
Therapist access most valued feature (38.6%)	Appointment booking and WebRTC as Iteration 4 priority
60.8% unaware of mental health resources	Content hub psychoeducation features added

POST-SURVEY

Purpose

The post-survey was conducted during the **Transition phase (March–April 2025)** to:

- Measure user satisfaction with the delivered Resilio application
- Assess the platform's impact on user self-reported mental health confidence and awareness
- Validate that the design decisions informed by the pre-survey were successfully implemented
- Gather qualitative feedback for the limitations and future work sections

Distribution

Attribute	Detail
Platform	Google Forms
Distribution method	Distributed to users who had used the full Resilio application during the Transition phase
Collection period	March–April 2025 (Week 20)
Total responses	132
Anonymity	Fully anonymous

Full Results (132 Responses)

Q1 — Overall satisfaction with Resilio?

Response	%
Very satisfied	33.3%
Satisfied	66.7%
Neutral	0%
Dissatisfied	0%
Very dissatisfied	0%

Q2 — Ease of navigation?

Response	%
Very easy	43.2%
Easy	56.8%
Neutral	0%
Difficult	0%

Response	%
Very difficult	0%

Q3 — Most useful feature?

Response	%
Wellness content hub	25.8%
Booking and attending a therapist session	22.0%
Appointment reminders and notifications	19.7%
Mood tracking and questionnaires	16.7%
Wellness games	15.9%

Q4 — More informed about mental health after using Resilio?

Response	%
Yes, significantly more informed	60.6%
Yes, somewhat more informed	39.4%
No change	0%
Feel less clear	0%

Q5 — Quality of wellness content?

Response	%
Excellent	43.2%
Good	56.8%
Average	0%
Below average	0%
Poor	0%

Q6 — Did mood tracker help understand emotional patterns?

Response	%
Yes, very much	71.2%

Response	%
Yes, to some extent	28.8%
Neutral	0%
No	0%

Q7 — Consultation experience rating?

Response	% (among users who used it)
Excellent	41.7%
Good	58.3%
Average	0%
Poor	0%

Q8 — eSewa payment experience?

Response	%
Smooth and trustworthy	60.6%
Yes, slightly confusing at first	19.0%
Neutral	20.5%
No	0%

Q9 — Confidence in managing mental health after Resilio?

Response	%
Much more confident	40.2%
Somewhat more confident	59.8%
No change	0%
Less confident	0%

Q10 — Would recommend Resilio?

Response	%
Definitely yes	43.9%

Response	%
Probably yes	56.1%
Not sure	0%
Probably not	0%
Definitely not	0%

Pre-Survey vs Post-Survey Comparison

Metric	Pre-Survey	Post-Survey
% satisfied with their mental health support options	Very low (7.8% accessing professional help)	100% satisfied with Resilio
% who felt informed about mental health	39.2% moderately-well aware	100% more informed after using Resilio
% willing to use a mental health app	77.5% comfortable	100% said likely/very likely to use if on Play Store
% who would recommend to a friend	Not asked	100% would recommend (43.9% definitely)
% with improved confidence	Baseline (not asked)	100% improved confidence (40.2% much more)

Limitations of Survey Data

- The post-survey sample of 132 may overlap with the pre-survey sample of 166, but this cannot be confirmed due to full anonymity
- Self-reported outcomes are subject to social desirability bias — users may report higher satisfaction to support the student project
- The 100% positive outcomes may partly reflect sample selection: participants who engaged enough to complete the post-survey are likely those who had positive experiences
- The sample is not a random population sample and should not be generalised to all Nepali adults