

Операционные системы

Редактор Vi

Философова Милана Робертовна

2026-09-02

Цели и задачи работы

Процесс выполнения лабораторной работы


Выводы по проделанной работе

1. Цели и задачи работы

Познакомиться с операционной системой Linux. Получить практические навыки работы с редактором vi, установленным по умолчанию практически во всех дистрибутивах.


1 Изучить возможности редактора Vi

2. Процесс выполнения лабораторной работы



```
mrphilosophova@mrphilosophova:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro/labs/lab09
$ cd
mrphilosophova@mrphilosophova:~$ cd
mrphilosophova@mrphilosophova:~$ touch hello.sh
mrphilosophova@mrphilosophova:~$
```


Рисунок 1: Создание каталога



The screenshot shows a terminal window with a dark background. The title bar at the top reads "mrfilosophova@mrfilosophova:~ — vi hello.sh". The terminal content shows a shell script being edited in the vi editor. The script starts with a shebang line, followed by variable assignments and a function definition. The user has just typed the word "hello" on a new line, and the cursor is at the end of the word. Below the script, there are several tilde characters (~) representing empty lines in the editor.

```
#!/bin/bash
HELL=Hello
function hello
{
  LOCAL HELLO=World
  echo $HELLO
}
echo $HELLO
hello
~
~
~
~
~
~
~
```

Рисунок 2: Работа в редакторе Vi

A terminal window titled 'mrfilosophova@mrfilosophova:~' with standard window controls. The terminal shows a sequence of commands and their outputs. The user navigates to a directory, creates a file 'hello.sh', sets permissions, and attempts to run it. An error message is displayed on the last line.

```
mrfilosophova@mrfilosophova:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro/labs/lab09
$ cd
mrfilosophova@mrfilosophova:~$ cd
mrfilosophova@mrfilosophova:~$ touch hello.sh
mrfilosophova@mrfilosophova:~$ vi hello.sh
mrfilosophova@mrfilosophova:~$ chmod +x hello.sh
mrfilosophova@mrfilosophova:~$ ./hello.sh

./hello.sh: line 5: LOCAL: command not found

mrfilosophova@mrfilosophova:~$
```

Рисунок 3: Запуск файла



The image shows a terminal window with a dark background. The title bar at the top reads "mrfilosophova@mrfilosophova:~ — vi he". The terminal content shows a shell script being edited in the vi editor. The script defines a function named "hello" that sets a local variable "HELLO" to "World", echoes the value of "HELLO", and then echoes the global variable "HELLO" (which is "Hello"). The cursor is positioned at the end of the line "local HELLO=World". Below the script, there are several tilde characters (~) representing the prompt.

```
#!/bin/bash
HELLO=Hello
function hello
{
local HELLO=World
echo $HELLO
}
echo $HELLO
hello
~
~
~
~
~
~
~
~
~
```

Рисунок 4: Работа в редакторе Vi

```
mrfilosophova@mrfilosophova:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro/labs/lab09
$ cd
mrfilosophova@mrfilosophova:~$ cd
mrfilosophova@mrfilosophova:~$ touch hello.sh
mrfilosophova@mrfilosophova:~$ vi hello.sh
mrfilosophova@mrfilosophova:~$ chmod +x hello.sh
mrfilosophova@mrfilosophova:~$ ./hello.sh

./hello.sh: line 5: LOCAL: command not found

mrfilosophova@mrfilosophova:~$ vi hello.sh
mrfilosophova@mrfilosophova:~$ ./hello.sh
Hello
World
mrfilosophova@mrfilosophova:~$
```

Рисунок 5: Повторный запуск файла

3. Выводы по проделанной работе

В ходе работы мы получили практические навыки работы с редактором vi, установленным по умолчанию практически во всех дистрибутивах UNIX. А также освоили основные режимы и команды