FH Salzburg
MultiMediaTechnology

Basics Game Development

Warmup - Lab

Technology
Health
Media

Setup VS-Code and SFML with NuGet

- NuGet (pronounced "New Get") is a package manager designed to enable developers to share reusable code. It is a software as a service solution whose client app is free and open-source. https://www.nuget.org/
- Easily manage NuGet-Packages for your project by using one of the countless NuGet-Extensions from the VS-Code Extensions-Tab.
- OR use the CLI „**`dotnet add package SFML.Net`**“

- Done 🙌

Quick Start 🚀

- `dotnet new console`
- `dotnet add package SFML.Net`

```
using SFML.Graphics;
using SFML.Window;
using SFML.System;

class Program {
    static void Main() {
        var window = new RenderWindow(new VideoMode(800, 600), "SFML.Net Hello World");
        var shape = new CircleShape(50) { FillColor = Color.Red, Position = new(375, 275) };
        var clock = new Clock();

        window.Closed += (s, e) => window.Close();
        while (window.IsOpen) {
            window.DispatchEvents();
            shape.Position = new Vector2f(375 + 100 * (float)System.Math.Sin(clock.ElapsedTime.AsSeconds()), 275);
            window.Clear(Color.Black);
            window.Draw(shape);
            window.Display();
        }
    }
}
```

OSX – Setup note

- Currently no out of the box workflow, even if it is stated to run native on OSX

- Even with Bootcamp Windows or VM (Virtual Box, Parallels) sometimes not working.

- **Workaround:** You may use our Lab-PC‘s for your Homework in case you don’t have access to a windows OS. Or Try Tobias Steinhäusler’s Workaround for macOS-arm64 →

Für alle M1 Mac User:

SFML läuft auch ohne Probleme auf M1 Macs. Das Problem ist nur, dass die DLLs bzw. die .dylib files, die standardmäßig mit dem NuGet Package kommen nur für x86 kompiliert sind. Damit SFML auf ARM läuft, müsst ihr die C libraries selbst kompilieren. Hab hier eine kleine Schritt-für-Schritt Anleitung gemacht, die hoffentlich einigen hilft :)

Ich habe bei allen Commands einen Screenshot eingefügt, der den erwarteten Output zeigt.

1. Wenn ihr CMake noch nicht installiert habt, könnt ihr das mit homebrew tun

```
$ brew install cmake
```

Falls jemand (home)brew nicht installiert hat: https://brew.sh/

2. Ihr müsst euch das GitHub Repository von CSFML klonen

```
$ git clone https://github.com/SFML/CSFML
$ cd CSFML
```

SFML-Documentation

- How to read the C++ Documentation?: https://www.sfml-dev.org/documentation/2.6.0/annotated.php
- GitHub Repo SFML.Net (examples, links): https://github.com/SFML/SFML.Net
- How to work with „Inline Documentation“ in VS Code? Demo
- Basic Navigation in VS-Code (Ctrl+Click, Hover, …). Demo

In most cases VS Code is telling you all you need!

VS-Code German → English

The hard way 💪

How to change the display language in VS Code

- Press *Ctrl+Shift+P* to open the Command Palette.
- Type display to filter and show the **Configure Display Language** command.
- Select English from the list of available languages.
- Restart VS Code when prompted.

Two Ways setting an environment variable

- Open the Command Prompt
- Enter the following command:
```
setx DOTNET_CLI_UI_LANGUAGE en /m
```
- Press Enter
- Close the Command Prompt and restart your computer

This should set the environment variable for the current user only.



Rename german language files for VS-Code

1. Locate the locales folder in your VS Code installation directory (usually `C:\Program Files\Microsoft VS Code\locales`).
2. Delete or rename the file de.pak which contains the German translations.
3. Restart VS Code again.

Rename language files for omnisharp

- Find OmniSharp directory (e.g. `C:\Users\YOURNAME\.vscode\extensions\ms-dotnettools.csharp-1.25.4-win32-x64\.omnisharp\1.39.4-net6.0`)
- Find subfolder with system language code (e.g. “de”)
- Rename or delete subfolder to use English as default language

FH Salzburg
MultiMediaTechnology

Technology
Health
Media

© 2025 Fachhochschule Salzburg GmbH
www.fh-salzburg.ac.at