




SILCOLLECTION COPYRIGHT 2026

THURLOE HANDHELD BAG

Pattern + Instruction




Beginner ● ○ ○ ○ ○ Intermediate

PDF CONTENTS

Table of Contents.....	2
How To Use This PDF Pattern	3
Materials Needed.....	4
Final Product Images.....	5
Size Guide & Overview.....	6
Illustrated Instructions.....	7


HOW TO USE THIS PDF PATTERN

1. Purchase & Download




If bought on Etsy, go to orders and download your files. If bought from our website, download your files from the email we sent you. (Choose relevant size + paper format)

2. Print



Print the pattern and tutorial at home. Check the scale using the test square on the first page of the PDF.

3. Assemble



Arrange and tape the pattern pages together in order. Cut out your size.

4. Sew



Gather the correct materials (see supply list). Follow the illustrated instructions to make your garment.

WHAT YOU NEED

Fabric & Trims

○ Fabric

1/2 yard (Based on a standard 55"-60" fabric width)

Recommended Fabrics:

- Cotton canvas
- Cotton twill
- Denim
- Silk taffeta
- Upholstery fabrics

For best results, choose structured fabrics that hold their shape. For additional structure, consider using iron-on interfacing.

○ Lining

1/2 yard (Based on a standard 55"-60" fabric width)

Recommended Fabrics:

- Cotton lawn
- Cotton voile
- Lightweight silk
- Rayon

○ Thread

Tools

○ Sewing Machine

○ Iron + Ironing Board

○ Fabric Scissors

○ Sewing Pins

○ Measuring Tape

○ Fabric Weights


○ Optional (for finishing seams) : Serger

PRODUCT PHOTOS




PATTERN PIECE OVERVIEW

Seam allowance is included in this pattern piece, please refer to your pattern for specific measurements..




SIZE GUIDE

ONE SIZE



BAG INSTRUCTIONS

1. Cut Fabric




Arrange the pattern pieces on the fabric and secure with pins or fabric weights before cutting.

Make sure the grainline arrows are aligned with the grain of the fabric.

Cut out all pattern pieces.

2. Sew Lining to Main Fabric




Place one lining piece and one main fabric piece right sides together. Repeat with the second set of pieces so you have two matching pairs.

The pattern indicates where to stitch along the upper edge. Mark the point on the side seam where the stitching will stop.

Pin the pieces together and stitch along the marked edge.

Note: On one pattern pair, continue stitching from the side seam horizontally to the outer edge, as indicated on the pattern.

3. Layer the Bag Pieces




Turn one bag piece right side out and leave the other inside out.

Place the right-side-out piece inside the inside-out piece so the right sides are facing each other.

Align the bottom edges and pin along the upper edges to prevent the layers from shifting.

4. Sew the Bottom Edges




Fold the lining sections upward and out of the way.

Pin the main fabric layers together and stitch around the bottom curved edge.

Fold the sewn main fabric section upward.

Pin the lining layers together and stitch around the bottom curved edge, leaving a 3" opening at the bottom. This opening will be used to turn the bag right side out later.

5. Sew the Handles




Align the inner and outer handle edges, matching the lining and main fabric layers.

Pin in place and stitch along the handle edges, catching all layers.

Repeat for both handles.

Trim the seam allowance to reduce bulk.

6. Turn the Bag Right Side Out




Turn the bag right side out through the opening in the lining.

Fold the raw edges of the lining opening inward and pin in place.

Topstitch along the edge to close the opening.

Press the bag flat with an iron.

7. Your Bag Is Done!



Give the bag a final press and trim any loose threads.

Enjoy your Thurloe Handheld Bag.