Name: - Divesh S	ıryakant Chaudhari
Roll No:- IT006	

Date:-

Practical No:1

AIM:- Write a python program to display all types of pyramids of stars

CODE:-

```
def print_right_angle_triangle(n):
  print("Right-Angle Triangle:")
  for i in range(1, n + 1):
    print('*' * i)
  print()
def print_isosceles_triangle(n):
  print("Isosceles Triangle:")
  for i in range(1, n + 1):
     print(''*(n-i)+'*'*(2*i-1))
  print()
def print_inverted_triangle(n):
  print("Inverted Triangle:")
  for i in range(n, 0, -1):
     print('*' * i)
  print()
def print_full_pyramid(n):
  print("Full Pyramid:")
  for i in range(1, n + 1):
     print(' ' * (n - i) + '*' * (2 * i - 1))
  print()
def print_diamond(n):
  print("Diamond Shape:")
  # Upper part
  for i in range(1, n + 1):
     print(''*(n-i)+'*'*(2*i-1))
  # Lower part
  for i in range(n - 1, 0, -1):
     print(''*(n-i)+'*'*(2*i-1))
  print()
# Set the height of the pyramids
n = 5
```

```
print_right_angle_triangle(n)
print_isosceles_triangle(n)
print_inverted_triangle(n)
print_full_pyramid(n)
print_diamond(n)
```

Output:-

```
Right-Angle Triangle:
**
****
****
Isosceles Triangle:
*****
******
Inverted Triangle:
****
****
***
**
Full Pyramid:
  ***
 ****
*****
******
Diamond Shape:
  ****
 ******
  ****
  ***
```

Ro		- Divi o:- IT		игуак	vani (Chaudh	(d11			1	Date:-	•			
							Prac	tical	No:	2					
fr	om	1 to 2	10.	_					_	cation					
C	ODI	E :-													
for	i in # Pri print # Lo for j	range int a h c("\n\n op the in ran Print	eader MUL rough ge(1,	l): for the TIPL number 11): ultipli	ne cur ICAT pers 1	TON TATE to 10 for express 5d" % (Iltiplica ABLE or the resion as	ation ta FOR % multipl	ıble 6d∖n" iers		utted ou	ıtput			
Oı	utpı	ıt:-													
MUL	TIPLIC	ATION TA	BLE FOR	1 MUL	TIPLIC	ATION TA	BLE FOR	₹ 4 мгтг.	rtpt.tc	ATION TA	BLE FO	2 7			
,		1 -									7	. ,			
1	X X	2 = 3 =	2	4	X	1 = 2 = 3 = 4 = 5 = 6 = 7 = 9 = 10 =	8	7	x	2 =	14				
1	X	4 =	4	4	X	4 =	16	7	X X	3 = 4 =	21 28				
1	X X	5 = 6 =	5 6	4	X	5 = 6 =	20	7	X	5 =	35				
1	X	7 =	7	4	X	7 =	28	7	X X	6 = 7 =	42 49				
1	X	8 =	8	4	X	8 =	32	7	X	8 =	56				
1	X	10 =	10	4	X	10 =	40	7 7	X X	9 = 10 =	63 70				
MUL	TIPLIC	ATION TA	BLE FOR	2 MUL	TIPLIC	ATION TA	BLE FOR	2 5 verr		ATION TA	DIE EO				
2	Х	1 =	2	5	x	1 =	5								
2	X	2 =	4	5	x	2 =	10	8 8	X X	1 = 2 =	8 16				
2	X X	3 = 4 =	6 8	5 5	X X	3 = 4 =	15 20	8	X X	3 = 4 =	24 32				
2	X	5 =	10	5	X	5 =	25	8	X	5 =	40				
2	X X	6 = 7 =	12 14	5 5	X X	6 = 7 =	30 35	8	X	6 = 7 =	48				
2	X	8 =	16	5	X	8 =	40	8	X X	8 =	56 64				
2	X X	9 = 10 =	18 20	5 5	X X	9 = 10 =	45 50	8	X X	9 = 10 =	72 80				
		ATTOM TO	מים שום	o MITT	רד דם דר	ATION TA	מים שום								
MITT	TTDTTO	MILLUN IA	TOPE LOK	S PIUL		ALLON IA	DDE FUR	MIII."	TIPLIC	ATION TA	BLE FOR	R 9 MUL	TIPLIC	T MOTTA:	ADTE DOD 1
			•	6	v	1 =	6								
MUL' 3 3	TIPLIC X X	1 = 2 =	3 6	6 6	X X	1 = 2 =	6 12	9	x	1 =	9	10	х	1 =	10
3 3 3	X X X	1 = 2 = 3 =	6 9	6 6	X X	2 = 3 =	12 18			1 = 2 = 3 =		10 10 10			
3 3 3	X X X	1 = 2 = 3 = 4 =	6 9 12	6	x	2 =	12	9 9 9	X X X	2 = 3 = 4 =	9 18 27 36	10 10 10	X X X	1 = 2 = 3 = 4 =	10 20 30 40
3 3 3 3 3	X X X X X	1 = 2 = 3 = 4 = 5 = 6 =	6 9 12 15	6 6 6 6	X X X X	2 = 3 = 4 = 5 = 6 =	12 18 24 30 36	9 9 9	x x x	2 = 3 =	9 18 27	10 10 10 10	X X X X	1 = 2 = 3 = 4 = 5 =	10 20 30 40 50
3 3 3 3 3 3	X X X X X X	1 = 2 = 3 = 4 = 5 = 6 = 7 =	6 9 12 15 18 21	6 6 6 6	X X X X X	2 = 3 = 4 = 5 = 6 = 7 =	12 18 24 30 36 42	9999999	X X X X X X	2 = 3 = 4 = 5 = 6 = 7 =	9 18 27 36 45 54 63	10 10 10	X X X	1 = 2 = 3 = 4 =	10 20 30 40
3 3 3 3 3	X X X X X	1 = 2 = 3 = 4 = 5 = 6 =	6 9 12 15	6 6 6 6	X X X X	2 = 3 = 4 = 5 = 6 =	12 18 24 30 36	9 9 9 9 9	X X X X X	2 = 3 = 4 = 5 = 6 =	9 18 27 36 45 54	10 10 10 10 10	X X X X X	1 = 2 = 3 = 4 = 5 = 6 =	10 20 30 40 50

Roll No:- IT006 Date:
Practical No: 3
AIM:- Write a program to calculate simple interest except amount, duration and rate of interest from user.
CODE:-
Function to calculate simple interest def calculate_simple_interest(principal, rate, duration): # Calculate simple interest using the formula: (P * R * T) / 100 return (principal * rate * duration) / 100
Prompt the user to enter the principal amount and convert it to a float principal = float(input("Enter the principal amount: "))
Prompt the user to enter the duration in years and convert it to a float duration = float(input("Enter the duration (in years): "))
Prompt the user to enter the rate of interest and convert it to a float rate = float(input("Enter the rate of interest (in %): "))
Calculate simple interest using the user inputs simple_interest = calculate_simple_interest(principal, rate, duration)
Print the calculated simple interest, formatted to two decimal places print(f"The simple interest is: {simple_interest:.2f}")
Output:-
Enter the principal amount: 200000
Enter the duration (in years): 2

Enter the rate of interest (in %): 7

The simple interest is: 28000.00

Name: - Divesh Suryakant Chaudhari Roll No:- IT006 Date:-____ **Practical No: 4 AIM:-** Write a program to count even and odd number in the list. CODE:-# Function to count even and odd numbers in a list def count even odd(numbers): # Initialize counters for even and odd numbers $even_count = 0$ $odd_count = 0$ # Iterate through each number in the provided list for number in numbers: # Check if the number is even if number % 2 == 0: even count += 1 # Increment even count else: odd_count += 1 # Increment odd count # Return the counts of even and odd numbers return even_count, odd_count # List of numbers from 1 to 20 numbers = [1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20] # Call the function and store the results in even_count and odd_count even_count, odd_count = count_even_odd(numbers) # Print the count of even numbers print(f"Even numbers: {even count}") # Print the count of odd numbers print(f"Odd numbers: {odd_count}")

Output:-

Even numbers: 10

Odd numbers: 10

Name:- Divesh Suryakant Chaudhari Roll No:- IT006

I	Ja 1	te:	•					

Practical No: 5

AIM:- Write a program to find sum of all numbers, mean, may, average

AIM:- Write a program to find sum of all numbers, mean, max, average of numbers in a list.

CODE:-

```
from collections import Counter
def calculate_statistics(numbers):
  if not numbers:
    return None, None, None, None, None
  # Calculate sum
  total_sum = sum(numbers)
  # Calculate minimum
  minimum = min(numbers)
  # Calculate maximum
  maximum = max(numbers)
  # Calculate mean
  mean = total_sum / len(numbers)
  # Calculate mode
  frequency = Counter(numbers)
  mode_data = frequency.most_common()
  mode = [num for num, freq in mode_data if freq == mode_data[0][1]]
  return total_sum, minimum, maximum, mean, mode
# Example usage
numbers = [1, 2, 2, 3, 4, 4, 4, 5]
total_sum, minimum, maximum, mean, mode = calculate_statistics(numbers)
print(f"Sum: {total_sum}")
print(f"Min: {minimum}")
print(f"Max: {maximum}")
print(f"Mean: {mean}")
print(f"Mode: {mode}")
```

Output:-

```
Sum: 25
Min: 1
Max: 5
Mean: 3.125
Mode: [4]
```

