

Frontend - Márk

ID	Task ID	Test Objective	Test Steps	Expected Result	Actual Result	Pass/Fail	Date	Done By
1	MHP1-25	register new user	go to registration page and create a new user	registration successful	blocked by CORS policy	Fail	2025.12.18	Bajor Márk
2	MHP1-25	register new user	go to registration page and create a new user	registration successful	error 500 - duplicate username	Fail	2025.12.18	Bajor Márk
3	MHP1-25	register new user	go to registration page and create a new user	registration successful	registration successful	Pass	2025.12.18	Bajor Márk
4	MHP1-25	register with empty fields	leave all registration fields empty	validation error	validation error shown	Pass	2025.12.18	Bajor Márk
5	MHP1-25	log in with existing user	logging in to an existing user	login successful	error 405 - method not allowed	Fail	2025.12.22	Bajor Márk
6	MHP1-25	log in with existing user	logging in to an existing user	login successful	error 500 - server error	Fail	2025.12.22	Bajor Márk
7	MHP1-25	log in with existing user	logging in to an existing user	login successful	error 401 - unauthorized	Fail	2025.12.22	Bajor Márk
8	MHP1-25	log in with existing user	logging in to an existing user	login successful	login successful	Pass	2025.12.22	Bajor Márk
9	MHP1-25	log in wrong password	enter correct email but wrong password	login failed	wrong email or password	Pass	2025.12.22	Bajor Márk
10	MHP1-25	login with empty fields	leave the login fields empty	validation error	validation error	Pass	2025.12.26	Bajor Márk
11	MHP1-25	login with uppercase email	TEST@GMAIL.COM	login successful	login successful	Pass	2025.12.26	Bajor Márk
12	MHP1-25	remember me function	check remember me box and login	email saved	email saved to localStorage	Pass	2025.12.26	Bajor Márk
13	MHP1-25	password visibility toggle	click eye icon on password field	password visible	password visibility toggled	Pass	2025.12.29	Bajor Márk
14	MHP1-25	logout from account	click logout button	logout successful	JWT cleared and redirected	Pass	2025.12.29	Bajor Márk
15	MHP1-41	changing password	go to profile and change the old password	password changed successfully	an error occurred during password change	Fail	2026.01.03	Bajor Márk
16	MHP1-41	changing password	go to profile and change the old password	password changed successfully	the old password doesn't match	Fail	2026.01.03	Bajor Márk
17	MHP1-41	changing password	changing the old password	successful changes	error 401 - unauthorized	Fail	2026.01.03	Bajor Márk
18	MHP1-41	changing password	changing the old password	successful changes	password changes successfully	Pass	2026.01.03	Bajor Márk
19	MHP1-41	matching password	giving a different password in confirm	the passwords do not match	the passwords do not match	Pass	2026.01.03	Bajor Márk
20	MHP1-41	password too short	enter password less than 8 characters	validation error	minimum 8 characters required	Pass	2026.01.06	Bajor Márk
21	MHP1-25	admin access with admin role	login as admin and navigate to admin	admin dashboard loads	admin dashboard loads	Pass	2026.01.06	Bajor Márk
22	MHP1-25	admin access with customer role	login as customer try access admin	403 forbidden	403 forbidden	Pass	2026.01.06	Bajor Márk
23	MHP1-25	admin access without login	try to access admin without login	redirect to login	redirect to login	Pass	2026.01.10	Bajor Márk
24	MHP1-25	registration with existing username	give already existing username	registration failed	registration failed error 500	Pass	2026.01.10	Bajor Márk
25	MHP1-41	saving customer changes	customer details then save changes	changes saved successfully	changes saved successfully	Pass	2026.01.10	Bajor Márk
26	MHP1-41	saving with empty fields	leaving fields empty	fill out all fields	fill out all fields	Pass	2026.01.10	Bajor Márk
27	MHP1-39	adding product to cart	adding product to cart while logged in	product added to cart	product successfully added	Pass	2026.01.13	Bajor Márk

ID	Task ID	Test Objective	Test Steps	Expected Result	Actual Result	Pass/Fail	Date	Done By
28	MHP1-39	adding to cart not logged in	click add to cart without login	redirect to login	alert shown and redirected	Pass	2026.01.13	Bajor Márk
29	MHP1-39	adding out of stock product	add product with stock 0	button disabled	button disabled	Pass	2026.01.13	Bajor Márk
30	MHP1-39	adding same product twice	add product then add again	quantity increases	quantity increased to 2	Pass	2026.01.13	Bajor Márk
31	MHP1-39	remove product from cart	click the remove button on cart item	product removed from cart	product removed from cart	Pass	2026.01.16	Bajor Márk
32	MHP1-39	increase cart quantity	click + button on cart page	quantity increases by 1	quantity increases by 1	Pass	2026.01.16	Bajor Márk
33	MHP1-39	decrease cart quantity	click - button on cart page	quantity decreases by 1	quantity decreases by 1	Pass	2026.01.16	Bajor Márk
34	MHP1-39	empty cart	remove all items from cart	empty cart message shown	empty cart message shown	Pass	2026.01.16	Bajor Márk
35	MHP1-39	view cart page	click cart icon in header	cart page loads	cart page with all items	Pass	2026.01.16	Bajor Márk
36	MHP1-39	cart persists after refresh	add items then refresh page	items still in cart	cart persists via localStorage	Pass	2026.01.19	Bajor Márk
37	MHP1-39	checkout with valid data	fill checkout form and place order	order placed successfully	order created with ID	Pass	2026.01.19	Bajor Márk
38	MHP1-39	checkout without login	try to checkout without being logged in	redirect to login	redirect to login	Pass	2026.01.19	Bajor Márk
39	MHP1-39	checkout empty fields	submit checkout form with empty fields	validation error	validation error	Pass	2026.01.19	Bajor Márk
40	MHP1-39	load saved customer data	click load saved data button	data auto-filled	data auto-filled from localStorage	Pass	2026.01.19	Bajor Márk
41	MHP1-39	select delivery method	change delivery method on checkout	total price updates	total price updated correctly	Pass	2026.01.23	Bajor Márk
42	MHP1-39	free delivery option	select store pickup	delivery cost 0	delivery cost 0 Ft	Pass	2026.01.23	Bajor Márk
43	MHP1-25	view my orders	go to profile orders section	orders list displayed	orders list displayed	Pass	2026.01.23	Bajor Márk
44	MHP1-25	empty orders list	check orders with no history	no orders message	no orders message shown	Pass	2026.01.23	Bajor Márk
45	MHP1-25	view order details	click on order from list	order details shown	order details modal opened	Pass	2026.01.26	Bajor Márk
46	MHP1-25	add to favorites	click heart icon on product	added to favorites	product added to favorites	Pass	2026.01.26	Bajor Márk
47	MHP1-25	add favorite without login	click heart without being logged in	redirect to login	alert and redirect to login	Pass	2026.01.26	Bajor Márk
48	MHP1-25	remove from favorites	click filled heart icon	removed from favorites	product removed from favorites	Pass	2026.01.26	Bajor Márk
49	MHP1-25	add same favorite twice	add to favorites then add again	already in favorites message	already in favorites alert	Pass	2026.01.26	Bajor Márk
50	MHP1-25	view favorites list	go to profile favorites	favorites list shown	favorites list displayed	Pass	2026.01.30	Bajor Márk
51	MHP1-25	empty favorites	check favorites with none added	no favorites message	no favorites message	Pass	2026.01.30	Bajor Márk
52	MHP1-39	browse all products	navigate to products page	products grid displayed	all products shown in grid	Pass	2026.01.30	Bajor Márk
53	MHP1-39	view product details	click on a product	product detail page loads	product details displayed	Pass	2026.01.30	Bajor Márk
54	MHP1-39	filter by category	select category filter	filtered products shown	only category products shown	Pass	2026.01.30	Bajor Márk
55	MHP1-39	filter by brand	select brand filter	filtered products shown	only brand products shown	Pass	2026.02.02	Bajor Márk
56	MHP1-39	combined filters	select category and brand	products match both filters	combined filter works	Pass	2026.02.02	Bajor Márk
57	MHP1-39	filter with no results	select filter with no matches	no products found	empty state shown	Pass	2026.02.02	Bajor Márk
58	MHP1-39	clear filters	click clear button	all products shown	filters cleared successfully	Pass	2026.02.02	Bajor Márk
59	MHP1-39	sort by price ascending	select price low to high	products sorted cheapest first	sorted by price ascending	Pass	2026.02.02	Bajor Márk

ID	Task ID	Test Objective	Test Steps	Expected Result	Actual Result	Pass/Fail	Date	Done By
60	MHP1-39	sort by price descending	select price high to low	products sorted expensive first	sorted by price descending	Pass	2026.02.05	Bajor Márk
61	MHP1-39	sort by name A-Z	select sort by name	alphabetical order	products sorted A-Z	Pass	2026.02.05	Bajor Márk
62	MHP1-39	search products by name	type product name in search	matching products shown	search results displayed	Pass	2026.02.05	Bajor Márk
63	MHP1-39	search with no results	search non-existent product	no results message	no products found message	Pass	2026.02.05	Bajor Márk
64	MHP1-39	discounts page	navigate to /discounts	30-40 products shown	discount products displayed	Pass	2026.02.08	Bajor Márk
65	MHP1-39	discounts 3-day rotation	view discounts same seed	same products for 3 days	same products shown	Pass	2026.02.08	Bajor Márk
66	MHP1-39	top50 page	navigate to /top50	50 products with filter	exactly 50 products shown	Pass	2026.02.08	Bajor Márk
67	MHP1-39	top50 filter	apply filter on top50 page	filtered results	filter works on top50	Pass	2026.02.08	Bajor Márk
68	MHP1-39	top50 sidebar sticky	scroll on top50 page	filter sidebar sticky	sidebar stays at top	Pass	2026.02.08	Bajor Márk
69	MHP1-39	mainpage hero section	load mainpage	hero section visible	hero section displayed	Pass	2026.02.11	Bajor Márk
70	MHP1-39	mainpage discount section	scroll to discount section	8 products shown	8 discount products shown	Pass	2026.02.11	Bajor Márk
71	MHP1-39	mainpage top50 section	scroll to top50 section	8 products shown	8 top50 products shown	Pass	2026.02.11	Bajor Márk
72	MHP1-39	mainpage view all discount	click view all on discount section	redirect to /discounts	redirected to discounts page	Pass	2026.02.11	Bajor Márk
73	MHP1-39	news cards	view news section	6 cards displayed	6 news cards shown	Pass	2026.02.11	Bajor Márk
74	MHP1-39	news card hover	hover over news card	hover effect	card transforms on hover	Pass	2026.02.14	Bajor Márk
75	MHP1-39	news card blue stripe	check news card design	blue stripe on right	blue stripe displayed	Pass	2026.02.14	Bajor Márk
76	MHP1-41	profile page load	navigate to /profile	profile loads with tabs	profile page displayed	Pass	2026.02.14	Bajor Márk
77	MHP1-41	edit customer data	change email and save	data saved	data saved to localStorage	Pass	2026.02.14	Bajor Márk
78	MHP1-41	edit address	update shipping address	address saved	address saved to localStorage	Pass	2026.02.14	Bajor Márk
79	MHP1-41	save with invalid email	enter email without @	validation error	email validation error	Pass	2026.02.14	Bajor Márk
80	MHP1-25	admin dashboard load	open admin panel	dashboard loads	admin panel loaded	Pass	2026.02.17	Bajor Márk
81	MHP1-25	create product success	admin creates new product	product created	product created successfully	Pass	2026.02.17	Bajor Márk
82	MHP1-25	create product no JWT	create product without token	JWT error	JWT authentication error	Fail	2026.02.17	Bajor Márk
83	MHP1-25	create product empty fields	create product leaving fields empty	validation error	validation error shown	Pass	2026.02.17	Bajor Márk
84	MHP1-25	edit product	admin edits product price	product updated	product price updated	Pass	2026.02.17	Bajor Márk
85	MHP1-25	delete product	admin deletes product	product deleted	product soft deleted	Pass	2026.02.20	Bajor Márk
86	MHP1-25	view all products admin	admin products tab	all products listed	products table displayed	Pass	2026.02.20	Bajor Márk
87	MHP1-25	view all users	admin users tab	users list shown	all users displayed	Pass	2026.02.20	Bajor Márk
88	MHP1-25	change user role	admin changes user role	role updated	role changed successfully	Pass	2026.02.20	Bajor Márk
89	MHP1-25	delete user	admin deletes user	user deleted	user soft deleted	Pass	2026.02.20	Bajor Márk
90	MHP1-25	view all orders admin	admin orders tab	all orders shown	orders table displayed	Pass	2026.02.21	Bajor Márk
91	MHP1-25	update order status	admin changes order status	status updated	order status changed	Pass	2026.02.21	Bajor Márk

ID	Task ID	Test Objective	Test Steps	Expected Result	Actual Result	Pass/Fail	Date	Done By
92	MHP1-25	delete order admin	admin deletes order	order deleted	order soft deleted	Pass	2026.02.21	Bajor Márk
93	MHP1-39	header not logged in	view header without login	login and register buttons	login/register visible	Pass	2026.02.21	Bajor Márk
94	MHP1-39	header logged in	view header while logged in	profile and logout buttons	profile/logout visible	Pass	2026.02.21	Bajor Márk
95	MHP1-39	cart badge updates	add product to cart	badge shows count	cart badge incremented	Pass	2025.12.20	Bajor Márk
96	MHP1-39	sticky header	scroll down page	header stays at top	header sticky at top	Pass	2025.12.20	Bajor Márk
97	MHP1-39	header logo click	click CoreTech logo	redirect to mainpage	redirected to homepage	Pass	2025.12.20	Bajor Márk
98	MHP1-39	mobile view 480px	resize to 480px	responsive layout	2 column grid shown	Pass	2025.12.24	Bajor Márk
99	MHP1-39	tablet view 768px	resize to 768px	3 column grid	tablet layout active	Pass	2025.12.24	Bajor Márk
100	MHP1-39	desktop view 1920px	resize to 1920px	wide layout	desktop layout shown	Pass	2025.12.24	Bajor Márk
101	MHP1-39	responsive images	resize window	images scale properly	images responsive	Pass	2025.12.24	Bajor Márk
102	MHP1-39	filter sidebar display	products page sidebar	sticky filter left	filter sidebar visible	Pass	2025.12.27	Bajor Márk
103	MHP1-39	collapse filter section	click filter header	section collapses	filter section collapsed	Pass	2025.12.27	Bajor Márk
104	MHP1-39	expand filter section	click collapsed header	section expands	filter section expanded	Pass	2025.12.27	Bajor Márk
105	MHP1-39	filter mobile view	480px filter sidebar	full width filter	filter below products	Pass	2025.12.31	Bajor Márk
106	MHP1-39	email validation	enter email without @	validation error	email format error	Pass	2025.12.31	Bajor Márk
107	MHP1-39	required field empty	leave required field blank	validation error	required field error	Pass	2025.12.31	Bajor Márk
108	MHP1-39	password min length	enter 7 character password	validation error	minimum 8 chars error	Pass	2025.12.31	Bajor Márk
109	MHP1-39	brand colors primary	check button colors	#3D4474 used	primary color correct	Pass	2026.01.04	Bajor Márk
110	MHP1-39	brand colors background	check page backgrounds	#E9EBF5 or white	background colors correct	Pass	2026.01.04	Bajor Márk
111	MHP1-39	brand colors text	check text colors	#333333 used	text color consistent	Pass	2026.01.04	Bajor Márk
112	MHP1-39	box shadow consistency	check cards and buttons	shadow consistent	box-shadow uniform	Pass	2026.01.07	Bajor Márk
113	MHP1-39	border radius	check all rounded elements	10-17px radius	border-radius consistent	Pass	2026.01.07	Bajor Márk
114	MHP1-39	hover button effect	hover over button	smooth transition	transform and shadow change	Pass	2026.01.07	Bajor Márk
115	MHP1-39	hover card effect	hover over card	translateY effect	card lifts on hover	Pass	2026.01.11	Bajor Márk
116	MHP1-39	loading spinner	products page load	spinner visible	loading spinner shown	Pass	2026.01.11	Bajor Márk
117	MHP1-39	loading time	measure products load	under 2 seconds	page loads in 1.5s	Pass	2026.01.11	Bajor Márk
118	MHP1-39	localStorage size	add 50 favorites and cart	under 5MB	localStorage 2MB used	Pass	2026.01.14	Bajor Márk
119	MHP1-39	localStorage persistence	add data then refresh	data persists	data still available	Pass	2026.01.14	Bajor Márk
120	MHP1-25	JWT token expiration	use expired JWT token	401 error	token expired error	Pass	2026.01.14	Bajor Márk
121	MHP1-25	JWT missing	make API call without token	401 error	unauthorized error	Pass	2026.01.17	Bajor Márk
122	MHP1-39	product image missing	product without image	placeholder shown	placeholder image displayed	Pass	2026.01.17	Bajor Márk
123	MHP1-39	product price format	view product prices	formatted with currency	prices show Ft suffix	Pass	2026.01.17	Bajor Márk

ID	Task ID	Test Objective	Test Steps	Expected Result	Actual Result	Pass/Fail	Date	Done By
124	MHP1-39	add multiple products cart	add 5 different products	all items in cart	cart contains 5 items	Pass	2026.01.20	Bajor Márk
125	MHP1-41	profile avatar color	check avatar background	colored circle	avatar has #3d4474 background	Pass	2026.01.20	Bajor Márk
126	MHP1-41	profile tabs navigation	switch between tabs	tab content changes	tabs navigate correctly	Pass	2026.01.20	Bajor Márk
127	MHP1-39	newsletter email validation	enter invalid email newsletter	validation error	email validation triggered	Pass	2026.01.27	Bajor Márk
128	MHP1-39	product stock display	check stock on product page	stock number shown	stock quantity displayed	Pass	2026.01.27	Bajor Márk
129	MHP1-39	filter multiple categories	select 3 categories	all 3 categories shown	products from 3 categories	Pass	2026.01.27	Bajor Márk
130	MHP1-39	clear search	type search then clear	all products return	search cleared successfully	Pass	2026.01.27	Bajor Márk

Database - Viktor

ID	Task Id	Test Objective	Test Steps	Expected Result	Actual Result	Pass/Fail	Date	Done by:
1	MHP1-53	Getting user password by email	1. enter email in getPasswordByEmail	We get the user password thats linked to the user email	We get the user password thats linked to the user email	Pass	2025.11.06	Horváth Viktor
2	MHP1-53	softdeleting a user	1.enter id in softdel user CRUD	The user with the id gets soft deleted	The user with the id gets soft deleted	Pass	2025.11.05	Horváth Viktor
3	MHP1-53	getting order id, product name, product img, product total price, product status, product quantity, order created at	1.enter user id into getOrdersByUserId	We get the order id, product name, product img, product total price, product status, product quantity, order created at	We get the order id, product name, product img, product total price, product status, product quantity, order created at	Pass	2025.11.05	Horváth Viktor
4	MHP1-53	Creating addresses	1. Call the "createAddress" procedure with these values: "userIdIN", "streetIN", "cityIN", "postalcodeIN", "countryIN"	The address gets created to the Addresses table	The address gets created to the Addresses table	Pass	2025.12.02	Horváth Viktor
5	MHP1-53	getAddressesById	1) Call the "getAddressesById" procedure query with the addressIdIN set to: 5	We get the address that belongs to ID:5	We get the address that belongs to ID:5	Pass	2025.12.02	Horváth Viktor
6	MHP1-53	softdeleting a brand	1) Call the "softDelBrands" procedure query with the brandsIdIN set to:4	The brand that belongs to ID:4 get softdeleted	The brand that belongs to ID:4 get softdeleted	Pass	2025.12.12	Horváth Viktor
7	MHP1-53	updatingUserById	1) Call the "updateUserById" procedure query with these values: "userIdIN", "usernameIN", "emailIN", "roleIN"	The user that belongs to the additional ID gets updated	The user that belongs to the additional ID gets updated	Pass	2025.12.12	Horváth Viktor
8	MHP1-53	updatingBrandById	1) Call the "updateBrandById" procedure query with these values: "brandIdIN", "nameIN", "descriptionIN", "logoUrlIN"	The brand that belongs to the additional ID gets updated	The brand that belongs to the additional ID gets updated	Pass	2025.12.27	Horváth Viktor
9	MHP1-53	gettingReviewById	1) Call the "getReviewById" procedure query with the reviewIdIN set to: 3	You get the review that belongs to the reviewID: 3	You get the review that belongs to the reviewID: 3	Pass	2026.01.17	Horváth Viktor
10	MHP1-53	softDelOrdersById	1) Call the "softDelOrders" procedure query with the ordersIdIN set to: 2	The order that belongs to the ID:2 gets softdeleted	The order that belongs to the ID:2 gets softdeleted	Pass	2026.01.20	Horváth Viktor
11	MHP1-53	creating Attributes	1. Call the "createAttributes" procedure with these values: "nameIN", "unitIN", "categoryIN"	The Attribute gets created	The Attribute gets created	Pass	2026.01.25	Horváth Viktor
12	MHP1-53	creating Brands	1) Call the "createBrands" procedure query with these values: "nameIN", "descriptionIN", "logoUrlIN"	The brand gets created	The brand gets created	Pass	2026.01.25	Horváth Viktor
13	MHP1-53	creating Categories	1) Call the "createCategories" procedure query with these values: "nameIN", "descriptionIN"	The category gets created	The category gets craeted	Pass	2026.01.25	Horváth Viktor
14	MHP1-53	creatingOrderItems	1) Call the "createOrderItems" procedure query with these values: "orderIdIN", "productIdIN", "quantityIN", "priceIN"	The orderitems gets created	The orderitems gets created	Pass	2026.01.25	Horváth Viktor

ID	Task Id	Test Objective	Test Steps	Expected Result	Actual Result	Pass/Fail	Date	Done by:
15	MHP1-53	creatingOrders	1) Call the "createOrders" procedure query with these values: "userIdIN", " addressIdIN","totalpriceIN","statusIN"	The order gets created	The order gets created	Pass	2026.01.25	Horváth Viktor
16	MHP1-53	creatingProductAttributes	1) Call the "createProductAttributes" procedure query with these values: " productIdIN", "attributeIdIN","valueIN"	The ProductAttribute gets created	The ProductAttribute gets created	Pass	2026.01.26	Horváth Viktor
17	MHP1-53	creatingProducts	1) Call the "createProducts" procedure query with these values: "categoryIdIN", " brandIdIN","nameIN","descriptionIN","priceIN","stockIN","imageUrlIN"	The Product gets created	The Product gets created	Pass	2026.01.26	Horváth Viktor
18	MHP1-53	creatingReviews	1) Call the "createReviews" procedure query with these values: "productIdIN", " userIdIN","ratingIN","commentIN"	The Review gets created	The Review gets created	Pass	2026.01.26	Horváth Viktor
19	MHP1-53	creatingUsers	1) Call the "createProducts" procedure query with these values: "usernameIN", " brandIdIN","emailIN","passwordIN","phoneIN","roleIN"	The User gets created	The User gets created	Pass	2026.01.27	Horváth Viktor
20	MHP1-53	gettingAddressByUserId	1) Call the "getAddressByUserId" procedure query with these values: " userIdIN"	We get the address thats belongs to the given userID	We get the address thats belongs to the given userID	Pass	2026.01.27	Horváth Viktor
21	MHP1-53	gettingAllAddresses	1) Call the "getAllAddress" procedure query	We get all the Addresses	We get all the Addresses	Pass	2026.01.27	Horváth Viktor
22	MHP1-53	gettingAllAttributes	1) Call the "getAllAttributes" procedure query	We get all the Attributes	We get all the Attributes	Pass	2026.01.27	Horváth Viktor
23	MHP1-53	gettingAllBrands	1) Call the "getAllBrands" procedure query	We get all the Brands	We get all the Brands	Pass	2026.01.28	Horváth Viktor
24	MHP1-53	gettingAllCategories	1) Call the "getAllCategories" procedure query	We get all the Categories	We get all the Categories	Pass	2026.01.28	Horváth Viktor
25	MHP1-53	gettingAllOrders	1) Call the "getAllOrders" procedure query	We get all the Orders	We get all the Orders	Pass	2026.01.28	Horváth Viktor
26	MHP1-53	gettingAllProducts	1) Call the "getAllProducts" procedure query	We get all the Products	We get all the Products	Pass	2026.01.29	Horváth Viktor
27	MHP1-53	gettingAllReviews	1) Call the "getAllReviews" procedure query	We get all the Reviews	We get all the Reviews	Pass	2026.01.29	Horváth Viktor
28	MHP1-53	gettingAllUsers	1) Call the "getAllUsers" procedure query	We get all the Users	We get all the Users	Pass	2026.01.29	Horváth Viktor
29	MHP1-53	getting the AttributeById	1) Call the "getAttributeById" procedure query with these values: "attributeIdIN"	We get the Attribute that belongs to the attributeIdIN	We get the Attribute that belongs to the attributeID	Pass	2026.01.29	Horváth Viktor
30	MHP1-53	getting the BrandById	1) Call the "getBrandById" procedure query with these values: "brandIdIN"	We get the Brand that belongs to the given brandIdIN	We get the Brand that belongs to the given brandID	Pass	2026.01.29	Horváth Viktor
31	MHP1-53	getting the CategoryById	1) Call the "getCategoryById" procedure query with these values: "categoryIdIN"	We get the Category that belongs to the given categoryIdIN	We get the Category that belongs to the given categoryID	Pass	2026.01.29	Horváth Viktor

ID	Task Id	Test Objective	Test Steps	Expected Result	Actual Result	Pass/Fail	Date	Done by:
32	MHP1-53	getting the OrderById	1) Call the "getOrderById" procedure query with these values: "orderIdIN"	We get the Order that belongs to the given orderIdIN	We get the Order that belongs to the given orderIdIN	Pass	2026.01.30	Horváth Viktor
33	MHP1-53	getting the OrderItemsById	1) Call the "getOrderItemsById" procedure query with these values: "orderItemsIdIN"	We get the OrderItems that belongs to the given orderItemsIdIN	We get the OrderItems that belong to the given orderItemsIdIN	Pass	2026.01.30	Horváth Viktor
34	MHP1-53	getting the OrderItemsByOrderId	1) Call the "getOrderItemsByOrderId" procedure query with these values: "orderIdIN"	We get the OrderItems that belongs to the given orderIdIN	We get the OrderItems that belongs to the given orderIdIN	Pass	2026.01.30	Horváth Viktor
35	MHP1-53	getting the OrderItemsByUserId	1) Call the "getOrderItemsByUserId" procedure query with these values: "userIdIN"	We get the OrderItems that belongs to the given userIdIN	We get the OrderItems that belongs to the given userIdIN	Pass	2026.01.30	Horváth Viktor
36	MHP1-53	getting the ProductAttributeById	1) Call the "getProductAttributeById" procedure query with these values: "productAttributeIdIN"	We get the ProductAttribute that belongs to the given Id	We get the ProductAttribute that belongs to the given Id	Pass	2026.01.30	Horváth Viktor
37	MHP1-53	getting ProductAttributesByProductId	1) Call the "getProductAttributesByProductId" procedure query with these values: "productIdIN"	We get the ProductAttribute that belongs to the given productId	We get the ProductAttribute that belongs to the given productId	Pass	2026.01.30	Horváth Viktor
38	MHP1-53	getting ProductById	1) Call the "getProductById" procedure query with these values: "productIdIN"	We get the Product that belongs to the given productIdIN	We get the Product that belongs to the given productIdIN	Pass	2026.01.30	Horváth Viktor
39	MHP1-53	getting ProductsByBrandId	1) Call the "getProductByBrandId" procedure query with these values: "brandIdIN"	We get the Product that belongs to the given brandIdIN	We get the Product that belongs to the given brandIdIN	Pass	2026.01.31	Horváth Viktor
40	MHP1-53	getting ProductsByCategoryId	1) Call the "getProductByCategoryId" procedure query with these values: "categoryIdIN"	We get the Product that belongs to the given categoryIdIN	We get the Product that belongs to the given categoryIdIN	Pass	2026.02.01	Horváth Viktor
41	MHP1-53	getting ReviewById	1) Call the "reviewId" procedure query with these values: "reviewIdIN"	We get the Review that belongs to the given reviewIdIN	We get the Review that belongs to the given reviewIdIN	Pass	2026.02.02	Horváth Viktor
42	MHP1-53	getting ReviewsByProductId	1) Call the "getReviewsByProductId" procedure query with these values: "productIdIN"	We get the Review that belongs to the given productIdIN	We get the Review that belongs to the given productIdIN	Pass	2026.02.03	Horváth Viktor
43	MHP1-53	getting UserById	1) Call the "getUserById" procedure query with these values: "userIdIN"	We get the User that belongs to given userIdIN	We get the User that belongs to given userIdIN	Pass	2026.02.03	Horváth Viktor
44	MHP1-53	softDeleting Addresses	1) Call the "softDelAddresses" procedure query with these values: "addressesIdIN"	The Address that belongs to the given addressesIdIN gets softdeleted	The Address that belongs to the given addressesIdIN gets softdeleted	Pass	2026.02.03	Horváth Viktor
45	MHP1-53	softDeleting Attributes	1) Call the "softDelAttributes" procedure query with these values: "attributesIdIN"	The Attribute that belongs to the given attributesIdIN gets softdeleted	The Attribute that belongs to the given attributesIdIN gets softdeleted	Pass	2026.02.03	Horváth Viktor
46	MHP1-53	softDeleting Brands	1) Call the "softDelBrands" procedure query with these values: "brandsIdIN"	The Brand that belongs to the given brandsIdIN gets softdeleted	The Brand that belongs to the given brandsIdIN gets softdeleted	Pass	2026.02.03	Horváth Viktor
47	MHP1-53	softDeleting Categories	1) Call the "softDelCategories" procedure query with these values: "categoriesIdIN"	The Category that belongs to the given categoriesIdIN gets softdeleted	The Category that belongs to the given categoriesIdIN gets softdeleted	Pass	2026.02.03	Horváth Viktor

ID	Task Id	Test Objective	Test Steps	Expected Result	Actual Result	Pass/Fail	Date	Done by:
48	MHP1-53	softDeleting OrderItems	1) Call the "softDelOrderItems" procedure query with these values: "orderItemsIdIN"	The OrderItems that belongs to the given orderItemsIdIN gets softdeleted	The OrderItems that belongs to the given orderItemsIdIN gets softdeleted	Pass	2026.02.03	Horváth Viktor
49	MHP1-53	softDeleting Orders	1) Call the "softDelOrders" procedure query with these values: "ordersIdIN"	The Order that belongs to the given orderIdIN gets softdeleted	The Order that belongs to the given orderIdIN gets softdeleted	Pass	2026.02.03	Horváth Viktor
50	MHP1-53	softDeleting ProductAttributes	1) Call the "softDelProductAttributes" procedure query with these values: "productAttributesIdIN"	The ProductAttribute that belongs to the given productAttributesIdIN gets softdeleted	The ProductAttribute that belongs to the given productAttributesIdIN gets softdeleted	Pass	2026.02.03	Horváth Viktor
51	MHP1-53	softDeleting Products	1) Call the "softDelProducts" procedure query with these values: "productsIdIN"	The Product(s) that belongs to the given productIdIN gets softdeleted	The Product(s) that belongs to the given productIdIN gets softdeleted	Pass	2026.02.03	Horváth Viktor
52	MHP1-53	softDeleting Reviews	1) Call the "softDelReviews" procedure query with these values: "reviewIdIN"	The Review(s) that belongs to the given reviewIdIN gets softdeleted	The Review(s) that belongs to the given reviewIdIN gets softdeleted	Pass	2026.02.03	Horváth Viktor
53	MHP1-53	softDeleting User	1) Call the "softDelUser" procedure query with these values: "userIdIN"	The User that belongs to the given userIdIN gets softdeleted	The User that belongs to the given userIdIN gets softdeleted	Pass	2026.02.03	Horváth Viktor
54	MHP1-53	updateing the AddressById	1) Call the "updateAddressById" procedure query with these values: "addressIdIN","streetIN","cityIN","postalcodeIN","countryIN","isDefaultIN"	The Address that belongs to the given addressIdIN gets updated	The Address that belongs to the given addressIdIN gets updated	Pass	2026.02.03	Horváth Viktor
55	MHP1-53	updateing the AttributeById	1) Call the "updateAttributeById" procedure query with these values: "attributeIdIN","nameIN","unitIN","categoryIdIN"	The Attribute that belongs to the given attributesIdIN gets updated	The Attribute that belongs to the given attributesIdIN gets updated	Pass	2026.02.03	Horváth Viktor
56	MHP1-53	updateing the BrandById	1) Call the "updateBrandById" procedure query with these values: "brandIdIN","nameIN","descriptionIN","logoUrlIN"	The Brand that belongs to the given brandsIdIN gets updated	The Brand that belongs to the given brandsIdIN gets updated	Pass	2026.02.03	Horváth Viktor
57	MHP1-53	updateing the CategoryById	1) Call the "updateCategoryById" procedure query with these values: "categoryIdIN","nameIN","descriptionIN"	The Category that belongs to the given categoryIdIN gets updated	The Category that belongs to the given categoryIdIN gets updated	Pass	2026.02.03	Horváth Viktor
58	MHP1-53	updateing the OrderById	1) Call the "updateOrderById" procedure query with these values: "orderIdIN","statusIN"	The Order that belongs to the given orderIdIN gets updated	The Order that belongs to the given orderIdIN gets updated	Pass	2026.02.03	Horváth Viktor
59	MHP1-53	updateing the OrderItemById	1) Call the "updateOrderItemById" procedure query with these values: "orderItemIdIN","quantityIN","priceIN"	The OrderedItem(s) that belongs to the given orderItemIdIN gets updated	The OrderedItem(s) that belongs to the given orderItemIdIN gets updated	Pass	2026.02.03	Horváth Viktor
60	MHP1-53	updateing the Password	1) Call the "updatePassword" procedure query with these values: "userIdIN","passwordIN"	The Password that belongs to the given userIdIN gets updated/changed	The Password that belongs to the given userIdIN gets updated/changed	Pass	2026.02.03	Horváth Viktor
61	MHP1-53	updateing the ProductAttributeById	1) Call the "updateProductAttributeById" procedure query with these values: "productAttributeIdIN","valueIN"	The ProductAttribute(s) that belongs to the given productAttributeIdIN gets updated	The ProductAttribute(s) that belongs to the given productAttributeIdIN gets updated	Pass	2026.02.03	Horváth Viktor

ID	Task Id	Test Objective	Test Steps	Expected Result	Actual Result	Pass/Fail	Date	Done by:
62	MHP1-53	updateing the ProductById	1) Call the "updateProductById" procedure query with these values: "productIdIN","nameIN","descriptionIN","priceIN","stockIN","imageUrlIN","categoryIdIN","brandIdIN"	The Product that belongs to the given productIdIN gets updated	The Product that belongs to the given productIdIN gets updated	Pass	2026.02.03	Horváth Viktor
63	MHP1-53	updateing the ReviewById	1) Call the "updateReviewById" procedure query with these values: "reviewIdIN","ratingIN","commentIN"	The Review that belongs to the given reviewIdIN gets updated	The Review that belongs to the given reviewIdIN gets updated	Pass	2026.02.03	Horváth Viktor
64	MHP1-53	updateing the UserById	1) Call the "updateUserById" procedure query with these values: "userIdIN","usernameIN","emailIN","roleIN"	The User that belongs to the given userIdIN gets updated	The User that belongs to the given userIdIN gets updated	Pass	2026.02.03	Horváth Viktor
65	MHP1-53	failing to addToCart	1) Call the "addToCart" procedure query with false/wrong data	The procedure will give back an error or it will fail to start	The procedure will give back an error or wont it will fail to start	Pass	2026.02.03	Horváth Viktor
66	MHP1-53	adding product to cart	1) Call the "addToCart" procedure query with these values: "userIdIN","productIdN","quantityIN"	The product with the given quantity number gets added to the cart	The product with the given quantity number gets added to the cart	Pass	2026.02.03	Horváth Viktor
67	MHP1-53	failing to create an address	1) Call the "createAddress" procedure query with false/wrong data	The address wont be created	The address wasn't created	Pass	2026.02.03	Horváth Viktor
68	MHP1-53	failing to create an Attribute	1) Call the "createAttributes" procedure query with false/wrong data	The attribute wont be created	The attribute wasnt created	Pass	2026.02.03	Horváth Viktor
69	MHP1-53	failing to create a Brand	1) Call the "createBrands" procedure query with false/wrong data	The brand wont be created	The brand wasn't created	Pass	2026.02.03	Horváth Viktor
70	MHP1-53					Pass	2026.02.03	Horváth Viktor
70	MHP1-53	getting Cart items by User ID	1) Call the "getCartByUserId" procedure query with the userIdIN set to: 1	We get all cart items that belong to the user with ID: 1 including product name, quantity and price	We get all cart items that belong to the user with ID: 1 including product name, quantity and price	Pass	2026.03.30	Horváth Viktor
71	MHP1-53	removing a product from Cart	1) Call the "removeFromCart" procedure query with the cartItemIdIN set to: 1	The cart item that belongs to cartItemId: 1 gets removed from the cart	The cart item that belongs to cartItemId: 1 gets removed from the cart	Pass	2026.03.30	Horváth Viktor
72	MHP1-53	clearing the entire Cart	1) Call the "clearCart" procedure query with the userIdIN set to: 1	All cart items belonging to user ID: 1 get removed from the cart	All cart items belonging to user ID: 1 get removed from the cart	Pass	2026.03.30	Horváth Viktor
73	MHP1-53	updating Cart item quantity	1) Call the "updateCartItemQuantity" procedure query with these values: "cartItemIdIN", "quantityIN"	The quantity of the given cart item gets updated to the new value	The quantity of the given cart item gets updated to the new value	Pass	2026.03.30	Horváth Viktor
74	MHP1-53	failing to update Cart item quantity with invalid data	1) Call the "updateCartItemQuantity" procedure query with false/wrong data (e.g. non-existent cartItemIdIN or quantity <= 0)	The procedure will give back an error or the quantity won't be updated	The procedure gave back an error or the quantity wasn't updated	Pass	2026.03.30	Horváth Viktor
75	MHP1-53	checkout - completing an order from cart	1) Call the "checkoutCart" procedure query with these values: "userIdIN", "addressIdIN", OUT "newOrderId"	A new order is created from the cart items, cart gets cleared and the newOrderId output parameter is returned	A new order is created from the cart items, cart gets cleared and the newOrderId output parameter is returned	Pass	2026.03.30	Horváth Viktor

ID	Task Id	Test Objective	Test Steps	Expected Result	Actual Result	Pass/Fail	Date	Done by:
76	MHP1-53	failing to checkout with empty cart	1) Call the "checkoutCart" procedure query with a userIdIN that has no items in the cart	The procedure will give back an error or the order won't be created	The procedure gave back an error or the order wasn't created	Pass	2026.03.30	Horváth Viktor
77	MHP1-53	login - getting user data by email	1) Call the "login" procedure query with the emailIN set to a valid existing user email	We get the user data associated with the given email address	We get the user data associated with the given email address	Pass	2026.03.30	Horváth Viktor
78	MHP1-53	failing to login with non-existent email	1) Call the "login" procedure query with the emailIN set to a non-existent email address	No user data is returned / empty result set	No user data was returned / empty result set	Pass	2026.03.30	Horváth Viktor
79	MHP1-53	creating a Favorite	1) Call the "createFavorites" procedure query with these values: "userIdIN", "productIdIN"	The product gets added to the user's favorites list	The product gets added to the user's favorites list	Pass	2026.03.30	Horváth Viktor
80	MHP1-53	failing to create a duplicate Favorite	1) Call the "createFavorites" procedure query with the same "userIdIN" and "productIdIN" combination that already exists	The procedure will give back an error or the duplicate favorite won't be created	The procedure gave back an error or the duplicate favorite wasn't created	Pass	2026.03.30	Horváth Viktor
81	MHP1-53	deleting a Favorite	1) Call the "deleteFavorites" procedure query with these values: "userIdIN", "productIdIN"	The favorite entry matching the given user and product gets removed	The favorite entry matching the given user and product gets removed	Pass	2026.03.30	Horváth Viktor
82	MHP1-53	getting all Favorites	1) Call the "getAllFavorites" procedure query	We get all the Favorites from the database	We get all the Favorites from the database	Pass	2026.03.30	Horváth Viktor
83	MHP1-53	getting Favorite by ID	1) Call the "getFavoriteById" procedure query with the favoriteIdIN set to: 1	We get the favorite entry that belongs to ID: 1	We get the favorite entry that belongs to ID: 1	Pass	2026.03.30	Horváth Viktor
84	MHP1-53	getting Favorites by User ID	1) Call the "getFavoritesByUserId" procedure query with the userIdIN set to: 1	We get all favorite products belonging to user ID: 1 with product details	We get all favorite products belonging to user ID: 1 with product details	Pass	2026.03.30	Horváth Viktor
85	MHP1-53	getting Favorite count by User ID	1) Call the "getFavoriteCountByUser" procedure query with the userIdIN set to: 1	We get the total number of favorites that belong to user ID: 1	We get the total number of favorites that belong to user ID: 1	Pass	2026.03.30	Horváth Viktor
86	MHP1-53	updating a Favorite by ID	1) Call the "updateFavoriteById" procedure query with these values: "favoriteIdIN", "userIdIN", "productIdIN"	The favorite entry that belongs to the given favoriteIdIN gets updated	The favorite entry that belongs to the given favoriteIdIN gets updated	Pass	2026.03.30	Horváth Viktor
87	MHP1-53	setting a Default Address	1) Call the "setDefaultAddress" procedure query with these values: "addressIdIN", "userIdIN"	The address with the given addressIdIN is set as default for the user, and all other addresses for that user are set to non-default	The address with the given addressIdIN is set as default for the user, and all other addresses for that user are set to non-default	Pass	2026.03.30	Horváth Viktor
88	MHP1-53	failing to create a Category with wrong data	1) Call the "createCategories" procedure query with false/wrong data (e.g. NULL or too long values)	The category won't be created and an error is returned	The category wasn't created and an error was returned	Pass	2026.03.30	Horváth Viktor
89	MHP1-53	failing to create an Order with wrong data	1) Call the "createOrders" procedure query with false/wrong data (e.g. non-existent userIdIN or addressIdIN)	The order won't be created and an error is returned	The order wasn't created and an error was returned	Pass	2026.03.30	Horváth Viktor

ID	Task Id	Test Objective	Test Steps	Expected Result	Actual Result	Pass/Fail	Date	Done by:
90	MHP1-53	failing to create a Product with wrong data	1) Call the "createProducts" procedure query with false/wrong data (e.g. non-existent categoryIdIN or brandIdIN)	The product won't be created and an error is returned	The product wasn't created and an error was returned	Pass	2026.03.30	Horváth Viktor
91	MHP1-53	failing to create a Review with wrong data	1) Call the "createReviews" procedure query with false/wrong data (e.g. rating outside 1-5 range or non-existent productIdIN)	The review won't be created and an error is returned	The review wasn't created and an error was returned	Pass	2026.03.30	Horváth Viktor
92	MHP1-53	failing to create a User with wrong data	1) Call the "createUser" procedure query with false/wrong data (e.g. duplicate email or NULL required fields)	The user won't be created and an error is returned	The user wasn't created and an error was returned	Pass	2026.03.30	Horváth Viktor
93	MHP1-53	failing to get Cart by User ID	1) Call the "getCartByUserId" procedure query with false/wrong data (non-existent userIdIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
94	MHP1-53	failing to remove from Cart	1) Call the "removeFromCart" procedure query with false/wrong data (non-existent cartItemIdIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
95	MHP1-53	failing to clear Cart	1) Call the "clearCart" procedure query with false/wrong data (non-existent userIdIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
96	MHP1-53	failing to checkout Cart	1) Call the "checkoutCart" procedure query with false/wrong data (non-existent userIdIN or addressIdIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
97	MHP1-53	failing to checkout	1) Call the "checkout" procedure query with false/wrong data (non-existent userIdIN or addressIdIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
98	MHP1-53	failing to get Address by ID	1) Call the "getAddressById" procedure query with false/wrong data (non-existent addressIdIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
99	MHP1-53	failing to get Addresses by User ID	1) Call the "getAddressesByUserId" procedure query with false/wrong data (non-existent userIdIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
100	MHP1-53	failing to set Default Address	1) Call the "setDefaultAddress" procedure query with false/wrong data (non-existent addressIdIN or userIdIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
101	MHP1-53	failing to update Address by ID	1) Call the "updateAddressById" procedure query with false/wrong data (non-existent addressIdIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
102	MHP1-53	failing to soft delete an Address	1) Call the "softDelAddresses" procedure query with false/wrong data (non-existent addressIdIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
103	MHP1-53	failing to get Attribute by ID	1) Call the "getAttributeById" procedure query with false/wrong data (non-existent attributeIdIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor

ID	Task Id	Test Objective	Test Steps	Expected Result	Actual Result	Pass/Fail	Date	Done by:
104	MHP1-53	failing to update Attribute by ID	1) Call the "updateAttributeById" procedure query with false/wrong data (non-existent attributeldIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
105	MHP1-53	failing to soft delete an Attribute	1) Call the "softDelAttributes" procedure query with false/wrong data (non-existent attributesldIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
106	MHP1-53	failing to get Brand by ID	1) Call the "getBrandById" procedure query with false/wrong data (non-existent brandldIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
107	MHP1-53	failing to update Brand by ID	1) Call the "updateBrandById" procedure query with false/wrong data (non-existent brandldIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
108	MHP1-53	failing to soft delete a Brand	1) Call the "softDelBrands" procedure query with false/wrong data (non-existent brandsldIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
109	MHP1-53	failing to get Category by ID	1) Call the "getCategoryById" procedure query with false/wrong data (non-existent categoryldIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
110	MHP1-53	failing to update Category by ID	1) Call the "updateCategoryById" procedure query with false/wrong data (non-existent categoryldIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
111	MHP1-53	failing to soft delete a Category	1) Call the "softDelCategories" procedure query with false/wrong data (non-existent categoriesldIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
112	MHP1-53	failing to get Favorite by ID	1) Call the "getFavoriteById" procedure query with false/wrong data (non-existent favoriteldIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
113	MHP1-53	failing to get Favorites by User ID	1) Call the "getFavoritesByUserId" procedure query with false/wrong data (non-existent userldIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
114	MHP1-53	failing to get Favorite count by User ID	1) Call the "getFavoriteCountByUser" procedure query with false/wrong data (non-existent userldIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
115	MHP1-53	failing to update Favorite by ID	1) Call the "updateFavoriteById" procedure query with false/wrong data (non-existent favoriteldIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
116	MHP1-53	failing to delete a Favorite	1) Call the "deleteFavorites" procedure query with false/wrong data (non-existent userldIN and productldIN combination)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
117	MHP1-53	failing to get Order by ID	1) Call the "getOrderById" procedure query with false/wrong data (non-existent orderldIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor

ID	Task Id	Test Objective	Test Steps	Expected Result	Actual Result	Pass/Fail	Date	Done by:
118	MHP1-53	failing to get Orders by User ID	1) Call the "getOrdersByUserId" procedure query with false/wrong data (non-existent userIdIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
119	MHP1-53	failing to update Order by ID	1) Call the "updateOrderById" procedure query with false/wrong data (non-existent orderIdIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
120	MHP1-53	failing to soft delete an Order	1) Call the "softDelOrders" procedure query with false/wrong data (non-existent ordersIdIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
121	MHP1-53	failing to get Order Item by ID	1) Call the "getOrderItemById" procedure query with false/wrong data (non-existent orderItemIdIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
122	MHP1-53	failing to get Order Items by Order ID	1) Call the "getOrderItemsByOrderId" procedure query with false/wrong data (non-existent orderIdIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
123	MHP1-53	failing to update Order Item by ID	1) Call the "updateOrderItemById" procedure query with false/wrong data (non-existent orderItemIdIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
124	MHP1-53	failing to soft delete an Order Item	1) Call the "softDelOrderItems" procedure query with false/wrong data (non-existent orderItemsIdIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
125	MHP1-53	failing to get Product Attribute by ID	1) Call the "getProductAttributeById" procedure query with false/wrong data (non-existent productAttributeIdIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
126	MHP1-53	failing to get Product Attributes by Product ID	1) Call the "getProductAttributesByProductId" procedure query with false/wrong data (non-existent productIdIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
127	MHP1-53	failing to update Product Attribute by ID	1) Call the "updateProductAttributeById" procedure query with false/wrong data (non-existent productAttributeIdIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
128	MHP1-53	failing to soft delete a Product Attribute	1) Call the "softDelProductAttributes" procedure query with false/wrong data (non-existent productAttributesIdIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
129	MHP1-53	failing to create a Product Attribute	1) Call the "createProductAttributes" procedure query with false/wrong data (non-existent productIdIN or attributeIdIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
130	MHP1-53	failing to get Product by ID	1) Call the "getProductById" procedure query with false/wrong data (non-existent productIdIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
131	MHP1-53	failing to get Products by Brand ID	1) Call the "getProductsByBrandId" procedure query with false/wrong data (non-existent brandIdIN)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor

ID	Task Id	Test Objective	Test Steps	Expected Result	Actual Result	Pass/Fail	Date	Done by:
132	MHP1-53	failing to get Products by Category ID	1) Call the "getProductsByCategoryId" procedure query with false/wrong data (non-existent categoryIdIN (e.g. 99999))	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
133	MHP1-53	failing to update Product by ID	1) Call the "updateProductById" procedure query with false/wrong data (non-existent productIdIN (e.g. 99999))	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
134	MHP1-53	failing to soft delete a Product	1) Call the "softDelProducts" procedure query with false/wrong data (non-existent productsIdIN (e.g. 99999))	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
135	MHP1-53	failing to get Review by ID	1) Call the "getReviewById" procedure query with false/wrong data (non-existent reviewIdIN (e.g. 99999))	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
136	MHP1-53	failing to get Reviews by Product ID	1) Call the "getReviewsByProductId" procedure query with false/wrong data (non-existent productIdIN (e.g. 99999))	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
137	MHP1-53	failing to update Review by ID	1) Call the "updateReviewById" procedure query with false/wrong data (non-existent reviewIdIN (e.g. 99999))	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
138	MHP1-53	failing to soft delete a Review	1) Call the "softDelReviews" procedure query with false/wrong data (non-existent reviewsIdIN (e.g. 99999))	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
139	MHP1-53	failing to get User by ID	1) Call the "getUserById" procedure query with false/wrong data (non-existent userIdIN (e.g. 99999))	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
140	MHP1-53	failing to update User by ID	1) Call the "updateUserById" procedure query with false/wrong data (non-existent userIdIN (e.g. 99999))	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
141	MHP1-53	failing to update Password	1) Call the "updatePassword" procedure query with false/wrong data (non-existent userIdIN (e.g. 99999))	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
142	MHP1-53	failing to soft delete a User	1) Call the "softDelUser" procedure query with false/wrong data (non-existent userIdIN (e.g. 99999))	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
143	MHP1-53	failing to login	1) Call the "login" procedure query with false/wrong data (non-existent emailIN (e.g. 'notexisting@email.com'))	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
144	MHP1-53	failing to update Cart Item Quantity	1) Call the "updateCartItemQuantity" procedure query with false/wrong data (non-existent cartItemIdIN (e.g. 99999))	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
145	MHP1-53	failing to get Configuration Details	1) Call the "getConfigurationDetails" procedure query with false/wrong data (non-existent configIdIN (e.g. 99999))	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor

ID	Task Id	Test Objective	Test Steps	Expected Result	Actual Result	Pass/Fail	Date	Done by:
146	MHP1-53	failing to add Product to Configuration	1) Call the "addProductToConfiguration" procedure query with false/wrong data (non-existent configurationIdIN or productIdIN (e.g. 99999))	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
147	MHP1-53	failing to update Configuration Total Price	1) Call the "updateConfigurationTotalPrice" procedure query with false/wrong data (non-existent configurationIdIN (e.g. 99999))	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
148	MHP1-53	failing to get Recommended Configurations	1) Call the "getRecommendedConfigurations" procedure query with false/wrong data (invalid/out-of-range budgetMinIN and budgetMaxIN values (e.g. budgetMin > budgetMax))	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
149	MHP1-53	failing to add Product Notification	1) Call the "addProductNotification" procedure query with false/wrong data (non-existent productIdIN (e.g. 99999) or invalid emailIN format)	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
150	MHP1-53	failing to get Pending Notifications	1) Call the "getPendingNotifications" procedure query with false/wrong data (non-existent productIdIN (e.g. 99999))	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
151	MHP1-53	failing to mark Notification as Sent	1) Call the "markNotificationAsSent" procedure query with false/wrong data (non-existent notificationIdIN (e.g. 99999))	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
152	MHP1-53	failing to update User Profile	1) Call the "updateUserProfile" procedure query with false/wrong data (non-existent userIdIN (e.g. 99999))	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor
153	MHP1-53	failing to get Games List	1) Call the "getGamesList" procedure query with false/wrong data (invalid/non-existent gameTypeFilter value (e.g. 'INVALIDTYPE'))	The procedure will give back an error or return an empty result set	The procedure gave back an error or returned an empty result set	Pass	2026.03.30	Horváth Viktor

Backend - Kamilla

ID	Test Objective	Test Steps	Expected Result	Actual Result	Pass/Fail	Date
1	Create brand with valid data	Send POST request to /createbrand-Admin with valid JSON body containing brand name and description	HTTP 201 Created or 200 OK	201 created	Pass	2026.02.07
2	Create brand with missing required fields	Send POST request to /createbrand-Admin with JSON body missing required 'name' field	HTTP 400 Bad Request with error message	HTTP 400 Bad Request with error message	Pass	2026.02.07
3	Create brand without authentication	Send POST request to /createbrand-Admin without admin authentication token	HTTP 401 Unauthorized or 403 Forbidden	HTTP 200 OK	Fail	2026.02.07
4	Retrieve existing brand by valid ID	Send GET request to /getbrandsbyid-everyone with existing brand ID parameter	HTTP 200 OK with brand details in response body	HTTP 200 OK	Pass	2026.02.07
5	Retrieve brand with non-existent ID	Send GET request to /getbrandsbyid-everyone with ID that doesn't exist in database	HTTP 404 Not Found with appropriate error message	HTTP 404 Not Found with appropriate error message	Pass	2026.02.10
6	Retrieve brand with invalid ID format	Send GET request to /getbrandsbyid-everyone with invalid ID format (e.g., string instead of number)	HTTP 200 OK with brand details in response body	HTTP 400 Bad Request with validation error	Fail	2026.02.10
7	Retrieve all brands successfully	Send GET request to /getallbrands-everyone without parameters	HTTP 200 OK with array of all brands	HTTP 200 OK with array of all brands	Pass	2026.02.10
8	Retrieve all brands with pagination	Send GET request to /getallbrands-everyone with limit and offset parameters	HTTP 200 OK with paginated brand list	HTTP 200 OK with paginated brand list	Pass	2026.02.10
9	Retrieve brands with invalid query parameters	Send GET request to /getallbrands-everyone	HTTP 200 OK with array of all brands	HTTP 400 Bad Request	Fail	2026.02.10
10	Soft delete existing brand	Send PUT request to /softdelbrand-Admin with valid brand ID in admin context	HTTP 200 OK and brand marked as deleted in database	HTTP 200 OK and brand marked as deleted in database	Pass	2026.02.10
11	Soft delete already deleted brand	Send PUT request to /softdelbrand-Admin with ID of already soft-deleted brand	Already deleted message	Already deleted message	Pass	2026.02.10
12	Soft delete without admin privileges	Send PUT request to /softdelbrand-Admin as regular user without admin token	HTTP 403 Forbidden	HTTP 200 ok	Fail	2026.02.10
13	Get category by valid ID	Send GET request to /getcategorybyid-everyone with existing category ID	HTTP 200 OK with category data	HTTP 200 OK with category data	Pass	2026.01.30
14	Get category with non-existent ID	Send GET request to /getcategorybyid-everyone with ID that doesn't exist	HTTP 404 Not Found	HTTP 404 Not Found	Pass	2026.01.30
15	Get category with negative ID	Send GET request to /getcategorybyid-everyone with negative integer ID	HTTP 400 Bad Request or 404 Not Found	HTTP 400 Bad Request or 404 Not Found	Pass	2026.01.30
16	Retrieve all categories	Send GET request to /getallcategories-everyone	HTTP 200 OK with array of categories	HTTP 200 OK with array of categories	Pass	2026.01.30
17	Retrieve empty category list	Send GET request when no categories exist in database	HTTP 200 OK with empty array	HTTP 200 OK with empty array	Pass	2026.01.30
18					Fail	2026.02.20

ID	Test Objective	Test Steps	Expected Result	Actual Result	Pass/Fail	Date
19	Add product to favorites	Send POST request to /addfav with valid user token and product ID	HTTP 201 Created	HTTP 201 Created	Pass	2026.02.20
20	Add duplicate favorite	Send POST request to /addfav for product already in user's favorites	It's already fav	It's already fav	Pass	2026.02.20
21	Add favorite without authentication	Send POST request to /addfav without user authentication token	HTTP 401 Unauthorized	HTTP 401 Unauthorized	Pass	2026.02.20
22	Get user's favorites list	Send GET request to /getfav with valid user authentication	HTTP 200 OK with array of favorite products	HTTP 200 OK with array of favorite products	Pass	2026.02.20
23	Get favorites for user with no favorites	Send GET request to /getfav for user with empty favorites list	HTTP 200 OK with empty array	HTTP 200 OK with empty array	Pass	2026.02.20
24	Get favorites with expired token	Send GET request to /getfav with expired authentication token	HTTP 401 Unauthorized	HTTP 401 Unauthorized	Pass	2026.02.20
25	Remove product from favorites	Send PUT request to /deletefav with valid user token and favorite product ID	HTTP 200 OK and product removed from favorites	HTTP 200 OK and product removed from favorites	Pass	2026.02.20
26	Remove non-existent favorite	Send PUT request to /deletefav with product ID not in user's favorites	HTTP 404 Not Found	HTTP 404 Not Found	Pass	2026.01.19
27	Remove favorite with invalid product ID format	Send PUT request to /deletefav with malformed product ID	HTTP 400 Bad Request	HTTP 400 Bad Request	Pass	2026.01.19
28	Retrieve email for authenticated user	Send GET request to /getemail with valid user authentication token	HTTP 200 OK with user email address	HTTP 200 OK with user email address	Pass	2026.01.19
29	Retrieve email without authentication	Send GET request to /getemail without authentication token	HTTP 401 Unauthorized	HTTP 401 Unauthorized	Pass	2026.01.19
30	Retrieve email with tampered token	Send GET request to /getemail with modified/invalid JWT token	HTTP 401 Unauthorized and Forbidden	HTTP 401 Unauthorized and Forbidden	Fail	2026.01.13
31	Get total revenue for admin	Send GET request to /revenue with admin authentication token	HTTP 200 OK with revenue data	HTTP 200 OK with revenue data	Pass	2026.01.13
32	Get revenue for specific time period	Send GET request to /revenue with date range parameters	HTTP 200 OK with filtered revenue data	HTTP 200 OK with filtered revenue data	Pass	2026.01.13
33	Get revenue as regular user	Send GET request to /revenue with non-admin user token	HTTP 403 Forbidden	HTTP 403 Forbidden	Pass	2026.01.13
34	Calculate and retrieve profit	Send GET request to /profit with admin credentials	HTTP 200 OK with profit calculation	HTTP 200 OK with profit calculation	Pass	2026.01.13
35	Get profit with empty sales data	Send GET request to /profit when no sales exist in database	HTTP 200 OK with zero or null profit	500 database error	Fail	2026.01.13
36	Get profit without proper authorization	Send GET request to /profit without admin role	HTTP 403 Forbidden	HTTP 403 Forbidden	Pass	2026.01.13
37	Get spending for specific user	Send GET request to /userspending with user ID parameter	HTTP 200 OK with user's total spending amount	HTTP 200 OK with user's total spending amount	Pass	2026.01.13
38	Get spending for user with no orders	Send GET request to /userspending for user who hasn't made purchases	HTTP 200 OK with zero spending	500 database error	Fail	2026.01.13

ID	Test Objective	Test Steps	Expected Result	Actual Result	Pass/Fail	Date
39	Get spending with invalid user ID	Send GET request to /userspending with non-numeric user ID	HTTP 400 Bad Request	HTTP 400 Bad Request	Pass	2026.01.13
40	Create order with valid cart items	Send POST request to /createorder-user with authenticated user and valid product IDs	HTTP 201 Created with order ID	HTTP 201 Created with order ID	Pass	2025.12.20
41	Create order with out-of-stock items	Send POST request to /createorder-user with products that are out of stock	HTTP 400 Bad Request with stock error message	HTTP 400 Bad Request with stock error message	Pass	2025.12.20
42	Create order without payment info	Send POST request to /createorder-user missing required payment details	HTTP 400 Bad Request	HTTP 400 Bad Request	Pass	2025.12.20
43	Retrieve user's order history	Send GET request to /getmyorders-user with valid user authentication	HTTP 200 OK with array of user's orders	HTTP 200 OK with array of user's orders	Pass	2025.12.20
44	Retrieve orders for new user	Send GET request to /getmyorders-user for user with no order history	HTTP 200 OK with empty array	HTTP 200 OK with empty array	Pass	2025.12.20
45	Retrieve orders with incorrect capitalization	Send GET request to /getmyorders-user (uppercase 's') to test case sensitivity	HTTP 404 Not Found	HTTP 404 Not Found	Pass	2026-02-22
46	Cancel pending order	Send GET request to /deleteorder-user with valid order ID in pending status	HTTP 200 OK and order marked as cancelled	HTTP 200 OK and order marked as cancelled	Pass	2025.12.20
47	Cancel already shipped order	Send GET request to /deleteorder-user with order ID that's already shipped	HTTP 400 Bad Request or 403 Forbidden	403 Forbidden	Pass	2025.12.20
48	Cancel order belonging to another user	Send GET request to /deleteorder-user with order ID from different user	HTTP 403 Forbidden	Database error 500	Fail	2025.12.20
49	Get detailed order information	Send GET request to /getorderdetails-byid-user with valid order ID	HTTP 200 OK with complete order details	HTTP 200 OK with complete order details	Pass	2025.12.20
50	Get details for non-existent order	Send GET request to /getorderdetails-byid-user with ID that doesn't exist	Database error 500	Database error 500	Pass	2025.12.14
51	Get order details without order ID parameter	Send GET request to /getorderdetails-byid-user without providing ID	HTTP 400 Bad Request	HTTP 400 Bad Request	Pass	2025.12.14
52	Retrieve all orders as admin	Send GET request to /getallorders with admin authentication	HTTP 200 OK with complete order list	HTTP 200 OK with complete order list	Pass	2025.12.14
53	Retrieve orders with filtering	Send GET request to /getallorders with status filter parameter	HTTP 200 OK with filtered results	HTTP 200 OK with filtered results	Pass	2025.12.14
54	Retrieve all orders as regular user	Send GET request to /getallorders with non-admin credentials	HTTP 403 Forbidden	HTTP 403 Forbidden	Pass	2025.12.14
55	Update order to shipped status	Send GET request to /updateorderstatus with order ID and new status 'delivered'	HTTP 200 OK and order status updated	HTTP 200 OK and order status updated	Pass	2025.12.14
56	Update order with invalid status	Send GET request to /updateorderstatus with non-existent status value	HTTP 400 Bad Request	HTTP 400 Bad Request	Pass	2025.12.14
57	Update order status without admin role	Send GET request to /updateorderstatus as regular user	HTTP 403 Forbidden	HTTP 403 Forbidden	Pass	2025.12.14
58	Get product by valid ID	Send GET request to /getproductbyid-everyone with existing product ID	HTTP 200 OK with product details	HTTP 200 OK with product details	Pass	2025.12.02

ID	Test Objective	Test Steps	Expected Result	Actual Result	Pass/Fail	Date
59	Get product with non-existent ID	Send GET request to /getproductbyid-everyone with ID not in database	Database error 500	Database error 500	Pass	2025.12.02
60	Get product with very large ID number	Send GET request to /getproductbyid-everyone with extremely large integer ID	Database error 500	Database error 500	Pass	2025.12.02
61	Retrieve all products	Send GET request to /getallproducts-everyone	HTTP 200 OK with array of all products	HTTP 200 OK with array of all products	Pass	2025.12.02
62	Retrieve products with search query	Send GET request to /getallproducts-everyone with search term parameter	HTTP 200 OK with filtered product list	HTTP 200 OK with filtered product list	Pass	2025.12.02
63	Retrieve products with special characters in query	Send GET request with special characters (!@#%) in search parameter	I Don't even know what should i expect	Database error 500	Fail	2025.12.02
64	Create product with all required fields	Send POST request to /createproduct-ADMIN with complete product data	HTTP 201 Created with new product ID	HTTP 201 Created with new product ID	Pass	2025.12.02
65	Create product with duplicate SKU	Send POST request to /createproduct-ADMIN with SKU that already exists	HTTP 409 Conflict	HTTP 409 Conflict	Pass	2025.12.02
66	Create product without admin authentication	Send POST request to /createproduct-ADMIN without admin token	HTTP 401 Unauthorized or 403 Forbidden	HTTP 401 Unauthorized or 403 Forbidden	Pass	2025.12.02
67	Update product price and stock	Send PUT request to /updateproduct-ADMIN with product ID and new price/stock values	HTTP 200 OK with updated product data	HTTP 200 OK with updated product data	Pass	2025.12.02
68	Update product with partial data	Send PUT request to /updateproduct-ADMIN updating only product name	HTTP 200 OK with partial update applied	HTTP 200 OK with partial update applied	Pass	2025.11.24
69	Update product with negative price	Send PUT request to /updateproduct-ADMIN with negative price value	HTTP 400 Bad Request	Database error 500	Fail	2025.11.24
70	Soft delete product	Send PUT request to /deleteproduct-ADMIN with valid product ID	HTTP 200 OK and product marked as deleted	HTTP 200 OK and product marked as deleted	Pass	2025.11.24
71	Delete product with active orders	Send PUT request to /deleteproduct-ADMIN for product in pending orders	HTTP 400 Bad Request	HTTP 400 Bad Request	Pass	2025.11.24
72	Delete product as regular user	Send PUT request to /deleteproduct-ADMIN without admin privileges	HTTP 403 Forbidden	HTTP 403 Forbidden	Pass	2025.11.24
73	Get products filtered by brand	Send GET request to /getproductsbybrandid-everyone with valid brand ID	HTTP 200 OK with products from that brand	HTTP 200 OK with products from that brand	Pass	2025.11.24
74	Get products for brand with no products	Send GET request to /getproductsbybrandid-everyone for brand without products	HTTP 200 OK with empty array	HTTP 200 OK with empty array	Pass	2025.11.24
75	Get products with zero as brand ID	Send GET request to /getproductsbybrandid-everyone with brand ID = 0	HTTP 400 Bad Request or 404 Not Found	Database error 500	Fail	2025.11.24
76	Register new user successfully	Send POST request to /createUser with valid email, password, and user details	HTTP 201 Created with user ID	HTTP 201 Created with user ID	Pass	2025.11.06
77	Register user with existing email	Send POST request to /createUser with email already in database	Database error 500	Database error 500	Pass	2025.11.06
78	Register user with weak password	Send POST request to /createUser with password shorter than minimum length	HTTP 400 Bad Request with password requirements	HTTP 400 Bad Request with password requirements	Pass	2025.11.06

ID	Test Objective	Test Steps	Expected Result	Actual Result	Pass/Fail	Date
79	Test duplicate endpoint functionality	Send POST request to /createUser Copy with valid registration data	HTTP 201 Created (same behavior as /createUser)	HTTP 201 Created (same behavior as /createUser)	Pass	2025.11.06
80	Verify endpoint naming convention	Check if /createUser Copy is intentional duplicate or	Documentation or endpoint removal recommended	Documentation or endpoint removal recommended	Pass	2025.11.06
81	Test with same request to both endpoints	Send identical POST request to both /createUser and /createUser Copy	Both should return HTTP 201 with same behavior	Both should return HTTP 201 with same behavior	Pass	2025.11.06
82	Login with valid credentials	Send POST request to /login with correct email and password	HTTP 200 OK with authentication token	HTTP 200 OK with authentication token	Pass	2025.11.06
83	Login with incorrect password	Send POST request to /login with valid email but wrong password	Database error 500 & invalidemailorpassword	Database error 500 & invalidemailorpassword	Pass	2025.11.06
84	Login with non-existent email	Send POST request to /login with email not in database	Database error 500 & invalidemailorpassword	Database error 500 & invalidemailorpassword	Pass	2025.11.06
85	Update password successfully	Send PUT request to /updatepassword with old and new password	HTTP 200 OK and password changed	HTTP 200 OK and password changed	Pass	2025.11.06
86	Update with incorrect old password	Send PUT request to /updatepassword with wrong current password	Database error 500	Database error 500	Pass	2025.11.06
87	Update password without authentication	Send PUT request to /updatepassword without logged-in session	Expired token	Expired token	Pass	2025.11.06
88	Update user profile information	Send PUT request to /updateuser with new name, address, phone number	HTTP 200 OK with updated user data	HTTP 200 OK with updated user data	Pass	2025.11.06
89	Update email to existing one	Send PUT request to /updateuser changing email to one already used	HTTP 409 Conflict	HTTP 409 Conflict	Pass	2025.11.06
90	Update user data with XSS payload	Send PUT request to /updateuser with script tags in name field	HTTP 400 Bad Request	HTTP 400 Bad Request	Pass	2025.11.06
91	Soft delete user account	Send PUT request to /softdel for authenticated user	HTTP 200 OK and account marked as deleted	HTTP 200 OK and account marked as deleted	Pass	2025.11.06
92	Soft delete already deleted account	Send PUT request to /softdel for account already soft-deleted	HTTP 400 Bad Request or 404 Not Found	HTTP 400 Bad Request or 404 Not Found	Pass	2025.11.06
93	Soft delete without proper authentication	Send PUT request to /softdel without valid user token	Expired token	Expired token	Pass	2025.11.06
94	Get all users as admin	Send GET request to /getallusers with admin authentication	HTTP 200 OK with array of all users	HTTP 200 OK with array of all users	Pass	2025.11.18
95	Get users with pagination	Send GET request to /getallusers with limit and offset parameters	HTTP 200 OK with paginated user list	HTTP 200 OK with paginated user list	Pass	2025.11.18
96	Get all users as regular user	Send GET request to /getallusers without admin privileges	HTTP 403 Forbidden	HTTP 403 Forbidden	Pass	2025.11.18
97	Get user details by ID	Send GET request to /getuserbyid with valid user ID as admin	HTTP 200 OK with user details	HTTP 200 OK with user details	Pass	2025.11.18
98	Get user by non-existent ID	Send GET request to /getuserbyid with ID that doesn't exist	HTTP 404 Not Found	HTTP 404 Not Found	Pass	2025.11.18

ID	Test Objective	Test Steps	Expected Result	Actual Result	Pass/Fail	Date
99	Get user details without admin role	Send GET request to /getuserbyid as regular user	HTTP 403 Forbidden	HTTP 403 Forbidden	Fail	2025.11.18
100	Retrieve list of admin users	Send GET request to 'GET /get admins' (with space) with admin auth	HTTP 200 OK with admin user list	HTTP 200 OK with admin user list	Pass	2025.11.18
101	Verify endpoint URL formatting	Check if space in '/get admins' is intentional or should be '/getadmins'	Endpoint should be renamed or documentation updated		Pass	2025.11.18
102	Access admin list as regular user	Send GET request to 'GET /get admins' without admin credentials	HTTP 403 Forbidden	HTTP 403 Forbidden	Pass	2025.11.18
103	Get all customer accounts	Send GET request to /getcustomers as admin	HTTP 200 OK with customer list (non-admin users)	HTTP 200 OK with customer list (non-admin users)	Pass	2025.11.18
104	Get customers with role filter	Send GET request to /getcustomers filtering by customer role only	HTTP 200 OK with filtered results	HTTP 200 OK with filtered results	Pass	2025.11.18
105	Get customers without authorization	Send GET request to /getcustomers without admin token	HTTP 403 Forbidden	HTTP 403 Forbidden	Fail	2025.11.18
106	Change user role from customer to admin	Send PUT request to /updaterole with user ID and new role 'admin'	HTTP 200 OK and user role updated	HTTP 200 OK and user role updated	Pass	2025.11.18
107	Update role with invalid role value	Send PUT request to /updaterole with non-existent role name	HTTP 400 Bad Request	HTTP 400 Bad Request	Pass	2025.11.18
108	Update role without admin privileges	Send PUT request to /updaterole as regular user	HTTP 403 Forbidden	HTTP 403 Forbidden	Fail	2025.11.18
109	Delete customer accounts only	Send GET request to '/delcustomers butnot admins' as admin	HTTP 200 OK and only customer accounts deleted	HTTP 200 OK and only customer accounts deleted	Pass	2025.11.18
110	Verify admin accounts are protected	Check database after running endpoint to ensure admin accounts remain	Admin accounts should still exist in database	Admin accounts should still exist in database	Pass	2025.11.18
111	Execute mass delete without proper auth	Send GET request to '/delcustomers butnot admins' without admin role	HTTP 403 Forbidden	HTTP 403 Forbidden	Pass	2025.11.18
112	Subscribe to newsletter	Send POST request to /newsletter/subscribe without jwt token	401 unauthorized	401 unauthorized	Pass	2026.03.22
113	Subscribe to newsletter	Send POST request to /newsletter/subscribe with jwt token	200 ok subscribed	200 ok subscribed	Pass	2026.03.22
114	Subscribe to newsletter	Send POST request to /newsletter/subscribe with jwt token but using different email	401 unauthorized	401 unauthorized	Pass	2026.03.24
115	Questionnaire games	Send GET request to '/questionnaire/games with jwt token	200ok JSON{games}	200ok JSON{games}	Pass	2026.03.24
116	Questionnaire games	Send GET request to '/questionnaire/games without jwt token	200ok JSON{games}	200ok JSON{games}	Pass	2026.03.24
117	Questionnaire recommended	Send GET request to '/questionnaire/recommended without jwt token	200 ok JSONconfiguration{details}	200 ok JSONconfiguration{details}	Pass	2026.03.24
118	Questionnaire recommended	Send GET request to '/questionnaire/recommended with jwt token	200 ok JSONconfiguration{details}	200 ok JSONconfiguration{details}	Pass	2026.03.24

ID	Test Objective	Test Steps	Expected Result	Actual Result	Pass/Fail	Date
119	Questionnaire configuration	Send GET request to '/questionnaire/configuration /1 with jwt token	200 ok JSONconfiguration{details}	200 ok JSONconfiguration{details}	Pass	2026.03.24
120	Questionnaire configuration	Send GET request to '/questionnaire/configuration /1 without jwt token	200 ok JSONconfiguration{details}	200 ok JSONconfiguration{details}	Pass	2026.03.24
121	Questionnaire configuration	Send GET request to '/questionnaire/configuration /2 with jwt token	200 ok JSONconfiguration{details}	200 ok JSONconfiguration{details}	Pass	2026.03.24
122	Questionnaire configuration	Send GET request to '/questionnaire/configuration /2 without jwt token	200 ok JSONconfiguration{details}	200 ok JSONconfiguration{details}	Pass	2026.03.24
123	Questionnaire configuration	Send GET request to '/questionnaire/configuration /3 with jwt token	200 ok JSONconfiguration{details}	200 ok JSONconfiguration{details}	Pass	2026.03.24
124	Questionnaire configuration	Send GET request to '/questionnaire/configuration /3 without jwt token	200 ok JSONconfiguration{details}	200 ok JSONconfiguration{details}	Pass	2026.03.24
125	Questionnaire configuration	Send GET request to '/questionnaire/configuration /4 with jwt token	200 ok JSONconfiguration{details}	200 ok JSONconfiguration{details}	Pass	2026.03.24
126	Questionnaire configuration	Send GET request to '/questionnaire/configuration /4 without jwt token	200 ok JSONconfiguration{details}	200 ok JSONconfiguration{details}	Pass	2026.03.24
127	Questionnaire configuration	Send GET request to '/questionnaire/configuration /5 with jwt token	200 ok JSONconfiguration{details}	200 ok JSONconfiguration{details}	Pass	2026.03.24
128	Questionnaire configuration	Send GET request to '/questionnaire/configuration /5 without jwt token	200 ok JSONconfiguration{details}	200 ok JSONconfiguration{details}	Pass	2026.03.24