

Problem B

Entertainment Box


Problem ID: entertainm

CPU Time limit: 2 secon

Memory limit: 1024 ME

Authors: Markus S. Dreij
G. Drange

Source: Nordic Collegiate
Programming Contest (N

License: 

Ada, Bertrand and Charles often argue over which TV shows to watch, and to avoid some of their fights they have finally decided to buy a video tape recorder. This fabulous, new device can record k different TV shows simultaneously, and whenever a show recorded in one of the machine's k slots ends, the machine is immediately ready to record another show in the same slot.

The three friends wonder how many TV shows they can record during one day. They provide you with the TV guide for today's shows, and tell you the number of shows the machine can record simultaneously. How many shows can they record, using their recording machine? Count only shows that are recorded in their entirety.



Wikimedia, cc-by-sa

Input

The first line of input contains two integers n, k ($1 \leq k < n \leq 100\,000$). Then follow n lines, each containing two integers x_i, y_i , meaning that show i starts at time x_i and finishes by time y_i . This means that two shows i and j , where $y_i = x_j$, can be recorded, without conflict, in the same recording slot. You may assume that $0 \leq x_i < y_i \leq 1\,000\,000\,000$.

Output

The output should contain exactly one line with a single integer: the maximum number of full shows from the TV guide that can be recorded with the tape recorder.

Sample Input 1

```
3 1
1 2
2 3
2 3
```

Sample Output 1

```
2
```

Sample Input 2

```
4 1
1 3
4 6
7 8
2 5
```

Sample Output 2

```
3
```

Sample Input 3

```
5 2
1 4
5 9
2 7
3 8
6 10
```

Sample Output 3

```
3
```