

# WaveSpace: analysis and simulation of cortical traveling waves

Kirsten Petras<sup>1</sup>, Dennis Croonenberg<sup>2</sup>, and Laura Dugué<sup>1,3</sup>

<sup>1</sup> Université Paris Cité, INCC UMR 8002, CNRS, F-75006 Paris, France <sup>2</sup> Independent Researcher, The Netherlands <sup>3</sup> Institut Universitaire de France (IUF), Paris, France

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

## Software

- [Review](#)
- [Repository](#)
- [Archive](#)

Editor: [Open Journals](#)

## Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

## License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#))

## Statement of need

Oscillatory cortical activity has been found to systematically propagate across space (Muller et al., 2018). Various approaches to detect and characterize such spatiotemporal patterns of activity, often referred to as “oscillatory cortical traveling waves (ocTW),” have emerged in the literature. Typically, laboratories develop customized pipelines tailored to their experimental requirements and software platform preferences [Alexander et al. (2006); Muller et al. (2014); Alamia & VanRullen (2019); Das et al. (2022); but see also; Gutzen et al. (2024); for a notable exception].

The diversity of methods and implementations found in the literature poses challenges for researchers, both in selecting the one most suitable for their own studies and in directly comparing the performance of different pipelines. WaveSpace addresses this gap by integrating commonly used strategies into a single modular framework. This framework ensures that modules for preprocessing, data decomposition, spatial arrangement of sensor positions, wave analysis, and evaluation are interchangeable within the same workflow. The resulting pipelines are ready-to-use in empirical studies (Fakche et al., 2024; Petras et al., 2025)

## Functionality

WaveSpace contains 5 modules (see figure 1 for module overview):

- **Decomposition:** Provides multiple techniques to decompose broadband data into frequency components, including FFT-based methods (e.g., wavelets, filter-Hilbert), empirical mode decomposition (EMD), and generalized phase analysis.
- **Spatial Arrangement:** Includes methods to map 3D sensor positions onto 2D regular grids using approaches such as multidimensional scaling (MDS) and isomap. Multiple interpolation options are available.
- **Wave Analysis:** Offers a variety of analysis methods, such as 2D FFT, optical flow analysis, phase gradient methods, and principal component analysis (PCA).
- **Simulation:** Functions to simulate traveling and spatially stationary (i.e., standing) waves with both linear and nonlinear properties, as well as incorporating noise.
- **Plotting:** Contains visualization tools for each analysis option.

The entire framework is comprehensively documented and includes example scripts to facilitate its adoption.




Figure 1: Overview of WaveSpace modules.

## Funding

This project received funding from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation program (grant agreement No. 852139 - Laura Dugué).

## Toolbox dependencies

[Environment file](#)

## References

- Alamia, A., & VanRullen, R. (2019). Alpha oscillations and traveling waves: Signatures of predictive coding? *PLoS Biology*, 17(10), e3000487.
- Alexander, Trengove, C., Wright, J. J., Boord, P. R., & Gordon, E. (2006). Measurement of phase gradients in the EEG. *Journal of Neuroscience Methods*, 156(1-2), 111–128.

- 49 Das, A., Zabe, E., & Jacobs, J. (2022). *How can we detect and analyze traveling waves in*  
50 *human brain oscillations?*
- 51 Fakche, C., Galas, L., Petras, K., & Dugué, L. (2024). *Alpha traveling waves index spatial*  
52 *attention.*
- 53 Gutzen, R., De Bonis, G., De Luca, C., Pastorelli, E., Capone, C., Mascaro, A. L. A., Resta, F.,  
54 Manasanch, A., Pavone, F. S., & Sanchez-Vives, M. V. (2024). A modular and adaptable  
55 analysis pipeline to compare slow cerebral rhythms across heterogeneous datasets. *Cell*  
56 *Reports Methods*, 4(1).
- 57 Muller, L., Chavane, F., Reynolds, J., & Sejnowski, T. J. (2018). Cortical travelling waves:  
58 Mechanisms and computational principles. *Nature Reviews Neuroscience*, 19(5), 255–268.
- 59 Muller, L., Reynaud, A., Chavane, F., & Destexhe, A. (2014). The stimulus-evoked population  
60 response in visual cortex of awake monkey is a propagating wave. *Nature Communications*,  
61 5(1), 3675.
- 62 Petras, K., Grabot, L., & Dugué, L. (2025). Locally induced traveling waves generate globally  
63 observable traveling waves. *bioRxiv*, 2025–2001. [https://www.biorxiv.org/content/10.](https://www.biorxiv.org/content/10.1101/2025.01.07.630662.abstract)  
64 [1101/2025.01.07.630662.abstract](https://www.biorxiv.org/content/10.1101/2025.01.07.630662.abstract)

DRAFT