Codes of home.blade.php in Pizza Order System

```
@extends('user.layout.master')

@section('title','PizzaLand')

@section('content')


<!-- Shop Start -->

<div class="container-fluid">

    <div class="row px-xl-5">

        <!-- Shop Sidebar Start -->

        <div class="col-lg-3 col-md-4">

            <!-- Price Start -->

            <h4 class="position-relative text-uppercase mb-3"><span class=" text-secondary pr-3">Filter by category</span></h4>

                <div class="bg-light p-4 mb-30">

                    <form>

                        <div class="custom-control custom-checkbox d-flex align-items-center justify-content-between mb-3">

                            {{-- <input type="checkbox" class="custom-control-input" checked id="price-all"> --}}

                            <label class="" for="price-all"><h5>Categories</h5></label>

                            {{-- <span class="badge border text-dark font-weight-normal">{{ count($category )}}</span> --}}

                        </div>

                        <hr>

                        <div class="form-check my-4">

                            <a href="{{route('user#home')}}">

                                <label class="form-check-label text-dark" for="defaultCheck1">

                                    All

                                </label>

                            </a>
```

```html
            </div>
            @foreach ($category as $c )
                <div class="form-check my-4">
                    {{-- <input class="form-check-input text-warning" type="checkbox" value=""
id="defaultCheck1"> --}}
                    <a href="{{route('user#filter',$c->id)}}">
                        <label class="form-check-label text-dark" for="defaultCheck1">
                            {{$c->name}}
                        </label>
                    </a>
                    {{-- <a href="{{route('user#filter',$c->id)}}">
                        {{$c->name}}
                    </a> --}}
                </div>
            @endforeach


        </form>
    </div>
    <!-- Price End -->


    <div class="">
        <a href="{{route('cart#list#page')}}">
            <button class="btn btn btn-warning w-100">Order</button>
        </a>
    </div>
    <!-- Size End -->
</div>
<!-- Shop Sidebar End -->
```

```html
<!-- Shop Product Start -->
<div class="col-lg-9 col-md-8">
    <div class="row pb-3">
        <div class="col-12 pb-1">
            <div class="d-flex align-items-center justify-content-between mb-4">
                <div class="col-5">
                    <a href="{{route('view#FavPage')}}" class="btn px-0 ml-4">
                        <h4>
                            <i class="fas fa-heart font-large text-dark"></i>
                            <span class="badge text-dark border border-secondary rounded-circle " style="padding-bottom: 7px;">{{$fav_count}}</span>
                        </h4>
                    </a>
                    <a href="{{route('cart#list#page')}}" class="btn px-0 ml-3">
                        <h4>
                            <i class="fas fa-shopping-cart text-dark"></i>
                            <span class="badge text-dark border border-secondary rounded-circle" id='quantity' style="padding-bottom: 7px;">{{$quantity}}</span>
                        </h4>
                    </a>
                    <a href="{{route('order#History')}}" class="btn px-0 ml-3">
                        <h4>
                            <i class="fa-solid fa-clock-rotate-left"></i>
                            <span class="badge text-dark border border-secondary rounded-circle" id='quantity' style="padding-bottom: 7px;">{{count($order)}}</span>
                        </h4>
                    </a>
                </div>
                <div class="px-5">
                    <form action="{{route('user#home')}}" class="form-coontrol input-lg">
```

```
                @csrf

                <div class="d-flex">

                    <input type="text" name='key' class="text-muted" placeholder="Searching for..."
value="{{ request('key') }}">

                        <button type="submit" class="btn btn-dark text-white">

                            <i class="fas fa-search"></i>

                        </button>

                    </div>

                </form>

            </div>

            <div class="ml-2 ">

                <div class="btn-group">

                    <select name="sorting" id="sortingOption" class="form-control">

                        <option value="">Choose Option</option>

                        <option value="asc">Ascending</option>

                        <option value="desc">Descending</option>

                    </select>

                </div>

                <div class="btn-group ml-2">

                    <button type="button" class="btn btn-sm btn-light dropdown-toggle" data-
toggle="dropdown">Showing</button>

                        <div class="dropdown-menu dropdown-menu-right">

                            <a class="dropdown-item" href="#">10</a>

                            <a class="dropdown-item" href="#">20</a>

                            <a class="dropdown-item" href="#">30</a>

                        </div>

                    </div>

                </div>

            </div>
```

```
        </div>

        @if (count($pizza)!=0)
        <div class="row" id='myLists'>
           @foreach ($pizza as $p)
           <div class="col-lg-4 col-md-6 col-sm-6 pb-1">
              <div class="product-item bg-light mb-4" id='myForm'>
                 <div class="product-img position-relative overflow-hidden" style="height: 150px">
                    <img class="img-fluid w-100" src="{{asset('storage/'.$p->image)}}" alt="">
                    <input type="hidden" class="userId" value="{{Auth::user()->id}}">
                    <input type="hidden" class="pizzaId" value="{{$p->id}}">
                    <div class="product-action">
                       {{-- <input type="hidden" class="userId" value="{{Auth::user()->id}}"> --}}
                       {{-- <input type="hidden" class="pizzaId" value="{{$p->id}}"> --}}
                       {{-- <a class="btn btn-outline-dark btn-square" href=""><i class="fa fa-shopping-cart"></i></a> --}}
                       {{-- <button type="button" id="clickToCart" class="btn btn-outline-dark btn-square"><i class="fa fa-shopping-cart mr-1"></i> Add To Cart</button> --}}
                       {{-- <a class="btn btn-outline-dark btn-square" id="clickToFav" ><i class="far fa-heart"></i></a> --}}
                       <a class="btn btn-outline-dark btn-square" href="{{route('product#detail',$p->id)}}"><i class="fa-solid fa-circle-info"></i></a>
                    </div>
                 </div>
                 <div class="text-center py-4">
                    <a class="h6 text-decoration-none text-truncate" href="">{{$p->name}}</a>
                    <div class="d-flex align-items-center justify-content-center mt-2">
                       <h5>{{$p->price}} Kyats</h5>
                    </div>
                    <div class="d-flex align-items-center justify-content-center mb-1">
```

```html
                    <small class="fa fa-star text-primary mr-1"></small>

                    <small class="fa fa-star text-primary mr-1"></small>

                    <small class="fa fa-star text-primary mr-1"></small>

                    <small class="fa fa-star text-primary mr-1"></small>

                    <small class="fa fa-star text-primary mr-1"></small>

                </div>

              </div>

            </div>

          </div>

          @endforeach

        </div>

        @else

        <div class="mt-5">

          <h3 class="text-center">There is no product here.</h3>

        </div>

        @endif


      </div>

    </div>

    <!-- Shop Product End -->

  </div>

</div>

<!-- Shop End -->

@endsection


@section('scriptSource')

  <script>

    $(document).ready(function(){

      $('#sortingOption').change(function(){
```

```javascript
$eventSorting = $('#sortingOption').val();

if($eventSorting=='asc'){
  $.ajax({
    type : 'get',
    url : '/user/ajax/pizza/list' ,
    data : {'status' : 'asc'},
    dataType : 'json',
    success : function (response){
      // $list = response.length;
      $list = '';
      for($i=0;$i<response.length;$i++){
        $list += `<div class="col-lg-4 col-md-6 col-sm-6 pb-1">
          <div class="product-item bg-light mb-4" id='myForm'>
            <div class="product-img position-relative overflow-hidden" style="height: 150px">
              <img class="img-fluid w-100" src="{{asset('storage/${response[$i].image}')}}" alt="">
              <div class="product-action">
                <a class="btn btn-outline-dark btn-square" href=""><i class="fa fa-shopping-cart"></i></a>
                <a class="btn btn-outline-dark btn-square" href=""><i class="far fa-heart"></i></a>
                <a class="btn btn-outline-dark btn-square" href=""><i class="fa-solid fa-circle-info"></i></a>
              </div>
            </div>
            <div class="text-center py-4">
              <a class="h6 text-decoration-none text-truncate" href="">${response[$i].name}</a>
              <div class="d-flex align-items-center justify-content-center mt-2">
```

```
                    <h5>${response[$i].price}</h5>


                </div>
                <div class="d-flex align-items-center justify-content-center mb-1">
                    <small class="fa fa-star text-primary mr-1"></small>
                    <small class="fa fa-star text-primary mr-1"></small>
                    <small class="fa fa-star text-primary mr-1"></small>
                    <small class="fa fa-star text-primary mr-1"></small>
                    <small class="fa fa-star text-primary mr-1"></small>
                </div>
            </div>
        </div>
        `;
    }
    $('#myLists').html($list);
}


})
}else if ($eventSorting=='desc'){
    $.ajax({
        type : 'get',
        url : '/user/ajax/pizza/list' ,
        data : {'status' : 'desc'},
        dataType : 'json',
        success : function (response){
            $list = response.length;
            $list = '';
            for($i=0;$i<response.length;$i++){
```

```
$list += `<div class="col-lg-4 col-md-6 col-sm-6 pb-1">
    <div class="product-item bg-light mb-4" id='myForm'>
        <div class="product-img position-relative overflow-hidden" style="height: 150px">
            <img class="img-fluid w-100" src="{{asset('storage/${response[$i].image}')}}" alt="">
            <div class="product-action">
                <a class="btn btn-outline-dark btn-square" href=""><i class="fa fa-shopping-cart"></i></a>
                <a class="btn btn-outline-dark btn-square" href=""><i class="far fa-heart"></i></a>
                <a class="btn btn-outline-dark btn-square" href=""><i class="fa-solid fa-circle-info"></i></a>
            </div>
        </div>
        <div class="text-center py-4">
            <a class="h6 text-decoration-none text-truncate" href="">${response[$i].name}</a>
            <div class="d-flex align-items-center justify-content-center mt-2">
                <h5>${response[$i].price}</h5>
            </div>
            <div class="d-flex align-items-center justify-content-center mb-1">
                <small class="fa fa-star text-primary mr-1"></small>
                <small class="fa fa-star text-primary mr-1"></small>
                <small class="fa fa-star text-primary mr-1"></small>
                <small class="fa fa-star text-primary mr-1"></small>
                <small class="fa fa-star text-primary mr-1"></small>
            </div>
        </div>
    </div>
</div>
```

```
                    `;
                }
                $('#myLists').html($list);
                // logger(response);
            }


        })
      }
    })
  })
</script>


@endsection
```