



## Effective Contraceptive Use

### Measure Basic Information

**Name and date of specifications used:** OHA developed these specifications based on national specifications under development with the Centers for Disease Control and Prevention (CDC) and the Centers for Medicare and Medicaid Services (CMS)<sup>1</sup>, and in collaboration with the Oregon Preventive Reproductive Health Advisory Council and the Metrics Technical Advisory Workgroup.

As national specifications are still under development, OHA's specifications may be revised to incorporate additional change for future measurement years.

**URL of Specifications:** n/a

**Measure Type:**

HEDIS  PQI  Survey  Other  Specify: OHA-developed

**Measure Utility:**

CCO Incentive  Core Performance  CMS Adult Set  CHIPRA Set  State Performance   
Other  Specify:

**Data Source:** MMIS/DSSURS

**Measurement Period:** January 1, 2015 - December 31, 2015.

**2015 Benchmark:** 50%. Metrics & Scoring Committee consensus.

**Denied claims:** Included  Not included

### Measure Details

**Data elements required denominator:** All women ages 15-50 as of December 31 of the measurement year who were continuously enrolled in a CCO for the 12-month measurement period.

Note: OHA will be measuring and reporting on adolescent and adult women separately, by ages 15-17 and ages 18-50. Only the adult rate will be tied to the CCO's incentive payment.

<sup>1</sup> For more information on CMS' Maternal and Infant Health Initiative and the developmental contraceptive use measure: <http://www.medicaid.gov/Medicaid-CHIP-Program-Information/By-Topics/Quality-of-Care/Maternal-and-Infant-Health-Care-Quality.html>

**Required exclusions for denominator:**

Step 1) Remove from the denominator any women with evidence of the following:

Exclusion	Diagnosis Codes	CPT
Hysterectomy	V88.01	
Bilateral oophorectomy	65.5x	58720, 58150, 58940, 58700
Natural Menopause	V49.81, 627.0-627.9	
Premature menopause due to surgery, radiation, or other factors	256.2, 256.31	

**Data elements required numerator:**

Women in the denominator with evidence of one of the following methods of contraception during the measurement period: sterilization, IUD, implant, contraception injection, contraceptive pills, patch, ring, or diaphragm using the codes below.

Notes:

- The Effective Contraceptive Use measure is only looking for codes during the measurement period; no look back periods are applied. However, a number of surveillance codes are included in the specifications to account for women utilizing long-acting reversible contraception or permanent contraceptive options who would not otherwise have a pharmacy claim or procedure code during the 12-month measurement period.
- The surveillance and diagnosis codes listed in the table below do not need to be primary diagnoses; they can be in any position on the claim for credit toward this measure.
- The use of any of the codes below “count” independently; codes do not have to be used in combination (e.g., CPT and NDC) for inclusion in the numerator.
- The table below includes some expired codes (e.g., J1051, Injection, medroxyprogesterone acetate, 50 mg, code expired 2013). These codes are included in case they are still in use anywhere in Oregon; however, they may be removed from the measure specifications in future years and providers should only utilize current codes.
- National Drug Codes (NDC) listed in the table below are a subset of the 2014 NDC codes for contraceptives adapted from the HEDIS specifications for the chlamydia screening measure. Only codes indicating effective contraceptive methods are included (that is, codes for tier 3 methods such as spermicides, and emergency contraception codes that are found in the chlamydia screening measure have been excluded from the effective contraceptive use measure).



Additionally, only codes currently used in Oregon have been included. OHA will potentially update this NDC list later in 2015 to capture additional evidence of effective contraceptive use.

Description	ICD-9	CPT	HCPCS	NDC codes
<p>Surveillance of a contraceptive method Surveillance codes are necessary because of long-acting methods like sterilization and IUDs/ implants. Surveillance codes for unspecified contraceptive methods (marked with asterisks) may not be included in the CCO incentive measure in future years: CCOs and providers are encouraged to utilize surveillance codes that specify the method.</p>	<p><b>V25.4</b>, Surveillance of previously prescribed contraceptive methods* <b>V25.40</b>, Contraceptive surveillance, unspecified* <b>V25.41</b>, Surveillance of oral contraceptive. <b>V25.42</b>, Surveillance of previously prescribed contraceptive method, intrauterine device. <b>V25.43</b>, Surveillance of previously prescribed contraceptive method; implantable sub-dermal contraceptive. <b>V25.49</b>, Surveillance of other contraceptive method* <b>V25.9</b>, Unspecified contraceptive management* <b>V45.59</b> Presence of other contraceptive device</p>			
Female Sterilization	<p><b>V25.2</b>, Sterilization <b>V26.51</b>, Tubal ligation status <b>66.2x</b>, Bilateral endoscopic destruction or occlusion of fallopian tubes</p>	<p><b>58565, 58600, 58605, 58615, 58611, 58670, 58671, 58340, 74740</b></p>	<p><b>A4264, 58340, 74740</b></p>	

Description	ICD-9	CPT	HCPCS	NDC codes
Intrauterine device (IUD/IUS)	<p><b>V25.11</b>, Encounter for insertion of intrauterine contraceptive device.</p> <p><b>V25.13</b>, Encounter for removal and reinsertion of intrauterine contraceptive device.</p> <p><b>V25.42</b>, Surveillance of previously prescribed contraceptive method, intrauterine device.</p> <p><b>V45.51</b>, Post-surgical presence of intrauterine contraceptive device.</p> <p><b>69.7</b>, Insertion of intrauterine contraceptive device.</p> <p><b>996.32</b>, Mechanical complication due to intrauterine contraceptive device or infection.</p> <p><b>996.65</b>, Infection and inflammatory reaction due to other genitourinary device, implant, and graft.</p>	<p><b>58300</b>, Insertion of IUD</p>	<p><b>J7300</b>, Intrauterine copper contraceptive</p> <p><b>J7302</b>, Levonorgestrel-releasing intrauterine contraceptive system, 52 mg</p> <p><b>S4989</b>, Contraceptive intrauterine device (e.g. progestacertiud), including implants and supplies</p> <p><b>Q0090</b>, Skyla (2013)</p> <p><b>S4981</b>, Insertion of levonorgestrel-releasing intrauterine system</p>	<b>50419042101</b> <b>50419042201</b> <b>5128520401</b>
Hormonal implant	<p><b>V25.5</b>, Encounter for contraceptive management, insertion of implantable subdermal contraceptive,</p> <p><b>V25.43</b>, Surveillance of previously prescribed contraceptive method; implantable subdermal contraceptive.</p> <p><b>V45.52</b>, Post-surgical presence of subdermal</p>	<p><b>11981</b>, Insertion, non-biodegradable drug delivery implant, Implanon or Nexplanon</p> <p><b>11983</b>, Removal with reinsertion, non-biodegradable drug delivery</p>	<p><b>J7306</b>, Levonorgestrel (contraceptive) implant system, including implants and supplies</p> <p><b>J7307</b>, Etonogestrel [contraceptive] implant system, including</p>	<b>00052027201</b>

Description	ICD-9	CPT	HCPCS	NDC codes
	contraceptive implant. <b>996.30</b> , Mechanical complication of unspecified genitourinary device, implant, and graft.	implant, Implanon or Nexplanon	implant and supplies (A4260, Levonrgesterol implant system, code expired 2006  S0180, Etonogesterol implant system, code expired 2008)	
Injectable (1-month/3-month)	<b>V25.9</b> , Unspecified contraceptive management*	<b>96372</b> , injection  <b>90772</b> , before 2009	<b>J1050, 1051, 1055, 1056</b> , Injection, medroxyprogesterone acetate, 1 mg  (J1051, Injection, medroxyprogesterone acetate, 50 mg, code expired 2013  J1055, Injection, medroxyprogesterone acetate for contraceptive use, 150 mg, code expired 2013  J1056, Injection, medroxyprogesterone acetate / estradiol cypionate, 5mg / 25mg, code expired 2013)	<b>00009074630</b> <b>00009074635</b> <b>00009470901</b> <b>00009470913</b> <b>00009737604</b> <b>00009737607</b> <b>00009737611</b> <b>00247210801</b> <b>00703680101</b> <b>00703680104</b> <b>00703681121</b> <b>23490585401</b> <b>54569370100</b> <b>54569490400</b> <b>54569552700</b> <b>54569561600</b> <b>54569621900</b> <b>54868361300</b> <b>54868410000</b> <b>54868410001</b> <b>54868525700</b> <b>55045350501</b> <b>59762453701</b> <b>59762453702</b> <b>59762453801</b> <b>59762453802</b> <b>59762453809</b>

Description	ICD-9	CPT	HCPCS	NDC codes
Oral contraceptive	<b>V25.01</b> , Counseling and prescription of oral contraceptives. <b>V25.41</b> , Surveillance of oral contraceptive. <b>V25.9</b> , Unspecified contraceptive management*		<b>S4993</b> , Contraceptive pills for birth control	<b>00008111720</b> <b>00008111730</b> <b>00008251402</b> <b>00008253505</b> <b>00008253601</b> <b>00008253605</b> <b>00052026106</b> <b>00052028306</b> <b>00062125100</b> <b>00062125115</b> <b>00062125120</b> <b>00062133220</b> <b>00062141116</b> <b>00062141123</b> <b>00062171400</b> <b>00062171415</b> <b>00062176100</b> <b>00062176115</b> <b>00062178100</b> <b>00062178115</b> <b>00062179600</b> <b>00062179615</b> <b>00062190120</b> <b>00062190320</b> <b>00062190700</b> <b>00062190715</b> <b>00062191000</b> <b>00062191015</b> <b>00247052028</b> <b>00247069028</b> <b>00247069128</b> <b>00247069228</b> <b>00247139828</b> <b>00247151328</b> <b>00247151628</b> <b>00247151728</b> <b>00247176404</b> <b>00247176421</b> <b>00247176521</b> <b>00247198621</b> <b>00247198628</b> <b>00247200828</b> <b>00247201004</b>



Description	ICD-9	CPT	HCPCS	NDC codes
				<p>00247201008 00247201028 00247201228 00247201328 00247214728 00247216928 00247217028 00247223028 00247223528 00247226028 00247226828 00378655053 00378727253 00378729253 00430042014 00430048214 00430053014 00430053550 00430057014 00430057045 00430058014 00430058045 00430058114 00430058514 00430058545 00555034458 00555071558 00555900867 00555900942 00555901058 00555901258 00555901467 00555901658 00555901858 00555902058 00555902542 00555902557 00555902658 00555902742 00555902757 00555902858 00555903270 00555903458</p>



Description	ICD-9	CPT	HCPCS	NDC codes
				00555904358 00555904558 00555904758 00555904958 00555905058 00555905158 00555905167 00555906458 00555906467 00555906558 00555906658 00555906667 00555912366 00555913167 00555913179 00603359017 00603359049 00603752117 00603752149 00603752517 00603752549 00603754017 00603754049 00603760615 00603760648 00603760715 00603760748 00603760817 00603760917 00603762517 00603762549 00603763417 00603763449 00603764017 00603764217 00603766317 00603766517 23490765301 23490767001 23490769901 24090080184 24090096184 35356001468



Description	ICD-9	CPT	HCPCS	NDC codes
				35356001568 35356002168 35356025528 35356037028 43386062030 45802084054 50419040201 50419040203 50419040303 50419040503 50419040701 50419040703 50419041112 50419041128 50419043306 50419043312 50452025115 50458017115 50458017615 50458017815 50458019115 50458019411 50458019416 50458019615 50458019715 50458025115 51285005866 51285007997 51285008070 51285008198 51285008297 51285008370 51285008498 51285008787 51285009158 51285009287 51285011458 51285043165 51285054628 51285076993 51285094288 51285094388 52544014331



Description	ICD-9	CPT	HCPCS	NDC codes
				52544017572 52544020431 52544021028 52544021928 52544022829 52544023528 52544023531 52544024531 52544024728 52544024828 52544025428 52544025928 52544025988 52544026528 52544026531 52544026829 52544026884 52544027428 52544027431 52544027536 52544027928 52544028754 52544029128 52544029231 52544029241 52544029528 52544038328 52544038428 52544047536 52544055028 52544055228 52544055428 52544062928 52544063028 52544063128 52544084728 52544084828 52544089228 52544093628 52544094028 52544094928 52544095021 52544095121



Description	ICD-9	CPT	HCPCS	NDC codes
				52544095328 52544095428 52544095931 52544096691 52544096728 52544098131 52544098231 52959045002 54569067900 54569068500 54569068501 54569068900 54569068901 54569143900 54569384400 54569422200 54569422201 54569426900 54569427301 54569481700 54569487800 54569487801 54569489000 54569498400 54569499700 54569499800 54569516100 54569534300 54569534900 54569549300 54569549302 54569579600 54569579700 54569579800 54569581600 54569582600 54569603200 54569612800 54569614400 54569614500 54569627200 54569628000 54569628100



Description	ICD-9	CPT	HCPCS	NDC codes
				54868042800 54868044300 54868050200 54868050700 54868050801 54868050901 54868051600 54868151200 54868156400 54868231600 54868260600 54868270100 54868377200 54868386300 54868394800 54868409300 54868423900 54868436900 54868453800 54868459000 54868460700 54868473000 54868473100 54868474200 54868474500 54868475400 54868477600 54868481400 54868482800 54868485100 54868486000 54868491100 54868502800 54868528600 54868532600 54868535600 54868582600 54868582800 54868594200 55045283902 55045348506 55045349701 55045349801



Description	ICD-9	CPT	HCPCS	NDC codes
				<b>55045378106</b> <b>55045378206</b> <b>55045378302</b> <b>55289024708</b> <b>55289088704</b> <b>55887005228</b> <b>55887028628</b> <b>58016474701</b> <b>58016482701</b> <b>66993061128</b> <b>66993061528</b> <b>68180084313</b> <b>68180084413</b> <b>68180084613</b> <b>68180084813</b> <b>68180085413</b> <b>68180087611</b> <b>68180087613</b> <b>68180089713</b> <b>68180089813</b> <b>68180090213</b> <b>68462030329</b> <b>68462030529</b> <b>68462030929</b> <b>68462031629</b> <b>68462031829</b> <b>68462038829</b> <b>68462039429</b> <b>68462055629</b> <b>68462056529</b>
Patch	<b>V25.9</b> , Unspecified contraceptive management*  <b>V25.40</b> , Contraceptive surveillance, unspecified*		<b>J7304</b> , Contraceptive supply, hormone containing patch, each	<b>00062192001</b> <b>00062192015</b> <b>00062192024</b> <b>50458019201</b> <b>50458019215</b> <b>54569541300</b> <b>54868467000</b>
Vaginal ring	<b>V25.9</b> , Unspecified contraceptive management*  <b>V25.40</b> , Contraceptive surveillance, unspecified*		<b>J7303</b> , Contraceptive supply, hormone containing vaginal ring each	<b>00052027301</b> <b>00052027303</b> <b>54569586500</b> <b>54868483201</b> <b>55887075401</b>

Description	ICD-9	CPT	HCPCS	NDC codes
Diaphragm	<b>V25.02</b> , initiation of other contraceptive measures, fitting of diaphragm	<b>57170</b>	A4266, Diaphragm for contraceptive use	<b>00027013160</b> <b>00027013180</b> <b>00062330100</b> <b>00062330200</b> <b>00062330300</b> <b>00062330400</b> <b>00062330500</b> <b>00062330600</b> <b>00062330700</b> <b>00062330800</b> <b>00062330900</b> <b>00062331000</b> <b>00062331100</b> <b>00062331200</b> <b>00062331300</b> <b>00062334100</b> <b>00062334200</b> <b>00062334300</b> <b>00062334400</b> <b>00062334500</b> <b>00062334600</b> <b>00062334700</b> <b>00062334800</b> <b>00062334900</b> <b>00062335000</b> <b>00062335100</b> <b>00062335200</b> <b>00062338100</b> <b>00062338200</b> <b>00062338300</b> <b>00062338400</b> <b>00062338500</b> <b>00062338600</b> <b>00062338700</b> <b>00062338800</b> <b>00062338900</b> <b>00062364103</b> <b>00062364300</b> <b>00234005100</b> <b>00234013100</b> <b>00234013150</b> <b>00234013155</b> <b>00234013160</b>



Description	ICD-9	CPT	HCPCS	NDC codes
				<b>00234013165 00234013170 00234013175 00234013180 00234013185 00234013190 00234013195 00234013600 00234013660 00234013665 00234013670 00234013675 00234013680 00234013685 00234013690 00234013695 00396401065 00396401070 00396401075 00396401080</b>

**Required exclusions for numerator:**

Among women in the denominator who were *not* numerator compliant, exclude those with a pregnancy diagnosis from the measure.

Diagnosis	CPT
V22.x, v61.7, v72.42	59400, 59409, 59410, 59510, 59514, 59515, 59610, 59612, 59614, 59618, 59620, 59622, 59425, 59426

**What are the continuous enrollment criteria:** the 12-month measurement period.

**What are allowable gaps in enrollment:** No more than one gap in enrollment of up to 45 days during the measurement period.

**Define Anchor Date (if applicable):** N/A

**Version Control**

- The specifications were corrected on January 5, 2015 to remove the “v” from the diagnosis code for premature menopause.