




Cross-validation accuracy (smote)



CV (k=7) accuracy histogram



LOO accuracy histogram



Train confusion matrix

actual \ pred	1	2	3
	1	2	3
1	16	1	0
2	1	15	1
3	0	3	6

Train confusion table

Train Set (75% random split; for model report)

1	16 (94%)	1 (6%)	0 (0%)	17 (40%)
2	1 (6%)	15 (88%)	1 (6%)	17 (40%)
3	0 (0%)	3 (33%)	6 (67%)	9 (21%)
total	17 (94%)	19 (79%)	7 (86%)	43 (86%)
	1	2	3	total


■ Accuracy ■ False ■ Precision ■ Size ■ True

1. 1st Place

Train Set (75% random split; for model report)

Probability Heatmap

	1	2	3	Exp
2B	84	16	0	1
2C	83	17	0	1
2E	80	20	0	1
2F	78	21	0	1
2G	98	2	0	1
2H	97	3	0	1
2I	93	7	0	1
2J	90	10	0	1
2K	100	0	0	1
2L	91	9	0	1
2M	90	10	0	1
2O	100	0	0	1
2P	97	3	0	1
2Q	97	3	0	1
2R	7	80	13	1
2S	83	17	0	1
2T	66	33	1	1
2AA	2	58	40	2
2AB	7	79	14	2
2AD	21	75	4	2
2AE	12	80	8	2
2AF	53	46	1	2
2AG	14	79	7	2
2AI	6	78	16	2
2AJ	3	67	30	2
2AK	8	80	12	2
2AM	13	80	7	2
2AN	6	78	16	2
2AO	18	77	5	2
2AP	24	73	4	2
2AR	1	46	53	2
2W	19	76	5	2
2X	13	80	8	2
2Z	2	64	34	2
2AS	3	67	30	3
2AT	2	56	43	3
2AU	29	69	3	3
2AX	0	4	96	3
2AY	1	40	59	3
2AZ	0	4	96	3
2BA	0	0	100	3
2BB	0	0	100	3
2BC	0	0	100	3



1. 1st Place

Test confusion matrix

	pred			
actual	1	2	3	
1	4	1	0	
2	1	4	0	
3	0	2	0	

Test confusion table

Test Set (25% holdout; for model report)

1	4 (80%)	1 (20%)	0 (0%)	5 (42%)
2	1 (20%)	4 (80%)	0 (0%)	5 (42%)
3	0 (0%)	2 (100%)	0 (0%)	2 (17%)
total	5 (80%)	7 (57%)	0 (0%)	12 (67%)
	1	2	3	total

■ Accuracy ■ False ■ Precision ■ Size ■ True

1. 1st Place

Test Set (25% holdout; for model report)

Probability Heatmap

	1	2	3	Exp
2A	39	59	2	1
2D	100	0	0	1
2N	74	26	0	1
2U	99	1	0	1
2V	77	23	0	1
2AC	4	72	24	2
2AH	16	78	6	2
2AL	59	40	1	2
2AQ	18	77	5	2
2Y	4	74	22	2
2AV	2	58	40	3
2AW	8	80	11	3

