




Cross-validation accuracy (class_weight)



CV (k=7) accuracy histogram



LOO accuracy histogram



Train confusion matrix

actual \ pred	1	2	3
	1	2	3
1	16	1	0
2	1	15	1
3	0	3	6

Train confusion table

Train Set (75% random split; for model report)

1	16 (94%)	1 (6%)	0 (0%)	17 (40%)
2	1 (6%)	15 (88%)	1 (6%)	17 (40%)
3	0 (0%)	3 (33%)	6 (67%)	9 (21%)
total	17 (94%)	19 (79%)	7 (86%)	43 (86%)
	1	2	3	total


■ Accuracy ■ False ■ Precision ■ Size ■ True

1. 1st Place

Train Set (75% random split; for model report)

Probability Heatmap

	1	2	3	Exp
2B	78	21	1	1
2C	77	22	1	1
2E	75	24	1	1
2F	73	25	1	1
2G	97	3	0	1
2H	94	6	0	1
2I	91	9	0	1
2J	88	11	0	1
2K	100	0	0	1
2L	88	11	0	1
2M	87	12	1	1
2O	99	1	0	1
2P	95	5	0	1
2Q	94	5	0	1
2R	8	62	30	1
2S	85	14	1	1
2T	60	37	2	1
2AA	4	51	45	2
2AB	14	68	19	2
2AD	24	66	11	2
2AE	16	68	16	2
2AF	55	42	3	2
2AG	15	68	17	2
2AI	9	64	27	2
2AJ	5	54	41	2
2AK	11	66	23	2
2AM	23	66	11	2
2AN	6	59	34	2
2AO	19	68	13	2
2AP	29	63	8	2
2AR	3	46	50	2
2W	22	67	11	2
2X	16	68	16	2
2Z	4	51	44	2
2AS	8	62	31	3
2AT	4	50	46	3
2AU	30	62	8	3
2AX	0	5	95	3
2AY	3	41	56	3
2AZ	0	5	94	3
2BA	0	1	99	3
2BB	0	2	98	3
2BC	0	1	99	3



1. 1st Place

Test confusion matrix

	pred			
actual	1	2	3	
1	4	1	0	
2	1	4	0	
3	0	2	0	

Test confusion table

Test Set (25% holdout; for model report)

1	4 (80%)	1 (20%)	0 (0%)	5 (42%)
2	1 (20%)	4 (80%)	0 (0%)	5 (42%)
3	0 (0%)	2 (100%)	0 (0%)	2 (17%)
total	5 (80%)	7 (57%)	0 (0%)	12 (67%)
	1	2	3	total


■ Accuracy ■ False ■ Precision ■ Size ■ True

1. 1st Place

Test Set (25% holdout; for model report)

Probability Heatmap

	1	2	3	Exp
2A	36	58	6	1
2D	99	1	0	1
2N	69	30	2	1
2U	98	2	0	1
2V	71	27	1	1
2AC	6	56	38	2
2AH	18	68	14	2
2AL	53	44	3	2
2AQ	19	68	14	2
2Y	8	63	29	2
2AV	5	52	43	3
2AW	13	68	19	3



1. 1st Place