

can you help me create a Node.js "Help Desk" page in vscode, I want it to save all the information to a database after "submitting a ticket"

I'll give you a small, complete VS Code-friendly Node.js app: a Help Desk form, an Express backend, and a SQLite database that stores submitted tickets.

Thought for a couple of seconds

Yes. Here's a simple working setup using **Node.js + Express + SQLite**.

1. Create the project in VS Code

Open a terminal in VS Code:

```
mkdir help-desk
cd help-desk
npm init -y
npm install express sqlite3
```

Create this structure:

```
help-desk/
  server.js
  database.js
  public/
    index.html
    style.css
    app.js
```

2. database.js

```
const sqlite3 = require("sqlite3").verbose();

const db = new sqlite3.Database("./helpdesk.db");

db.serialize(() => {
  db.run(`
    CREATE TABLE IF NOT EXISTS tickets (
      id INTEGER PRIMARY KEY AUTOINCREMENT,
      name TEXT NOT NULL,
      email TEXT NOT NULL,
      subject TEXT NOT NULL,
```

```

        category TEXT NOT NULL,
        priority TEXT NOT NULL,
        message TEXT NOT NULL,
        created_at DATETIME DEFAULT CURRENT_TIMESTAMP
    )
`);
});

module.exports = db;

```

3. server.js

```

const express = require("express");
const path = require("path");
const db = require("../database");

const app = express();
const PORT = 3000;

app.use(express.json());
app.use(express.static(path.join(__dirname, "public")));

app.post("/api/tickets", (req, res) => {
    const { name, email, subject, category, priority, message } = req.body;

    if (!name || !email || !subject || !category || !priority || !message) {
        return res.status(400).json({ error: "All fields are required." });
    }

    const sql = `
        INSERT INTO tickets (name, email, subject, category, priority, message)
        VALUES (?, ?, ?, ?, ?, ?)
    `;

    db.run(sql, [name, email, subject, category, priority, message], function (err) {
        if (err) {
            return res.status(500).json({ error: "Database error." });
        }

        res.json({
            message: "Ticket submitted successfully.",
            ticketId: this.lastID
        });
    });
});

app.listen(PORT, () => {
    console.log(`Help Desk app running at http://localhost:${PORT}`);
});

```

4. public/index.html

```

<!DOCTYPE html>
<html>
<head>
  <title>Help Desk</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <main class="container">
    <h1>Help Desk</h1>
    <p>Submit a support ticket below.</p>

    <form id="ticketForm">
      <input type="text" id="name" placeholder="Your name" required>
      <input type="email" id="email" placeholder="Your email" required>
      <input type="text" id="subject" placeholder="Subject" required>

      <select id="category" required>
        <option value="">Select category</option>
        <option value="Hardware">Hardware</option>
        <option value="Software">Software</option>
        <option value="Network">Network</option>
        <ontion value="Account Access">Account Access</ontion>

```

5. public/style.css

```

body {
  font-family: Arial, sans-serif;
  background: #f4f6f8;
  margin: 0;
  padding: 0;
}

.container {
  max-width: 500px;
  margin: 60px auto;
  background: white;
  padding: 30px;
  border-radius: 12px;
  box-shadow: 0 4px 12px rgba(0,0,0,0.1);
}

h1 {
  margin-bottom: 5px;
}

form {
  display: flex;
  flex-direction: column;
  gap: 12px;
}

```

```

input, select, textarea {
  padding: 12px;
  font-size: 15px;
}

textarea {
  min-height: 120px;
}

button {
  padding: 12px;
  font-size: 16px;
  cursor: pointer;
}

#responseMessage {
  margin-top: 15px;
  font-weight: bold;
}

```

6. public/app.js

```

const form = document.getElementById("ticketForm");
const responseMessage = document.getElementById("responseMessage");

form.addEventListener("submit", async (event) => {
  event.preventDefault();

  const ticket = {
    name: document.getElementById("name").value,
    email: document.getElementById("email").value,
    subject: document.getElementById("subject").value,
    category: document.getElementById("category").value,
    priority: document.getElementById("priority").value,
    message: document.getElementById("message").value
  };

  const response = await fetch("/api/tickets", {
    method: "POST",
    headers: {
      "Content-Type": "application/json"
    },
    body: JSON.stringify(ticket)
  });

```

JavaScript

```

if (response.ok) {
  responseMessage.textContent = `Ticket submitted! Ticket ID: ${result.ticketId}`;
  responseMessage.style.color = "green";
  form.reset();
} else {
  responseMessage.textContent = result.error;
}

```

```
        responseMessage.style.color = "red";  
    }  
    });
```

7. Run it

Bash

```
node server.js
```

Then open:

```
http://localhost:3000
```

When someone clicks **Submit Ticket**, the ticket is saved into:

```
helpdesk.db
```

You can later add an admin page to view all tickets.

