





Dept.	Technical reference	Created by <b>Milos Rasic</b> 5/20/2021	Approved by		
			Document status		
			DWG No.		
			Rev.	Date of issue	Sheet 1/8





Dept.	Technical reference	Created by <b>Milos Rasic</b>	5/20/2021	Approved by
		Document type	Document status	
		Title <b>SG90 Gimbal SG90 Servo Mockup</b>	DWG No.	
		Rev.	Date of issue	Sheet <b>2/8</b>












Filament	Filamentive Matte Black PLA
Nozzle	0.4mm
Temperature	215C Nozzle/65C Bed
Walls	4
Layer Height	0.2/0.25mm
Top/Bottom Layers	4 top/4 bottom (default)
Infill	10-15%
Support	None
Orientation	As shown on the drawing
PLA Print Settings	

Dept.	Technical reference	Created by Milos Rasic	5/20/2021	Approved by
		Document type	Document status	
		Title	DWG No.	
		SG90 Gimbal Secondary Gimbal Arm	Rev.	Date of issue
			Sheet 7/8	



Print List		
#	Name	Number needed
1	Gimbal adapter	1
2	Gimbal mount	1
3	Gimbal main arm	1
4	Gimbal seoncdary arm	1
5	Camera mount	1
6	Locking element	1
7	Locking element nut	1

Dept.	Technical reference	Created by <b>Milos Rasic</b> 5/20/2021	Approved by	
		Document type	Document status	
		Title <b>SG90 Gimbal Full Assembly Parts List</b>	DWG No.	
			Rev.	Date of issue
				Sheet <b>8/8</b>