Visoka škola strukovnih studija za informacione i komunikacione tehnologije

Dokumentacija

http://www.caki.esy.es/sajt_mobilni_telefoni/index.php

Predmet: WEB Programiranje PHP 1

Student: Milos Tanaskovic 148/15

Beograd, mart 2017.

Uvod:

Koriscenje programskij jezika

Za izradu sajta korišdeni su programski jezici i biblioteke: PHP, HTML, CSS, JavaScript, AJAX, MySQL, JQuery, Bootstrap.js. Sajt je radjen u Notpade++ text editoru.

Funkcionalnost sajta

Sajt je delimicno kao single page sajt.Prikaz svih proizvoda se moze vrsiti na osnovu id-a strane iz baze , prikazuje se strana na koju je korisnik kliknuo. Na index.php strani nalaze se tasteri za logovanje ,registracija se nalazi na posebnoj strain tj. Register.php,. Nakon uspesnog logovanja pojavljuje se taster za log out. Navigacija je dinamicka I vuce se iz baze, u zavisnosti od uloge korisnika neki linkovi se prikazuju u navigaciji, neki ne.

Na stranama za prikaz mobilnih telefona , celokupni sadrzaj se vuce iz baze. Takodje, na index strani je uradjena galerija preko fancybox 3.0.

Na sajtu je koriscen Ajax za filtriranje I pretrazivanje, Na index strani nalazi se forma za logovanje koja se proverava regularnim izrazima, pored forme je anketa I mogu da glasaju svi korisnici I ulogovani I koji nisu ulogovani. Klikom na taster rezultat odmah se prikazuje statistika ankete, ispod nju u formi tabele

.Pretrazivanje radi na localhostu ovde nece da funkcionise kod za pretrazivanje se nalazi ispod.

Admin na posebnoj strani koju samo on moze videti ima mogucnost dodavanja, editovanja proizvoda. I. moze da unosi nove modele telefona da bira po svim kategorijama.

Index.php



NAV, ZAGLAVLJE, ROW, SADRZAJ_DESNO, SADRZAJ_CENTAR, SADRZAJ_DESNO, FOOTER

```
<?php
@session_start();
include("konekcija.php");
if(isset($_POST['btnLogIn'])){
    $user = $_POST['tbUser'];
    $pass = $_POST['tbPassw'];
    $upit = "SELECT k.id_korisnik1, user, password, u.naziv_uloge FROM korisnici1 k INNER JOIN
uloga_korisnici ug ON k.id_korisnik1 = ug.id_korisnik1 INNER JOIN uloge u ON u.id_uloge = ug.id_uloge
WHERE user = '$user' AND password = '$pass'";
    $rez = mysql_query($upit);
    if(mysql_num_rows($rez)==1){
      $red = mysql_fetch_array($rez);
      $_SESSION['user'] = $user;
      $_SESSION['uloga'] = $red['naziv_uloge'];
    }
    else{
      echo "Logovanje nije uspelo";
```

```
<html>
<head>
 <meta charset="utf-8"/>
  <meta name="description" content="Mobile shop">
 <meta name="keywords" content="Mobile shop">
 <meta name="author" content="Milos Tanaskovic">
 k rel="stylesheet" href="register.css" type="text/css">
 <link href="stil.css" rel="stylesheet" type="text/css">
 <script type="text/javascript" src="jquery-3.1.1.min.js"></script>
  <script type="text/javascript" src="script.js"></script>
 <!--uvezen font-->
 <link href='http://fonts.googleapis.com/css?family=Philosopher' rel='stylesheet' type='text/css'>
 <!-- sa boostrapom-->
<meta name="viewport" content="width=device-width, initial-state=1"/>
 <link type="text/css" rel="stylesheet" href="css/bootstrap.css"/>
<script src="js/jquery-3.1.1.min.js"></script>
 <script src="js/bootstrap.js"></script>
```

```
<!--video u boostrapu-->
 <link href='http://fonts.googleapis.com/css?family=Buenard:700' rel='stylesheet' type='text/css'>
<script
src="http://pupunzi.com/mb.components/mb.YTPlayer/demo/inc/jquery.mb.YTPlayer.js"></script>
</head>
<body>
<!-- navigacija-->
<nav class="navbar navbar-inverse navbar-fixed-top">
 <div class="container-fluid">
  <div class="navbar-header">
        <button type="button" class="navbar-toggle" data-toggle="collapse" data-target="#losmi">
         <span class="icon-bar"></span>
         <span class="icon-bar"></span>
         <span class="icon-bar"></span>
         <span class="icon-bar"></span>
        </button>
       </div>
       <div class="collapse navbar-collapse" id="losmi">
        <?php
        if(isset($_SESSION['user'])){
```

```
if($_SESSION['uloga'] == 'admin'){
 $upit = "SELECT * FROM meni";
 $rez = mysql_query($upit);
 echo "";
 while($red = mysql_fetch_array($rez)){
   echo "<a href="".$red['link']."">".$red['ime_linka']."</a>";
 }
                      echo "";
}
else if($_SESSION['uloga'] == 'korisnici'){
 $upit = "SELECT * FROM meni WHERE id_uloge=2";
 $rez = mysql_query($upit);
 echo "";
 while($red = mysql_fetch_array($rez)){
   echo "<a href="".$red['link']."">".$red['ime_linka']."</a>";
 }
                      echo "";
}
       else{
                     $upit = "SELECT * FROM meni WHERE id_uloge=2";
```

```
$rez = mysql_query($upit);
       echo "";
       while($red = mysql_fetch_array($rez)){
         echo "<a href="".$red['link']."'>".$red['ime_linka']."</a>";
       }
                            echo "";
                     }
        ?>
       ul class="nav navbar-nav navbar-right">
         <
              <?php if(isset($_SESSION['user']))</pre>
                     ?>
              <a href="logout.php" class="navbar-brand btn btn-primary btn-lg active"
> ODJAVA</a>
              <?php }?>
               
        <a href="sidebar.php" class="navbar-brand btn btn-primary btn-lg active" ><span</pre>
class="glyphicon glyphicon-user"></span>&nbsp;Korisnicki panel&nbsp;<span class="glyphicon
glyphicon-log-out"></span></a>
```

```
</div>
        </div>
</nav>
<!--kraj navigacije-->
 <div id="okvir">
  <div id="zaglavlje">
        <img src="slike/logo.png" alt="mobile shop" width="997px" height="99px"/>
        </div>
        <div class="row" style="margin-bottom:10px;">
        <div class="col-sm-12">
        <div class="alert alert-danger fade in" style="margin:0px; padding:0px;">
         <h3 style="margin-left:20px;">Dobrodosli u MobileShop...<a href="#" data-dismiss="alert"
aria-label="close">×</a></h3>
        </div>
 </div>
 </div>
```

```
<div id="sadrzaj">
        <div id="sadrzaj_levo">
         <div id="sadrzaj_levo_div">
          <!-- boostrap -->
         <!-- data-toggle lets you display modal without any JavaScript -->
  <button type="button" class="btn btn-denger" data-toggle="modal" data-
target="#popUpWindow">Log in</button>
  <div class="modal fade" id="popUpWindow">
    <div class="modal-dialog">
      <div class="modal-content">
        <!-- header -->
        <div class="modal-header">
          <button type="button" class="close" data-dismiss="modal">&times;</button>
          <h3 class="modal-title">Prijavite se :D</h3>
        </div>
        <!-- body (form) -->
        <div class="modal-body">
          <form name="form" action="index.php" method="post">
            <div class="form-group">
  <input type="text" class="form-control" placeholder="Korisnik" name="tbUser" id="tbUser">
            </div>
            <div class="form-group">
```

```
<input type="password" class="form-control" placeholder="Lozinka" name="tbPassw" id="tbPassw">
          </div>
                                            <div class="modal-footer">
<button class="btn btn-primary btn-block" name="btnLogIn">Prijava </button>
      </div>
        </form>
      </div>
    </div>
  </div>
</div>
<!-- kraj boostrapa-->
        <div id="sadrzaj_levo_div">
             <h2>SVI MODELI TELEFONA</h2>
             </div>
       </div>
       <?php
       // 1 php kod
             include('konekcija.php');
             $upit="SELECT *
                 FROM proizvodjac
                      ORDER BY naziv_proizvodjaca";
```

```
$rezultat=mysql_query($upit,$konekcija) or die("Greska-upit".mysql_error());
                      echo "";
                      while($red=mysql fetch array($rezultat)){
                       echo "><a href='#' class='btn btn-info'>".$red['naziv_proizvodjaca']."</a>";
                     $upit1="SELECT *
                         FROM model
                                   WHERE id_proizvodjac=".$red['id_proizvodjac'];
                     $rezultat1=mysql_query($upit1,$konekcija) or die ("Greska-
upit1".mysql_error());
                     while($red1=mysql_fetch_array($rezultat1)){
                      echo "<span class='glyphicon glyphicon-
phone'></span>&nbsp;<a href='prikaz.php?id=".$red1['id_model']."'class='btn btn-
info'>".$red1['naziv_modela']."</a>
                     }
                     echo "";
                      echo "";
        ?>
        <div id="sadrzaj_levo_div">
         <h2>Anketa</h2>
              Najbolji proizvodjac?<br/>
              <form name="ankete" method="post" action="index.php">
              <?php
               // pocetak 2 php koda
               $upit6="SELECT *
```

```
FROM anketa
```

```
ORDER BY odgovor";
                $rezultat6=mysql_query($upit6,$konekcija) or die ("Greska-upit6".mysql_error());
                while($red6=mysql fetch array($rezultat6)){
                 echo "<input type='radio' name='rbanketa'
value="".$red6['id_anketa']."'> ".$red6['odgovor']."<br/>";
                }
               ?>
               <input type="submit" name="btnglasaj" value="Glasaj" class="btn btn-
success">  <input type="submit" name="btnrezultat" value="Rezultat" class="btn btn-
success">
               </form>
               <?php
                  @$dugme_glasaj=$_POST['btnglasaj'];
                       @$dugme_rezultat=$_POST['btnrezultat'];
                       if(isset($dugme glasaj)){
                        @$odgovor=$_POST['rbanketa'];
                        $upit7="UPDATE anketa
                            SET rezultat=rezultat+1
                                       WHERE id_anketa=".$odgovor;
                              $rezultat7=mysql_query($upit7,$konekcija) or die("Greska-
upit7".mysql_error());
                              if($rezultat7){
```

```
echo "Vas glas je upisan!";
                       }
         $upit8="SELECT *
             FROM anketa";
         $rezultat8=mysql_query($upit8,$konekcija) or die("Greska-upit8".mysql_error());
         echo "Rezultati ankete   <span class='glyphicon glyphicon-hand-down'></span> ";
         echo "</br>";
         while($red8=mysql_fetch_array($rezultat8)){
           echo "".$red8['odgovor']."".$red8['rezultat']."";
         echo "";
                 }
          ?>
    </div>
   </div>
   <div id="sadrzaj_centar">
<?php
          @$dugme_promena=$_POST['promena'];
          if(isset($dugme_promena)){
```

```
$upit10="UPDATE telefon
                          SET status_slika=0";
                     $rezultat10=mysql_query($upit10,$konekcija) or die ('Greska-
upit10'.mysql_error());
                     @$cekiraneStavke=$_POST['cekirano'];
                     foreach($cekiraneStavke as $check){
                             $upit11="UPDATE telefon
                                 SET status_slika='1'
                                           WHERE id_telefon=$check";
                            $rezultat11=mysql_query($upit11,$konekcija) or die('Greska-
upit11'.mysql_error());
                            }
                            $tbBroj=1;
                            $brojKolona=4;
                            $upit12="SELECT *
                                 FROM proizvodjac p, model m, telefon t
                                           WHERE p.id proizvodjac=m.id proizvodjac AND
m.id_model=t.id_model AND status_slika='1'";
                            $rezultat12=mysql_query($upit12,$konekcija) or die ("Greska-
upit12".mysql_error());
                            echo "";
                            //echo "KARAKTERISTIKE ";
```

```
while($red12=mysql_fetch_array($rezultat12)){
                                   if($tbBroj==1)
                                           echo "";
                                           echo "<img src='slike/".$red12['slika']."'
width='200px' height='230px'></br>".$red12[1]."-".$red12[4]."";
                                           if($tbBroj==$brojKolona){
                                                  echo"";
                                                  $tbBroj=1;
                                           }
                                           else{
                                                  $tbBroj++;
                                           }
                                           if($tbBroj!=1){
                                                  while($tbBroj<=$brojKolona){</pre>
                                                         echo" ";
                                                         $tbBroj++;
```

```
echo"";
                                          }
                                          echo "";
                                   }
                                   else
                                          $tbBroj=1;
                                          $brojKolona=4;
                                          $upit9="SELECT *
                                              FROM proizvodjac p, model m, telefon t
                                              WHERE p.id_proizvodjac=m.id_proizvodjac AND
m.id_model=t.id_model";
                                   $rezulatat9=mysql_query($upit9,$konekcija) or die ("greska-
upit9".mysql_error());
                                   echo "<form name='promenaChexbox' action='index.php'
method='post'>";
                                   echo "";
                                   while($red9=mysql_fetch_array($rezulatat9)){
                                          $putanja = $red9['slika'];
                                          if($tbBroj==1)
                                                 echo "";
                                   $cekirano=($red9['status_slika']=='1')?'checked="checked"':";
```

```
echo "
                            <a data-fancybox=\"gallery\" href=\"slike/$putanja\"><img
src=\"slike/$putanja\" width='120px' height='160px'></a>
                                   <input type='checkbox' name='cekirano[]'
value="".$red9['id_telefon'].""".$cekirano.">";
                                   if($tbBroj==$brojKolona){
                                          echo "";
                                          $tbBroj=1;
                                   }
                                   else
                                          $tbBroj++;
                                   }
                     if($tbBroj!=1){
                            while($tbBroj<=$brojKolona){</pre>
                                   echo"  ";
                                   $tbBroj++;
                            }
                            echo"";
                     }
```

```
echo"<input type='submit' name='promena'
value='Promeni' class='btn btn-success'>";
                    echo "";
                    echo"</form>";
             ?>
 </div>
       <div id="sadrzaj_desno">
        <div id="sadrzaj_desno_div">
        <h2>KATEGORIJE</h2>
             <?php
              $upit3="SELECT p.id_proizvodjac,p.naziv_proizvodjaca, COUNT(p.id_proizvodjac) AS
broj
              FROM proizvodjac p, model m
             WHERE p.id_proizvodjac=m.id_proizvodjac
              GROUP BY p.naziv_proizvodjaca, p.id_proizvodjac";
```

```
$rezulatat3=mysql_query($upit3,$konekcija) or die("Greska-upit3".mysql_error());
               echo "";
               while($red3=mysql fetch array($rezulatat3)){
                      echo" <span class='glyphicon glyphicon-phone'></span>&nbsp;<a
href='podkategorije.php?id=".$red3['id_proizvodjac']."'class='btn btn
info'>".$red3['naziv proizvodjaca']."</a>&nbsp;&nbsp;<kbd>".$red3['broj']."</kbd>";
               echo"";
              ?>
        </div>
        <div id="sadrzaj desno div">
         <h2>NAJJEFTINIJI</h2>
              <?php
               $upit4="SELECT *, MIN(t.cena) as min_cena
                  FROM proizvodjac p, model m, telefon t
                             WHERE p.id_proizvodjac=m.id_proizvodjac
                             AND m.id_model=t.id_model
                             GROUP BY t.cena,p.naziv proizvodjaca LIMIT 5";
              $rezulatat4=mysql_query($upit4,$konekcija) or die ("Greska-upit4".mysql_error());
```

```
echo "";
              while($red4=mysql_fetch_array($rezulatat4)){
                     echo"<a href='prikaz.php?id=".$red4['id_model']."'class='btn btn-
info'>".$red4[1]."-".$red4['naziv_modela']."</a></br><comp>Cena:
".$red4['min_cena'].".00 din.</samp>";
              echo "";
       include('kraj.php');
              ?>
        </div>
        <!-- video boostrap-->
        <div id="sadrzaj_desno_div">
         <div class="embed-responsive embed-responsive-16by9">
              <iframe
src="https://www.facebook.com/plugins/video.php?href=https%3A%2F%2Fwww.facebook.com%2FNok
iaMobile%2Fvideos%2F487196228335452%2F&show_text=0&width=560" width="200" height="315"
style="border:none;overflow:hidden" scrolling="no" frameborder="0" allowTransparency="true"
allowFullScreen="true" class="img-rounded"></iframe>
              </div>
              </div>
         </br>
              <div id="sadrzaj_desno_div">
         <div class="embed-responsive embed-responsive-16by9">
```

```
<iframe
```

src="https://www.facebook.com/plugins/video.php?href=https%3A%2F%2Fwww.facebook.com%2FTele fonySamsung%2Fvideos%2F1241663635870827%2F&show_text=0&width=560" width="200" height="315" style="border:none;overflow:hidden" scrolling="no" frameborder="0" allowTransparency="true" allowFullScreen="true" class="img-rounded"></iframe>

```
</div>
</div>
</div>
<br/>
<br/>
<div id="sadrzaj_desno_div">
<div class="embed-responsive embed-responsive-16by9">
<iframe
```

src="https://www.facebook.com/plugins/video.php?href=https%3A%2F%2Fwww.facebook.com%2FHua weimobileRS%2Fvideos%2F1355694544476377%2F&show_text=0&width=300" width="200" height="315" style="border:none;overflow:hidden" scrolling="no" frameborder="0" allowTransparency="true" allowFullScreen="true" class="img-rounded"></ri>

```
</div>
</div>
</div>
</div id="futer">

<div class="container-fluid">

<div class="row">

<div class="col-sm-4" style="margin-top:40px">

Ukoliko smatrate da je ovaj sajt koristan i kvalitetan, podelite to sa vašim prijateljima
```

klikom na ikonice društvenih mreža koje koristite:


```
</div>
       <div class="col-sm-4">
        class="list-group-item" ><a href="https://www.facebook.com">Facebook</a>
             <a href="https://www.linkedin.com">Linkedin</a>
             <a href="https://mail.google.com">Gmail</a>
             <a href="#">Dokumentacija</a>
            </div>
       <div class="col-sm-4" style="text-align:center">
        <a href="https://www.youtube.com/watch?v=XaIt5wrdDUk" ><img src="slike/milos1.jpg"
class="img-circle" width="100px" style="margin-top:20px"/></a>
             <a href="https://www.youtube.com/channel/UCYIxAZZDGKGzJuez0stpv8g"> <img
src="slike/g.jpg" class="img-circle" width="100px"style="margin-top:20px"/>
            </a>
       </div>
       </div>
 </div>
      </div>
 </div>
k href="fancybox-3.0/dist/jquery.fancybox.min.css" rel="stylesheet">
<script src="fancybox-3.0/dist/jquery.fancybox.min.js"></script>
```

</body>

</html>

Nema tudjeg css-a

Organizacija sajta



Sitemap

<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.sitemaps.org/schemas/sitemap/0.9
http://www.sitemaps.org/schemas/sitemap/0.9/sitemap.xsd">

```
<url>
<loc>http://www.caki.esy.es/sajt_mobilni_telefoni/index.php</loc>
<changefreq>yearly</changefreq>
<priority>1.00</priority>
</url>
<url>
<loc>http://www.caki.esy.es/sajt_mobilni_telefoni/unos.php</loc>
<changefreq>yearly</changefreq>
<priority>0.80</priority>
</url>
<url>
<loc>http://www.caki.esy.es/sajt_mobilni_telefoni/prikaz.php</loc>
<changefreq>yearly</changefreq>
<priority>0.80</priority>
</url>
<url>
<loc>http://www.caki.esy.es/sajt_mobilni_telefoni/podkategorije.php</loc>
<changefreq>yearly</changefreq>
<priority>0.80</priority>
</url>
<url>
<loc>http://www.caki.esy.es/sajt_mobilni_telefoni/upis.php</loc>
<changefreq>yearly</changefreq>
<priority>0.80</priority>
```

```
</url>
<url>
<url>
<loc>http://www.caki.esy.es/sajt_mobilni_telefoni/register.php</loc>
<changefreq>yearly</changefreq>
<pri>ority>0.80</priority>
</url>
<url>
<loc>http://www.caki.esy.es/sajt_mobilni_telefoni/sidebar.php</loc>
<changefreq>yearly</changefreq>
<priority>0.80</priority>
</url>
</url>
</url>
</url>
</url>
</url>
</url>
```

Prikaz.php?id=1-15



Na stranici prikaz.php prikazuje se svi modeli telefon koji postoje u bazi. Na toj strani kao I na svakoj sledecoj postoji anketa kategorije I stanje modela po kategorijama, prvih 5 najjeftinijih modela I dinamicki meni.

```
<?php
@session_start();
include("konekcija.php");
if(isset($_POST['btnLogIn'])){
    $user = $_POST['tbUser'];
    $pass = $_POST['tbPassw'];
    $upit = "SELECT k.id_korisnik1, user, password, u.naziv_uloge FROM korisnici1 k INNER JOIN
uloga_korisnici ug ON k.id_korisnik1 = ug.id_korisnik1 INNER JOIN uloge u ON u.id_uloge = ug.id_uloge
WHERE user = '$user' AND password = '$pass'";
    $rez = mysql_query($upit);
    if(mysql_num_rows($rez)==1){
      $red = mysql_fetch_array($rez);
      $_SESSION['user'] = $user;
      $_SESSION['uloga'] = $red['naziv_uloge'];
    }
    else{
      echo "Logovanje nije uspelo";
    }
```

```
?>
<html>
<head>
  <meta charset="utf-8"/>
        <meta name="description" content="Mobile shop">
 <meta name="keywords" content="Mobile shop">
 <meta name="author" content="Milos Tanaskovic">
        <link rel="stylesheet" href="register.css" type="text/css">
 <link href="stil.css" rel="stylesheet" type="text/css">
 <script type="text/javascript" src="jquery-3.1.1.min.js"></script>
  <script type="text/javascript" src="script.js"></script>
 <!-- sa boostrapom-->
 <meta name="viewport" content="width=device-width, initial-state=1"/>
 <link type="text/css" rel="stylesheet" href="css/bootstrap.css"/>
 <script src="js/jquery-3.1.1.min.js"></script>
 <script src="js/bootstrap.js"></script>
</head>
```

}

```
<body>
<!-- navigacija-->
<nav class="navbar navbar-inverse navbar-fixed-top">
 <div class="container-fluid">
 <div class="navbar-header">
       <button type="button" class="navbar-toggle" data-toggle="collapse" data-target="#losmi">
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
       </button>
       </div>
       <div class="collapse navbar-collapse" id="losmi">
  <?php
       if(isset($_SESSION['user'])){
     if($_SESSION['uloga'] == 'admin'){
       $upit = "SELECT * FROM meni";
       $rez = mysql_query($upit);
       echo "";
       while($red = mysql_fetch_array($rez)){
```

```
echo "<a href="".$red['link']."'>".$red['ime_linka']."</a>";
   }
                        echo "";
 }
  else if($_SESSION['uloga'] == 'korisnici'){
   $upit = "SELECT * FROM meni WHERE id_uloge=2";
   $rez = mysql_query($upit);
   echo "";
   while($red = mysql_fetch_array($rez)){
     echo "<a href="".$red['link']."'>".$red['ime_linka']."</a>";
   }
                        echo "";
 }
}
         else{
                       $upit = "SELECT * FROM meni WHERE id_uloge=2";
   $rez = mysql_query($upit);
   echo "";
   while($red = mysql_fetch_array($rez)){
     echo "<a href="".$red['link']."'>".$red['ime_linka']."</a>";
   }
                        echo "";
                }
```

```
?>
       ul class="nav navbar-nav navbar-right">
          <?php if(isset($_SESSION['user']))</pre>
              {
                      ?>
               <a href="logout.php" class="navbar-brand btn btn-primary btn-lg active"
> ODJAVA</a>
               <?php }?>
                
        <a href="sidebar.php" class="navbar-brand btn btn-primary btn-lg active" ><span</a>
class="glyphicon glyphicon-user"></span>&nbsp;Korisnicki panel&nbsp;<span class="glyphicon
glyphicon-log-out"></span></a>
        </div>
       </div>
</nav>
```

```
<!--kraj navigacije-->
 <div id="okvir">
  <div id="zaglavlje">
         <img src="slike/logo.png" alt="mobile shop" width="997px" height="99px"/>
         <div id="flipkart-navbar">
  <div class="container">
    <div class="row row1">
    </div>
    <div class="row row2">
      <div class="col-sm-2">
        <h2 style="margin:0px;"><span class="smallnav menu" onclick="openNav()">=
Brand</span></h2>
        <h1 style="margin:0px;"><span class="largenav">Brand</span></h1>
      </div>
      <div class="flipkart-navbar-search smallsearch col-sm-8 col-xs-11">
        <div class="row">
          <input class="flipkart-navbar-input col-xs-11" type="" placeholder="Search for Products,
Brands and more" name="">
          <button class="flipkart-navbar-button col-xs-1">
             <svg width="15px" height="15px">
              <path d="M11.618 9.897l4.224 4.212c.092.09.1.23.02.312l-1.464 1.46c-.08.08-.222.072-</p>
.314-.02L9.868 11.66M6.486 10.9c-2.42 0-4.38-1.955-4.38-4.367 0-2.413 1.96-4.37 4.38-4.37s4.38 1.957
```

4.38 4.37c0 2.412-1.96 4.368-4.38 4.368m0-10.834C2.904.066 0 2.96 0 6.533 0 10.105 2.904 13 6.486 13s6.487-2.895 6.487-6.467c0-3.572-2.905-6.467-6.487-6.467 "></path>

```
</svg>
          </button>
        </div>
      </div>
      <div class="cart largenav col-sm-2">
        <a class="cart-button">
          <svg class="cart-svg" width="16" height="16" viewBox="0 0 16 16">
            <path d="M15.32 2.405H4.887C3 2.405 2.46.805 2.46.805L2.257.21C2.208.085 2.083 0</p>
1.946 0H.336C.1 0-.064.24.024.46l.644 1.945L3.11 9.767c.047.137.175.23.32.23h8.418l-.493
1.958H3.768l.002.003c-.017 0-.033-.003-.05-.003-1.06 0-1.92.86-1.92 1.92s.86 1.92 1.92 1.92c.99 0
1.805-.75 1.91-1.712|5.55.076c.12.922.91 1.636 1.867 1.636 1.04 0 1.885-.844 1.885-1.885 0-.866-.584-
1.593-1.38-1.814|2.423-8.832c.12-.433-.206-.86-.655-.86 " fill="#fff "></path>
          </svg> Link
          <span class="item-number ">0</span>
        </a>
      </div>
    </div>
  </div>
</div>
        </div>
        <div id="sadrzaj">
        <div id="sadrzaj levo">
         <div id="sadrzaj levo div">
          <button type="button" class="btn btn-denger" data-toggle="modal" data-
target="#popUpWindow">Log in</button>
```

```
<div class="modal fade" id="popUpWindow">
  <div class="modal-dialog">
    <div class="modal-content">
      <!-- header -->
      <div class="modal-header">
        <button type="button" class="close" data-dismiss="modal">&times;</button>
        <h3 class="modal-title">Prijavite se :D</h3>
      </div>
      <!-- body (form) -->
      <div class="modal-body">
        <form name="form" action="index.php" method="post">
          <div class="form-group">
<input type="text" class="form-control" placeholder="Korisnik" name="tbUser" id="tbUser">
          </div>
          <div class="form-group">
<input type="password" class="form-control" placeholder="Lozinka" name="tbPassw" id="tbPassw">
          </div>
                                            <div class="modal-footer">
<button class="btn btn-primary btn-block" name="btnLogIn">Prijava </button>
      </div>
        </form>
      </div>
```

```
</div>
  </div>
</div>
       <h2><a href="index.php" class="btn btn-primary">Pocetna strana</a></h2>
      </div>
      <?php
       include('konekcija.php');
            $upit="SELECT *
                FROM proizvodjac
                           ORDER BY naziv_proizvodjaca";
            $rezultat=mysql_query($upit,$konekcija) or die("Greska-upit".mysql_error());
            echo "";
            while($red=mysql_fetch_array($rezultat)){
                   echo "<a href='#' class='btn btn-info'>".$red['naziv_proizvodjaca']."</a>";
            $upit1="SELECT *
                FROM model
```

```
WHERE id_proizvodjac=".$red['id_proizvodjac'];
        $rezultat1=mysql_query($upit1,$konekcija) or die("
       Greska-upit1".mysql_error());
       while($red1=mysql_fetch_array($rezultat1)){
               echo "<span class='glyphicon glyphicon-phone'></span>&nbsp;<a
href='prikaz.php?id=".$red1['id_model']."'class='btn btn-info'>".$red1['naziv_modela']."'</a>
       }
       echo "";
              }
              echo "";
        ?>
        <div id="sadrzaj levo div">
           <h2>Anketa</h2>
                      Najbolji proizvodjac?<br/>
              <form name="ankete" method="post" action="index.php">
               <?php
                // pocetak 2 php koda
                $upit6="SELECT *
                    FROM anketa
                              ORDER BY odgovor";
                $rezultat6=mysql_query($upit6,$konekcija) or die ("Greska-upit6".mysql_error());
                while($red6=mysql_fetch_array($rezultat6)){
```

```
echo "<input type='radio' name='rbanketa'
value="".$red6['id_anketa'].""> ".$red6['odgovor']."<br/>";
                }
               ?>
               <input type="submit" name="btnglasaj" value="Glasaj" class="btn btn-
success">  <input type="submit" name="btnrezultat" value="Rezultat" class="btn btn-
success">
               </form>
               <?php
                  @$dugme_glasaj=$_POST['btnglasaj'];
                        @$dugme_rezultat=$_POST['btnrezultat'];
                       if(isset($dugme_glasaj)){
                        $odgovor=$_POST['rbanketa'];
                        $upit7="UPDATE anketa
                            SET rezultat=rezultat+1
                                       WHERE id_anketa=".$odgovor;
                              $rezultat7=mysql_query($upit7,$konekcija) or die("Greska-
upit7".mysql_error());
                              if($rezultat7){
                              echo "Vas glas je upisan!";
                              }
               $upit8="SELECT *
```

```
FROM anketa";
      \Rightarrow \text{grezultat8=mysql\_query($upit8,$konekcija)} \text{ or die("Greska-upit8".mysql\_error());}
      echo "Rezultati ankete";
      echo "";
      while($red8=mysql_fetch_array($rezultat8)){
        echo "".$red8['odgovor']."".$red8['rezultat']."";
      }
      echo "";
               }
       ?>
</div>
</div>
<div id="sadrzaj_centar">
<?php
 @$id_model=$_GET['id'];
      $folderSlike="slike/";
      if(isset($id_model)){
       $upit2="SELECT *
```

```
FROM proizvodjac p, model m, telefon t
                         WHERE p.id_proizvodjac=m.id_proizvodjac
                         AND m.id_model=t.id_model
                         AND t.id model=".$id model;
            $rezultat2=mysql_query($upit2,$konekcija) or die
            ("Greska-upit2".mysql_error());
            $broj=mysql_num_rows($rezultat2);
            if(\$broj==0){
            echo "Trenutno ne postoji opis modela koji trazite";
            }
            else{
            echo "";
            $rb=1;
            while($red2=mysql_fetch_array($rezultat2)){
             if($rb%2==0){
             echo "RB".$rb."<td
rowspan='7' width='100px'><img src='".$folderSlike.$red2[3]."'height='140px' width='80px' class='img-
thumbnail'>
```

Proizvodjac".\$red2[1]."

```
Model".$red2[4]."
      Boja".$red2[7]."
      Kamera".$red2[8]."
      Status".$red2[9]."
      Cena".$red2[11]."
     }
      else{
      echo " <img src='slike/".$red2['slika']."' height='200px'
width='110px'>".$rb."RB
      ".$red2[1]."Proizvodjac
      ".$red2['naziv_modela']."<th
align='right'>Model
      ".$red2['boja']."Boja
      ".$red2['kamera']."Kamera
      ".$red2['status']."Status
```

```
".$red2['cena']."Cena";
             }
              $rb++;
             }
             echo "";
             }
             }
        ?>
       </div>
                   <div id="sadrzaj_desno">
       <div id="sadrzaj_desno_div">
        <h2>KATEGORIJE</h2>
             <?php
             $upit3="SELECT p.id_proizvodjac,p.naziv_proizvodjaca, COUNT(p.id_proizvodjac) AS
broj
             FROM proizvodjac p, model m
             WHERE p.id_proizvodjac=m.id_proizvodjac
             GROUP BY p.naziv_proizvodjaca, p.id_proizvodjac";
             $rezulatat3=mysql_query($upit3,$konekcija) or die("Greska-upit3".mysql_error());
             echo "";
```

```
echo" <span class='glyphicon glyphicon-phone'></span>&nbsp;<a
href='podkategorije.php?id=".$red3['id_proizvodjac']."'class='btn btn-
info'>".$red3['naziv_proizvodjaca']."</a>&nbsp;&nbsp;<kbd>".$red3['broj']."</kbd>";
               }
               echo"";
              ?>
         </div>
         <div id="sadrzaj_desno_div">
         <h2>NAJJEFTINIJI</h2>
              <?php
               $upit4="SELECT *, MIN(t.cena) as min_cena
                  FROM proizvodjac p, model m, telefon t
                             WHERE p.id_proizvodjac=m.id_proizvodjac
                             AND m.id_model=t.id_model
                             GROUP BY t.cena,p.naziv_proizvodjaca LIMIT 5";
              $rezulatat4=mysql_query($upit4,$konekcija) or die ("Greska-upit4".mysql_error());
              echo "";
              while($red4=mysql_fetch_array($rezulatat4)){
```

```
echo"<a href='prikaz.php?id=".$red4['id_model']."'class='btn btn-
info'>".$red4[1]."-".$red4['naziv_modela']."</a></br><samp>Cena:
".$red4['min_cena'].".00 din.</samp>";
                                                    echo "";
                                                    include('kraj.php');
                                                    ?>
                               </div>
                             </div>
                            </div>
                            <div id="futer">
                               <div class="container-fluid">
           <div class="row">
                                 <div class="col-sm-4" style="margin-top:40px">
                             Ukoliko smatrate da je ovaj sajt koristan i kvalitetan, podelite to sa vašim prijateljima
klikom na ikonice društvenih mreža koje koristite:<span class="glyphicon glyphicon-menu-
right"></span><span class="glyphicon glyphicon-menu-right"></span><span class="glyphicon-menu-right"></span><span class="glyphicon-menu-right"></span><span class="glyphicon-menu-right"></span><span class="glyphicon-menu-right"></span class="glyphicon
menu-right"></span>
                             </div>
                             <div class="col-sm-4">
```

```
<a href="https://www.facebook.com">Facebook</a>
              <a href="https://www.linkedin.com">Linkedin</a>
              <a href="https://mail.google.com">Gmail</a>
              class="list-group-item"><a href="#">Dokumentacija</a>
            </div>
       <div class="col-sm-4" style="text-align:center">
        <a href="https://www.youtube.com/watch?v=XaIt5wrdDUk" ><img src="slike/milos1.jpg"</a>
class="img-circle" width="100px" style="margin-top:20px"/></a>
             <a href="https://www.youtube.com/channel/UCYIxAZZDGKGzJuez0stpv8g"><img
src="slike/g.jpg" class="img-circle" width="100px"style="margin-top:20px"/>
            </a>
       </div>
       </div>
 </div>
       </div>
 </div>
</body>
</html>
```

Podkategorije.php?id=1-3



Na strani podkategorije.php preko baze dobijamo listu svih modela I stanje koliko ih ima klikom na jedan od 3 prizvodjaca

```
<?php
@session_start();
include("konekcija.php");
if(isset($_POST['btnLogIn'])){
    $user = $_POST['tbUser'];
    $pass = $_POST['tbPassw'];
    $upit = "SELECT k.id_korisnik1, user, password, u.naziv_uloge FROM korisnici1 k INNER JOIN
uloga_korisnici ug ON k.id_korisnik1 = ug.id_korisnik1 INNER JOIN uloge u ON u.id_uloge = ug.id_uloge
WHERE user = '$user' AND password = '$pass'";
    $rez = mysql_query($upit);
    if(mysql_num_rows($rez)==1){
      $red = mysql_fetch_array($rez);
      $_SESSION['user'] = $user;
      $_SESSION['uloga'] = $red['naziv_uloge'];
    }
    else{
      echo "Logovanje nije uspelo";
    }
  }
```

```
<html>
<head>
  <meta charset="utf-8"/>
        <meta name="description" content="Mobile shop">
 <meta name="keywords" content="Mobile shop">
 <meta name="author" content="Milos Tanaskovic">
       k rel="stylesheet" href="register.css" type="text/css">
 <link href="stil.css" rel="stylesheet" type="text/css">
 <script type="text/javascript" src="jquery-3.1.1.min.js"></script>
  <script type="text/javascript" src="script.js"></script>
 <!-- sa boostrapom-->
 <meta name="viewport" content="width=device, initial-state=1"/>
<link type="text/css" rel="stylesheet" href="css/bootstrap.css"/>
 <script src="js/jquery-3.1.1.min.js"></script>
 <script src="js/bootstrap.js"></script>
 <!-- search-->
 <link href="https://fonts.googleapis.com/css?family=Roboto" rel="stylesheet"/>
 <script src="search.js"></script>
```

```
</head>
<body>
<!-- navigacija-->
<nav class="navbar navbar-inverse navbar-fixed-top">
 <div class="container-fluid">
 <div class="navbar-header">
       <button type="button" class="navbar-toggle" data-toggle="collapse" data-target="#losmi">
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
       </button>
       </div>
       <div class="collapse navbar-collapse" id="losmi">
  <?php
        if(isset($_SESSION['user'])){
      if($_SESSION['uloga'] == 'admin'){
```

```
$upit = "SELECT * FROM meni";
   $rez = mysql_query($upit);
   echo "";
   while($red = mysql fetch array($rez)){
     echo "<a href="".$red['link']."'>".$red['ime_linka']."</a>";
   }
                       echo "";
 }
 else if($_SESSION['uloga'] == 'korisnici'){
   $upit = "SELECT * FROM meni WHERE id_uloge=2";
   $rez = mysql_query($upit);
   echo "";
   while($red = mysql_fetch_array($rez)){
     echo "<a href="".$red['link']."">".$red['ime_linka']."</a>";
   }
                       echo "";
 }
}
         else{
                       $upit = "SELECT * FROM meni WHERE id_uloge=2";
   $rez = mysql_query($upit);
   echo "";
   while($red = mysql_fetch_array($rez)){
```

```
echo "<a href='".$red['link']."'>".$red['ime_linka']."</a>";
       }
                             echo "";
                     }
        ?>
       ul class="nav navbar-nav navbar-right">
         >
               <?php if(isset($_SESSION['user']))</pre>
              {
                      ?>
               <a href="logout.php" class="navbar-brand btn btn-primary btn-lg active"
> ODJAVA</a>
               <?php }?>
                
        <a href="sidebar.php" class="navbar-brand btn btn-primary btn-lg active" ><span</a>
class="glyphicon glyphicon-user"></span>&nbsp;Korisnicki panel&nbsp;<span class="glyphicon
glyphicon-log-out"></span></a>
```

```
</div>
        </div>
</nav>
<!--kraj navigacije-->
 <div id="okvir">
  <div id="zaglavlje">
        <img src="slike/logo.png" alt="mobile shop" width="997px" height="99px"/>
<div id="flipkart-navbar">
  <div class="container">
    <div class="row row1">
    </div>
    <div class="row row2">
      <div class="col-sm-2">
        <h2 style="margin:0px;"><span class="smallnav menu" onclick="openNav()">=
Brand</span></h2>
        <h1 style="margin:0px;"><span class="largenav">Brand</span></h1>
      </div>
      <div class="flipkart-navbar-search smallsearch col-sm-8 col-xs-11">
        <div class="row">
```

```
<input class="flipkart-navbar-input col-xs-11" type="" placeholder="Search for Products,
Brands and more" name="">
          <button class="flipkart-navbar-button col-xs-1">
             <svg width="15px" height="15px">
               <path d="M11.618 9.897l4.224 4.212c.092.09.1.23.02.312l-1.464 1.46c-.08.08-.222.072-</p>
.314-.02L9.868 11.66M6.486 10.9c-2.42 0-4.38-1.955-4.38-4.367 0-2.413 1.96-4.37 4.38-4.37s4.38 1.957
4.38 4.37c0 2.412-1.96 4.368-4.38 4.368m0-10.834C2.904.066 0 2.96 0 6.533 0 10.105 2.904 13 6.486
13s6.487-2.895 6.487-6.467c0-3.572-2.905-6.467-6.487-6.467 "></path>
             </svg>
          </button>
        </div>
      </div>
      <div class="cart largenav col-sm-2">
        <a class="cart-button">
          <svg class="cart-svg" width="16" height="16" viewBox="0 0 16 16">
             <path d="M15.32 2.405H4.887C3 2.405 2.46.805 2.46.805L2.257.21C2.208.085 2.083 0</p>
1.946 0H.336C.1 0-.064.24.024.46l.644 1.945L3.11 9.767c.047.137.175.23.32.23h8.418l-.493
1.958H3.768l.002.003c-.017 0-.033-.003-.05-.003-1.06 0-1.92.86-1.92 1.92s.86 1.92 1.92 1.92c.99 0
1.805-.75 1.91-1.712 15.55.076 1.636 1.636 1.636 1.636 1.04 0 1.885-.844 1.885-1.885 0-.866-.584-1.895
1.593-1.38-1.814|2.423-8.832c.12-.433-.206-.86-.655-.86 " fill="#fff "></path>
          </svg> Link
          <span class="item-number ">0</span>
        </a>
      </div>
    </div>
  </div>
</div>
<div id="mySidenav" class="sidenav">
  <div class="container" style="background-color: #2874f0; padding-top: 10px;">
```

```
<span class="sidenav-heading">Home</span>
    <a href="javascript:void(0)" class="closebtn" onclick="closeNav()">x</a>
  </div>
  <a href="http://clashhacks.in/">Link</a>
  <a href="http://clashhacks.in/">Link</a>
  <a href="http://clashhacks.in/">Link</a>
  <a href="http://clashhacks.in/">Link</a>
</div>
        </div>
        <div id="sadrzaj">
        <div id="sadrzaj_levo">
         <div id="sadrzaj_levo_div">
          <button type="button" class="btn btn-denger" data-toggle="modal" data-
target="#popUpWindow">Log in</button>
          <div class="modal fade" id="popUpWindow">
    <div class="modal-dialog">
      <div class="modal-content">
        <!-- header -->
        <div class="modal-header">
          <button type="button" class="close" data-dismiss="modal">&times;</button>
          <h3 class="modal-title">Prijavite se :D</h3>
        </div>
```

```
<!-- body (form) -->
      <div class="modal-body">
        <form name="form" action="index.php" method="post">
          <div class="form-group">
<input type="text" class="form-control" placeholder="Korisnik" name="tbUser" id="tbUser">
          </div>
          <div class="form-group">
<input type="password" class="form-control" placeholder="Lozinka" name="tbPassw" id="tbPassw">
          </div>
                                            <div class="modal-footer">
<button class="btn btn-primary btn-block" name="btnLogIn">Prijava </button>
      </div>
        </form>
      </div>
    </div>
  </div>
</div>
```

```
</div>
        <?php
        // 1 php kod
              include('konekcija.php');
              $upit="SELECT *
                 FROM proizvodjac
                      ORDER BY naziv proizvodjaca";
                      $rezultat=mysql_query($upit,$konekcija) or die("Greska-upit".mysql_error());
                      echo "";
                      while($red=mysql_fetch_array($rezultat)){
                       echo "<a href='#'class='btn btn-info'>".$red['naziv_proizvodjaca']."</a>";
                     $upit1="SELECT *
                         FROM model
                                   WHERE id_proizvodjac=".$red['id_proizvodjac'];
                     $rezultat1=mysql_query($upit1,$konekcija) or die ("Greska-
upit1".mysql_error());
                     while($red1=mysql_fetch_array($rezultat1)){
                      echo "<span class='glyphicon glyphicon-
phone'></span>&nbsp;<a href='prikaz.php?id=".$red1['id_model']."'class='btn btn-
info'>".$red1['naziv modela']."</a>";
                     }
                     echo "";
                      }
                      echo "";
        ?>
```

```
<div id="sadrzaj_levo_div">
         <h2>Anketa</h2>
               Najbolji proizvodjac?<br/>
              <form name="ankete" method="post" action="index.php">
               <?php
                // pocetak 2 php koda
                $upit6="SELECT *
                    FROM anketa
                               ORDER BY odgovor";
                $rezultat6=mysql_query($upit6,$konekcija) or die ("Greska-upit6".mysql_error());
                while($red6=mysql_fetch_array($rezultat6)){
                 echo "<input type='radio' name='rbanketa'
value="".$red6['id_anketa'].""> ".$red6['odgovor']."<br/>";
                }
               ?>
               <input type="submit" name="btnglasaj" value="Glasaj" class="btn btn-
success">  <input type="submit" name="btnrezultat" value="Rezultat" class="btn btn-
success">
               </form>
               <?php
                  @$dugme_glasaj=$_POST['btnglasaj'];
                       @$dugme_rezultat=$_POST['btnrezultat'];
                       if(isset($dugme_glasaj)){
                        $odgovor=$_POST['rbanketa'];
```

```
$upit7="UPDATE anketa
                         SET rezultat=rezultat+1
                                   WHERE id_anketa=".$odgovor;
                           $rezultat7=mysql_query($upit7,$konekcija) or die("Greska-
upit7".mysql_error());
                           if($rezultat7){
                            echo "Vas glas je upisan!";
                           }
             $upit8="SELECT *
                 FROM anketa";
             $rezultat8=mysql_query($upit8,$konekcija) or die("Greska-upit8".mysql_error());
             echo "Rezultati ankete";
             echo "";
             while($red8=mysql_fetch_array($rezultat8)){
               echo "".$red8['odgovor']."".$red8['rezultat']."";
             }
             echo "";
                     }
              ?>
        </div>
       </div>
```

```
<?php
               @$id_proizvodjac=$_GET['id'];
               if(isset($id proizvodjac)){
               $upit2="SELECT m.id_model,m.naziv_modela,COUNT(m.id_model) as broj
               FROM model m, telefon t
               WHERE m.id model=t.id model
               AND m.id_proizvodjac=".$id_proizvodjac."
               GROUP BY m.naziv_modela, m.id_model";
               $rezulta2=mysql_query($upit2,$konekcija) or die("Greska-upit2".mysql_error());
               $broj=mysql_num_rows($rezulta2);
               if(\$broj==0){
               echo "Trenutno nema modela sa ovim proizvodjacom";
               }
               else{
               echo "";
               while($red2=mysql_fetch_array($rezulta2)){
               echo "style='margin:10px'><a href='prikaz.php?id=".$red2['id_model']."'class='btn
btn-warning'>".$red2['naziv_modela']."</a>&nbsp;<kbd>".$red2['broj']."</kbd>";
              }
               echo "":
```

<div id="sadrzaj_centar">

```
}
               }
               ?>
               <img src="slike/jabuka.jpg" alt="apple" class="img-thumbnail" style="margin-top:70px"</pre>
width="500px">
        </div>
        <div id="sadrzaj_desno">
         <div id="sadrzaj_desno_div">
         <h2>KATEGORIJE</h2>
               <?php
               $upit3="SELECT p.id_proizvodjac,p.naziv_proizvodjaca, COUNT(p.id_proizvodjac) AS
broj
               FROM proizvodjac p, model m
               WHERE p.id_proizvodjac=m.id_proizvodjac
               GROUP BY p.naziv_proizvodjaca, p.id_proizvodjac";
               $rezulatat3=mysql_query($upit3,$konekcija) or die("Greska-upit3".mysql_error());
               echo "";
               while($red3=mysql_fetch_array($rezulatat3)){
```

```
echo" <span class='glyphicon glyphicon-phone'></span>&nbsp;<a
href='podkategorije.php?id=".$red3['id_proizvodjac']."'class='btn btn-
info'>".$red3['naziv_proizvodjaca']."</a>&nbsp;<kbd>".$red3['broj']."</kbd>";
               }
               echo"";
               ?>
        </div>
         <div id="sadrzaj_desno_div">
         <h2>NAJJEFTINIJI</h2>
              <?php
               $upit4="SELECT *, MIN(t.cena) as min_cena
                   FROM proizvodjac p, model m, telefon t
                             WHERE p.id_proizvodjac=m.id_proizvodjac
                             AND m.id_model=t.id_model
                             GROUP BY t.cena,p.naziv_proizvodjaca LIMIT 5";
              $rezulatat4=mysql_query($upit4,$konekcija) or die ("Greska-upit4".mysql_error());
              echo "";
```

while(\$red4=mysql_fetch_array(\$rezulatat4)){

```
echo"<a href='prikaz.php?id=".$red4['id_model']."'class='btn btn-
info'>".$red4[1]."-".$red4['naziv modela']."</a></br><samp>Cena:
".$red4['min_cena'].".00&nbspdin.</samp>";
                                          }
                                          echo "";
                                          include('kraj.php');
                                          ?>
                         </div>
                       </div>
                       </div>
                       <div id="futer">
                         <div class="container-fluid">
        <div class="row">
                           <div class="col-sm-4" style="margin-top:40px">
                       Ukoliko smatrate da je ovaj sajt koristan i kvalitetan, podelite to sa vašim prijateljima
klikom na ikonice društvenih mreža koje koristite:<span class="glyphicon glyphicon-menu-
right"></span><span class="glyphicon glyphicon-menu-right"></span><span class="glyphicon-menu-right"></span><span class="glyphicon-menu-right"></span><span class="glyphicon-menu-right"></span class="glyphicon-menu-
menu-right"></span>
                       </div>
                       <div class="col-sm-4">
                           <a href="https://www.facebook.com">Facebook</a>
                                             <a href="https://www.linkedin.com">Linkedin</a>
                                             <a href="https://mail.google.com">Gmail</a>
```

</html>



Strana unos.php kao I prikaz.php su namenjeni za admina. Ove dve strane se ne mogu videti ukoliko niste ulogovani kao admin. Tu mozete da unosite novog proizvodjaca, model .

```
<html>
<head>
  <meta charset="utf-8"/>
        <meta name="description" content="Mobile shop">
 <meta name="keywords" content="Mobile shop">
 <meta name="author" content="Milos Tanaskovic">
       k rel="stylesheet" href="register.css" type="text/css">
 <link href="stil.css" rel="stylesheet" type="text/css">
 <script type="text/javascript" src="jquery-3.1.1.min.js"></script>
  <script type="text/javascript" src="script.js"></script>
       <script type="text/javascript" src="ajax.js"></script>
 <!-- sa boostrapom-->
<meta name="viewport" content="width=device-width, initial-state=1"/>
<link type="text/css" rel="stylesheet" href="css/bootstrap.css"/>
<script src="js/jquery-3.1.1.min.js"></script>
<script src="js/bootstrap.js"></script>
</head>
<body>
<!-- navigacija-->
```

```
<nav class="navbar navbar-inverse navbar-fixed-top">
 <div class="container-fluid">
 <div class="navbar-header">
       <button type="button" class="navbar-toggle" data-toggle="collapse" data-target="#losmi">
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
       </button>
      </div>
      <div class="collapse navbar-collapse" id="losmi">
  <?php
        echo "";
        include('konekcija.php');
        $upit13="SELECT * FROM meni";
        $rez13=mysql_query($upit13,$konekcija);
        while($red13=mysql_fetch_array($rez13)){
               echo "<a href="".$red13['link']."'>".$red13['ime_linka']."</a>";
        }
        echo " ";
       ?>
```

```
ul class="nav navbar-nav navbar-right">
```

 Korisnicki panel

```
</div>
        </div>
</nav>
<!--kraj navigacije-->
 <div id="okvir">
  <div id="zaglavlje">
         <img src="slike/logo.png" alt="mobile shop" width="997px" height="99px"/>
         <div id="flipkart-navbar">
  <div class="container">
    <div class="row row1">
```

```
</div>
    <div class="row row2">
      <div class="col-sm-2">
        <h2 style="margin:0px;"><span class="smallnav menu" onclick="openNav()">=
Brand</span></h2>
        <h1 style="margin:0px;"><span class="largenav">Brand</span></h1>
      </div>
      <div class="flipkart-navbar-search smallsearch col-sm-8 col-xs-11">
        <div class="row">
          <input class="flipkart-navbar-input col-xs-11" type="" placeholder="Search for Products,
Brands and more" name="">
          <button class="flipkart-navbar-button col-xs-1">
            <svg width="15px" height="15px">
               <path d="M11.618 9.897l4.224 4.212c.092.09.1.23.02.312l-1.464 1.46c-.08.08-.222.072-</p>
.314-.02L9.868 11.66M6.486 10.9c-2.42 0-4.38-1.955-4.38-4.367 0-2.413 1.96-4.37 4.38-4.37s4.38 1.957
4.38 4.37c0 2.412-1.96 4.368-4.38 4.368m0-10.834C2.904.066 0 2.96 0 6.533 0 10.105 2.904 13 6.486
13s6.487-2.895 6.487-6.467c0-3.572-2.905-6.467-6.487-6.467 "></path>
            </svg>
          </button>
        </div>
      </div>
      <div class="cart largenav col-sm-2">
        <a class="cart-button">
          <svg class="cart-svg" width="16" height="16" viewBox="0 0 16 16">
            <path d="M15.32 2.405H4.887C3 2.405 2.46.805 2.46.805L2.257.21C2.208.085 2.083 0</p>
1.946 0H.336C.1 0-.064.24.024.46l.644 1.945L3.11 9.767c.047.137.175.23.32.23h8.418l-.493
1.958H3.768l.002.003c-.017 0-.033-.003-.05-.003-1.06 0-1.92.86-1.92 1.92s.86 1.92 1.92 1.92c.99 0
1.805-.75 1.91-1.712|5.55.076c.12.922.91 1.636 1.867 1.636 1.04 0 1.885-.844 1.885-1.885 0-.866-.584-
1.593-1.38-1.814|2.423-8.832c.12-.433-.206-.86-.655-.86 " fill="#fff "></path>
```

```
</svg> Link
          <span class="item-number ">0</span>
        </a>
      </div>
    </div>
  </div>
</div>
<div class="row" style="margin-bottom:10px;">
        <div class="col-sm-12">
        <div class="alert alert-danger fade in" style="margin:0px; padding:0px;">
         <h3 style="margin-left:20px;">Poštovani admine, dobro došli na Mobilnishop.!<a href="#"
data-dismiss="alert" aria-label="close">×</a></h3>
        </div>
 </div>
 </div>
        </div>
        <div id="sadrzaj">
        <div id="sadrzaj_levo">
         <div id="sadrzaj_levo_div">
          <h2><a href="index.php" class="btn btn-primary">Pocetna strana</a></h2>
         </div>
         <?php
         // 1 php kod
               include('konekcija.php');
               $upit="SELECT *
```

```
FROM proizvodjac
                      ORDER BY naziv_proizvodjaca";
                      $rezultat=mysql_query($upit,$konekcija) or die("Greska-upit".mysql_error());
                      echo "";
                      while($red=mysql_fetch_array($rezultat)){
                       echo "<a href='#'".$red['naziv proizvodjaca']."</a>";
                     $upit1="SELECT *
                         FROM model
                                   WHERE id_proizvodjac=".$red['id_proizvodjac'];
                     $rezultat1=mysql_query($upit1,$konekcija) or die ("Greska-
upit1".mysql_error());
                     while($red1=mysql_fetch_array($rezultat1)){
                      echo "<span class='glyphicon glyphicon-
phone'></span>&nbsp;<a href='prikaz.php?id=".$red1['id_model']."'class='btn btn-
info'>".$red1['naziv_modela']."</a>";
                     }
                     echo "";
                      }
                      echo "";
        ?>
        <div id="sadrzaj_levo_div">
         <h2>Anketa</h2>
              Najbolji proizvodjac?<br/>
              <form name="ankete" method="post" action="index.php">
              <?php
```

```
// pocetak 2 php koda
                $upit6="SELECT *
                    FROM anketa
                               ORDER BY odgovor";
                $rezultat6=mysql_query($upit6,$konekcija) or die ("Greska-upit6".mysql_error());
                while($red6=mysql_fetch_array($rezultat6)){
                 echo "<input type='radio' name='rbanketa'
value="".$red6['id_anketa'].""> ".$red6['odgovor']."<br/>";
                }
               ?>
               <input type="submit" name="btnglasaj" value="Glasaj" class="btn btn-
success">  <input type="submit" name="btnrezultat" value="Rezultat" class="btn btn-
success">
               </form>
               <?php
                  @$dugme_glasaj=$_POST['btnglasaj'];
                       @$dugme_rezultat=$_POST['btnrezultat'];
                       if(isset($dugme_glasaj)){
                        $odgovor=$_POST['rbanketa'];
                        $upit7="UPDATE anketa
                            SET rezultat=rezultat+1
                                       WHERE id_anketa=".$odgovor;
                              $rezultat7=mysql_query($upit7,$konekcija) or die("Greska-
upit7".mysql_error());
```

```
if($rezultat7){
                    echo "Vas glas je upisan!";
                    }
      $upit8="SELECT *
          FROM anketa";
      $rezultat8=mysql_query($upit8,$konekcija) or die("Greska-upit8".mysql_error());
      echo "Rezultati ankete";
      echo "";
      while($red8=mysql_fetch_array($rezultat8)){
       echo "".$red8['odgovor']."".$red8['rezultat']."";
      }
      echo "";
              }
      ?>
</div>
</div>
<div id="sadrzaj_centar">
<h2>Unos proizvodjaca</h2>
```

```
<form name="unos_proizvodjac" method="post" action="upis.php">
         Unesite naziv proizvodjaca:
               <input type="text" name="tbproizvodjac" placeholder="Naziv proizvodjaca" />
               <input type="submit" value="Upis" name="upis proizvodjac" class="btn btn-success"
align="center"/>
        </form>
        </hr>
        <h2>Unos modela</h2>
        <form name="unos_model" method="post" action="upis.php">
               Izaberite proizvodjaca:
               <select name="ddlproizvodjac">
                <option value="Izaberite">Izaberite</option>
                <?php
                include('ddl_lista.php');
                ?>
               </select>
               </br></br>
               Unesite naziv modela:
               <input type="text" name="tbmodel" placeholder="Naziv modela"/><br/>
               <input type="submit" name="upis_model" value="Upis" class="btn btn-success"
style="text-align:center"/>
        </form>
        </hr>
        <h2>Unos karakteristika telefona</h2>
```

```
<form name="unos_telefon" method="post" action="upis.php" enctype="multipart/form-
data">
       lzaberite proizvodjaca
             <select name="ddlproizvodjac1" id="ddlproizvodjac1" onChange="prikaz();">
               <option value="Izaberite">Izaberite
                   <?php
                    include('ddl_lista.php');
                   ?>
              </select>
             lzaberite model
             <span id="rezultat">
              <select>
               <option value="Izaberite">
                    Izaberite
                   </option>
```

<?php

```
include('ddl_model.php');
     ?>
</select>
</span>
Boja:
<input type="text" name="tbboja" placeholder="Boja"/>
Kamera
<input type="radio" name="rbkamera" value="Da"/>Da
<input type="radio" name="rbkamera" value="Ne"/>Ne
Status
```

```
<input type="radio" name="rbstatus" value="Novi"/>Novi
 <input type="radio" name="rbstatus" value="Polovni"/>Polovni
Slika:
<input type="file" name="fslika" class="btn btn-info"/>
Cena:
<input type="text" name="tbcena" placeholder="Cena"/>
<input type="submit" value="Upis" name="upis_telefon" class="btn btn-success">
```

```
</form>
        </hr>
        </div>
        <div id="sadrzaj desno">
         <div id="sadrzaj_desno_div">
         <h2>KATEGORIJE</h2>
              <?php
               $upit3="SELECT p.id_proizvodjac,p.naziv_proizvodjaca, COUNT(p.id_proizvodjac) AS
broj
               FROM proizvodjac p, model m
               WHERE p.id_proizvodjac=m.id_proizvodjac
               GROUP BY p.naziv_proizvodjaca, p.id_proizvodjac";
               $rezulatat3=mysql_query($upit3,$konekcija) or die("Greska-upit3".mysql_error());
               echo "";
               while($red3=mysql_fetch_array($rezulatat3)){
                      echo" <span class='glyphicon glyphicon-phone'></span>&nbsp;<a
href='podkategorije.php?id=".$red3['id_proizvodjac']."'class='btn btn-
info'>".$red3['naziv_proizvodjaca']."</a>&nbsp;<kbd>".$red3['broj']."</kbd>";
```

```
echo"";
              ?>
        </div>
        <div id="sadrzaj desno div">
         <h2>NAJJEFTINIJI</h2>
              <?php
              $upit4="SELECT *, MIN(t.cena) as min_cena
                  FROM proizvodjac p, model m, telefon t
                            WHERE p.id_proizvodjac=m.id_proizvodjac
                            AND m.id_model=t.id_model
                            GROUP BY t.cena,p.naziv_proizvodjaca LIMIT 5";
              $rezulatat4=mysql_query($upit4,$konekcija) or die ("Greska-upit4".mysql_error());
              echo "";
              while($red4=mysql_fetch_array($rezulatat4)){
                      echo"<a href='prikaz.php?id=".$red4['id_model']."'class='btn btn-
info'>".$red4[1]."-".$red4['naziv_modela']."</a></br><samp>Cena:
".$red4['min_cena'].".00 din.</samp>";
              }
              echo "";
```

}

```
include('kraj.php');

?>

</div>
</div>
</div>
</div>
<blockquote>

Poštovani admine, dobro došli na Mobilnishop.!
<footer class="text-primary">MobilniShop.com se bavi online prodajom mobilnih telefona najpoznatijih svetskih brendova kao što su Nokia, Samsung, Apple, LG, Sony, HTC, Blackberry, Motorola. Pored velikog izbora najnovijih modela, nudimo vam brzu i pouzdanu dostavu, niske, uvek proverene i ažurirane cene, kao i odgovore na sva vaša pitanja i probleme.<cite title="Source Title">Source Title</cite></footer>
</blockquote>

</div>
```

Ukoliko smatrate da je ovaj sajt koristan i kvalitetan, podelite to sa vašim prijateljima

klikom na ikonice društvenih mreža koje koristite:

```
</div>
<div class="col-sm-4">
```

```
<a href="https://www.facebook.com">Facebook</a>
             <a href="https://www.linkedin.com">Linkedin</a>
             <a href="https://mail.google.com">Gmail</a>
             class="list-group-item"><a href="#">Dokumentacija</a>
            </div>
      <div class="col-sm-4" style="text-align:center">
       <a href="https://www.youtube.com/watch?v=Xalt5wrdDUk" ><img src="slike/milos1.jpg"</a>
class="img-circle" width="100px" style="margin-top:20px"/></a>
            <a href="https://www.youtube.com/channel/UCYIxAZZDGKGzJuez0stpv8g"><img
src="slike/g.jpg" class="img-circle" width="100px"style="margin-top:20px"/>
            </a>
      </div>
      </div>
 </div>
      </div>
 </div>
</body>
</html>
```

Upis.php







```
<html>
<head>
  <meta charset="utf-8"/>
        <meta name="description" content="Mobile shop">
 <meta name="keywords" content="Mobile shop">
 <meta name="author" content="Milos Tanaskovic">
       k rel="stylesheet" href="register.css" type="text/css">
 k href="stil.css" rel="stylesheet" type="text/css">
 <link href="meni.css" rel="stylesheet" type="text/css">
 <script type="text/javascript" src="jquery-3.1.1.min.js"></script>
  <script type="text/javascript" src="script.js"></script>
 <script type="text/javascript" src="ajax.js"></script>
 <!-- sa boostrapom-->
 <meta name="viewport" content="width=device-width, initial-state=1"/>
 <link type="text/css" rel="stylesheet" href="css/bootstrap.css"/>
 <script src="js/jquery-3.1.1.min.js"></script>
<script src="js/bootstrap.js"></script>
</head>
<body>
```

```
<!-- navigacija-->
<nav class="navbar navbar-inverse navbar-fixed-top">
 <div class="container-fluid">
 <div class="navbar-header">
       <button type="button" class="navbar-toggle" data-toggle="collapse" data-target="#losmi">
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
       </button>
      </div>
      <div class="collapse navbar-collapse" id="losmi">
  <?php
        echo "";
        include('konekcija.php');
        $upit13="SELECT * FROM meni";
        $rez13=mysql_query($upit13,$konekcija);
        while($red13=mysql_fetch_array($rez13)){
               echo "<a href="".$red13['link']."'>".$red13['ime_linka']."</a>";
        }
        echo " ";
       ?>
```

```
ul class="nav navbar-nav navbar-right">
```

Korisnicki panel

```
</div>
        </div>
</nav>
<!--kraj navigacije-->
 <div id="okvir">
  <div id="zaglavlje">
         <img src="slike/logo.png" alt="mobile shop" width="997px" height="99px"/>
        </div>
        <div id="sadrzaj">
        <div id="sadrzaj_levo">
         <div id="sadrzaj_levo_div">
```

```
</div>
        <?php
        // 1 php kod
              include('konekcija.php');
              $upit="SELECT *
                 FROM proizvodjac
                      ORDER BY naziv_proizvodjaca";
                      $rezultat=mysql_query($upit,$konekcija) or die("Greska-upit".mysql_error());
                      echo "";
                      while($red=mysql_fetch_array($rezultat)){
                       echo "<a href='#'".$red['naziv_proizvodjaca']."</a>";
                     $upit1="SELECT *
                         FROM model
                                   WHERE id_proizvodjac=".$red['id_proizvodjac'];
                     $rezultat1=mysql_query($upit1,$konekcija) or die ("Greska-
upit1".mysql_error());
                     while($red1=mysql_fetch_array($rezultat1)){
                      echo "<span class='glyphicon glyphicon-
phone'></span>&nbsp;<a class='btn btn-info'
href='prikaz.php?id=".$red1['id_model']."'>".$red1['naziv_modela']."'</a>
                     }
                     echo "";
                      }
                      echo "";
```

<h2>Pocetna strana</h2>

```
?>
         <div id="sadrzaj_levo_div">
         <h2>Anketa</h2>
               Najbolji proizvodjac?<br/>
               <form name="ankete" method="post" action="index.php">
               <?php
                // pocetak 2 php koda
                $upit6="SELECT *
                    FROM anketa
                               ORDER BY odgovor";
                $rezultat6=mysql_query($upit6,$konekcija) or die ("Greska-upit6".mysql_error());
                while($red6=mysql_fetch_array($rezultat6)){
                 echo "<input type='radio' name='rbanketa'
value="".$red6['id_anketa'].""> ".$red6['odgovor']."<br/>";
                }
               ?>
               <input type="submit" name="btnglasaj" value="Glasaj" class="btn btn-
success">  <input type="submit" name="btnrezultat" value="Rezultat" class="btn btn-
success">
               </form>
               <?php
                  @$dugme_glasaj=$_POST['btnglasaj'];
                       @$dugme_rezultat=$_POST['btnrezultat'];
                       if(isset($dugme_glasaj)){
```

```
$odgovor=$_POST['rbanketa'];
                       $upit7="UPDATE anketa
                           SET rezultat=rezultat+1
                                     WHERE id_anketa=".$odgovor;
                            $rezultat7=mysql_query($upit7,$konekcija) or die("Greska-
upit7".mysql_error());
                            if($rezultat7){
                             echo "Vas glas je upisan!";
                            }
              $upit8="SELECT *
                  FROM anketa";
              $rezultat8=mysql_query($upit8,$konekcija) or die("Greska-upit8".mysql_error());
              echo "Rezultati ankete";
              echo "";
              while($red8=mysql_fetch_array($rezultat8)){
                echo "".$red8['odgovor']."".$red8['rezultat']."";
              }
              echo "";
                      }
              ?>
        </div>
        </div>
```

```
<div id="sadrzaj_centar">
               <?php
               @$dugme_proizvodjac=$_POST['upis_proizvodjac'];
               @$dugme_model=$_POST['upis_model'];
               @$dugme_telefon=$_POST['upis_telefon'];
               if(isset($dugme_proizvodjac)){
                       $proizvodjac=$_POST['tbproizvodjac'];
                       $upit6="INSERT INTO proizvodjac
                           VALUES (",'$proizvodjac')";
                       $rezulatat6=mysql_query($upit6,$konekcija) or die ('Greska-
upit6'.mysql_error());
                       if($rezulatat6){
                              echo "Uspesno ste izvrsili upisivanje novog proizvodjaca<br/>";
                              echo "<a href='unos.php'>Povratak na unos</a>";
                       }
               }
               if(isset($dugme_model)){
```

```
@$proizvodjac=$_POST['ddlproizvodjac'];
@$model=$_POST['tbmodel'];
@$boja=$_POST['tbboja'];
@$kamera=$ POST['rbkamera'];
@$status=$_POST['rbstatus'];
@$cena=$_POST['tbcena'];
@$fileName=$_FILE['fslika']['name'];
@$tmpName=$_FILE['fslika']['tmp_name'];
@$error=$_FILE['fslika']['error'];
if($proizvodjac=="Izaberite"){
       echo"Morate izabrati proizvodjaca";
       echo"<a href='javascript:history.go(-1)'>Nazad na formu</a>";
       exit;
}
else if($model=="Izaberite"){
       echo"Morate izabrati model";
       echo"<a href='javascript:history.go(-1)'>Nazad na formu</a>";
       exit;
}
else if($boja==""){
       echo"Morate izabrati boju";
       echo"<a href='javascript:history.go(-1)'>Nazad na formu</a>";
       exit;
```

```
}
else if($kamera==""){
       echo"Morate izabrati da li telefon poseduje kameru!";
       echo"<a href='javascript:history.go(-1)'>Nazad na formu</a>";
       exit;
}
else if($status==""){
       echo"Morate izabrati status telefona!";
       echo"<a href='javascript:history.go(-1)'>Nazad na formu</a>";
       exit;
}
else if($cena==""){
       echo"Morate upisati cenu!";
       echo"<a href='javascript:history.go(-1)'>Nazad na formu</a>";
       exit;
}
else if($greske!=0){
       echo"Greske vezane za sliku!";
       echo"<a href='javascript:history.go(-1)'>Nazad na formu</a>";
       exit;
}
else{
       if(move_uploaded_file($tmpName,$folderSlike.$fileName)){
               $upit8="INSERT INTO telefon
```

```
$rezultat8=mysql_query($upit8,$konekcija) or die ("greska-
upit8".mysql_error());
                                      if($rezultat8){
                                              echo "Podaci su upisani!</br>";
                                              echo "<a href='unos.php'>Nazad na unos</a>";
                                      }
                              }
                       }
               }
               ?>
        </div>
        <div id="sadrzaj_desno">
         <div id="sadrzaj_desno_div">
         <h2><a href="unos.php" class="btn btn-primary">UPIS</a></h2>
         </div>
         <div id="sadrzaj_desno_div">
         <h2>KATEGORIJE</h2>
               <?php
               $upit3="SELECT p.id_proizvodjac,p.naziv_proizvodjaca, COUNT(p.id_proizvodjac) AS
broj
```

```
FROM proizvodjac p, model m
               WHERE p.id_proizvodjac=m.id_proizvodjac
               GROUP BY p.naziv_proizvodjaca, p.id_proizvodjac";
               $rezulatat3=mysql query($upit3,$konekcija) or die("Greska-upit3".mysql error());
               echo "";
               while($red3=mysql fetch array($rezulatat3)){
                      echo" <span class='glyphicon glyphicon-phone'></span>&nbsp;<a
href='podkategorije.php?id=".$red3['id_proizvodjac']."'class='btn btn
info'>".$red3['naziv_proizvodjaca']."</a>&nbsp;&nbsp;<kbd>".$red3['broj']."</kbd>";
               }
               echo"";
              ?>
        </div>
        <div id="sadrzaj_desno_div">
         <h2>NAJEFTINIJI</h2>
              <?php
               $upit4="SELECT *, MIN(t.cena) as min_cena
                  FROM proizvodjac p, model m, telefon t
                             WHERE p.id_proizvodjac=m.id_proizvodjac
                             AND m.id_model=t.id_model
```


GROUP BY t.cena,p.naziv_proizvodjaca LIMIT 5";

```
$rezulatat4=mysql_query($upit4,$konekcija) or die ("Greska-upit4".mysql_error());
              echo "";
              while($red4=mysql_fetch_array($rezulatat4)){
                      echo"<a class='btn btn-info'
href='prikaz.php?id=".$red4['id_model']."'>".$red4[1]."-".$red4['naziv_modela']."</a></br>Cena:
".$red4['min cena']."din.";
              }
              echo "";
              include('kraj.php');
              ?>
        </div>
        </div>
       </div>
       <div id="futer">
        <div class="container-fluid">
  <div class="row">
         <div class="col-sm-4" style="margin-top:40px">
        Ukoliko smatrate da je ovaj sajt koristan i kvalitetan, podelite to sa vašim prijateljima
```

klikom na ikonice društvenih mreža koje koristite:

```
</div>
      <div class="col-sm-4">
       <a href="#">Facebook</a>
            <a href="#">Linkedin</a>
            <a href="#">Gmail</a>
             cli class="list-group-item"><a href="#">Dokumentacija</a>
            </div>
      <div class="col-sm-4" style="text-align:center">
       <a href="https://www.youtube.com/watch?v=XaIt5wrdDUk" ><img src="slike/milos1.jpg"
class="img-circle" width="100px" style="margin-top:20px"/></a>
            <a href="https://www.youtube.com/channel/UCYIxAZZDGKGzJuez0stpv8g"> <img
src="slike/g.jpg" class="img-circle" width="100px"style="margin-top:20px"/>
           </a>
      </div>
      </div>
 </div>
      </div>
 </div>
</body>
</html>
```

Sidebar.php



Na strani sidebar.php se moze videti nesto o autoru, sa te strane moze se ici na registraciju ili nazad na pocetnu stranu

```
<html>
<head>
<title></title>
 <meta name="description" content="Mobile shop">
 <meta name="keywords" content="Mobile shop">
 <meta name="author" content="Milos Tanaskovic">
 <meta charset="utf-8"/>
<meta name="viewport" content="width=device, initial-state=1"/>
<link type="text/css" rel="stylesheet" href="css/bootstrap.css"/>
<script src="js/jquery-3.1.1.min.js"></script>
<script src="js/bootstrap.js"></script>
<link rel="stylesheet" href="sidebar.css"/>
</head>
<body>
 <div id="wrapper">
    <!-- Sidebar -->
    <div id="sidebar-wrapper">
     ul class="sidebar-nav">
                        <a href="index.php">POCETNA STRANA</a>
       <a href="register.php">REGISTER</a>
```

```
</div>
    <!-- Page content -->
    <div id="page-content-wrapper">
      <div class="container-fluid">
        <div class="row">
          <div class="col-lg-12">
            <a href="#" class="btn btn-success" id="menu-toggle"><span class="glyphicon glyphicon-
menu-left"></span>Registracioni meni</a>
            <h1>0 meni</h1>
                                              <!-- sadrazaj -->
                                                 <div class="row jumbotron" style="padding:0px;">
         <div class="col-sm-8">
           <h3><kbd>MILOS TANASKOVIC</kbd></h3>
                <blook/duote class="color" class="lead">
                  My name is Milos. I'm a student at ICT Colege at Vocational studies on Web
programming module. I like technology, and I thrive to acquire new knowledge. I see myself as a web
programmer.It's a real pleasure to study at this college.
                </blockquote>
         </div>
         <div class="col-sm-4">
          <img src="slike/milos1.jpg" class="img-responsive"/>
         </div>
        </div>
```

```
<!--login-->
                                                 <div class="modal fade" id="popUpWindow">
<div class="modal-dialog">
 <div class="modal-content">
    <!-- header -->
    <div class="modal-header">
      <button type="button" class="close" data-dismiss="modal">&times;</button>
      <h3 class="modal-title">Log In</h3>
    </div>
    <!-- body (form) -->
    <div class="modal-body">
      <form role="form">
        <div class="form-group">
          <input type="email" class="form-control" placeholder="Email">
        </div>
        <div class="form-group">
          <input type="password" class="form-control" placeholder="Password">
        </div>
      </form>
    </div>
    <!-- button -->
```

```
<div class="modal-footer">
          <button class="btn btn-primary btn-block">Submit/button>
        </div>
      </div>
    </div>
  </div>
          </div>
        </div>
      </div>
    </div>
  </div>
  <!-- Menu toggle script -->
  <script>
    $("#menu-toggle").click( function (e){
      e.preventDefault();
      $("#wrapper").toggleClass("menuDisplayed");
    });
  </script>
</body>
</html>
```

Register.php



```
<html>
<head>
k rel="stylesheet" href="register.css" type="text/css">
<meta name="description" content="Mobile shop">
<meta name="keywords" content="Mobile shop">
<meta name="author" content="Milos Tanaskovic">
</head>
<script type="JavaScript">
function prijavi(){
        var ime=document.getElementById('tbImePrezime').value;
        var adresa=document.getElementById('tbAdresa').value;
        var mail=document.getElementById('mail').value;
        var lozinka=document.getElementById('lozinka').value;
        var grad=document.getElementById('ddlGrad').value;
        var pol=document.getElementsByName['rbPol'];
        var regIme=/^[A-Z][a-z]{2,10}(\s[A-Z][a-z]{2,10})+$/;
        var regAdresa = /^([A-z]{2,10}\s) + d + $/;
        var regmail = /^\w+([\.]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/;
        if(!ime.match(regIme)){
                alert("Ime i prezime nisu u dobrom formatu!");
                       return;
        }
```

```
if(!adresa.match(regAdresa)){
               alert("Nije dobro uneta adresa");
                return;
        }
        if(!mail.match(regmail)){
                alert("Mail nije u dobrom formatu");
                return;
        }
        var forma = document.getElementById('forma');
               forma.action = "index.php?btnSubmit=1";
               forma.submit();
}
</script>
<body>
<?php
       include("konekcija.php");
```

```
<div class="body-content">
<div class="module">
 <h1>Napravi nalog</h1>
 <form method="POST" action="<?php print $_SERVER['PHP_SELF']; ?>" id="forma" name="forma" >
       Ime i prezime:
                      <input type="text" class="styled" id="tbImePrezime"</pre>
name="tbImePrezime" />
                      Adresa:
                      <input type="text" id="tbAdresa" name="tbAdresa" />
                      Mail
                 <input type="text" id="mail" name="mail" />
```

```
Grad:
                            <select class="styled" style="width:145px;" id="ddlGrad" name="ddlGrad">
<option value="0">Izaberi...</option>
<?php
       $upit = "SELECT id_grad, naziv_grada FROM grad ORDER BY naziv_grada";
       $rez = mysql_query($upit, $konekcija);
      while($r = mysql_fetch_array($rez))
      {
             echo "<option value="".$r['id_grad']."'>".$r['naziv_grada']."</option>";
      }
?>
</select>
                            Pol:
                            <input type="radio" name="rbPol" value="M" /> Muški <br/>
                             <input type="radio" name="rbPol" value="Z" /> Ženski <br/>
```

```
Korisnicko ime
                 <input type="text" id="tbUser" name="tbUser" />
                 Lozinka
                 <input type="password" id="lozinka" name="tbPassword" />
                 <input type="submit" class="btn btn-primary btn-block"
value="Prijavi" class="button" id="btnSubmit" name="btnSubmit" />
                     </form>
     <?php
     if(isset($_REQUEST['btnSubmit'])){
```

```
$adresa = $_REQUEST['tbAdresa'];
       $mail=$ REQUEST['mail'];
        @$pol=$_REQUEST['rbPol'];
       $id grad = $ REQUEST['ddlGrad'];
       $user=$_REQUEST['tbUser'];
       $password=$_REQUEST['tbPassword'];
       p="/^[A-Z]{1}[a-z]{2,9}(\s[A-Z]{1}[a-z]{2,9})+$/";
       //$regmail="/^w+([\.]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/;";
       $greske = array();
       $podaci = array();
       if(!preg_match($regIme,$ime)){
               $greske[] = "Ime i prezime nisu u dobrom formatu!";
       }
       if(!$adresa){
               $greske[]="Adresa nije u dobrom formatu";
       }
//if(@!preg_match($regmail,$mail)){
       //
               $greske[]="Mail nije u dobrom formatu";
//
       }
```

\$ime = \$_REQUEST['tbImePrezime'];

```
if(empty($pol)){
                        $greske[]="Izaberite pol";
               }
               if($id_grad=="0"){
                        $greske[]="Izaberite grad";
               }
               if(count($greske) != 0)
       {
               foreach($greske as $g)
               {
                       echo $g ." <br/>";
               }
       }else{
               $upit_upis = "INSERT INTO korisnici1 VALUES(",'$ime',
'$adresa','$mail','$pol',$id_grad,'$user','$password')";
               $rez_upis = mysql_query($upit_upis, $konekcija);
               if($rez_upis){
                       $upit="SELECT id_korisnik1 FROM korisnici1 WHERE user='$user'";
                        $rez=mysql_query($upit);
                        if(mysql_num_rows($rez)==1){
                               $red=mysql_fetch_array($rez);
```

```
$upit1="INSERT INTO uloga_korisnici
VALUES(",2,".$red['id_korisnik1'].")";
                              $rez1=mysql_query($upit1);
                      }
               }
       }
       }
        include('kraj.php');
       ?>
</div>
</div>
</body>
<html>
Obrada.php
<?php
 @$proizvodjac=$_GET['id'];
include('konekcija.php');
$upit='SELECT *
    FROM model
               WHERE id_proizvodjac='.$proizvodjac;
$rezultat=mysql_query($upit,$konekcija) or die(
"Greska-upit".mysql_error());
echo "<select name='ddlmodel'>";
```

```
echo "<option value='Izaberite' selected>Izaberite</option>";
while($red=mysql_fetch_array($rezultat)){
        echo "<option value=".$red['id_model'].">".$red['naziv_modela']."</option>";
}
echo "</select>";
?>
Povezivanje.php
<?php
include('konekcija.php');
$upit="SELECT *
       FROM model m
       WHERE naziv_modela LIKE '%'".$_GET['search']."'%'";
$rezultat=mysql_query($upit,$konekcija) or die("Greska-upit".mysql_error());
$row_cnt=$rezultat->num_rows;
if($row_cnt>0){
        echo "
         <h4 align='center'>Rezultati pretrage</h4>
               <div class='table-responsive'>
```

```
Naziv
           Idmodela
           Idproizvodjac
           link
           ";
           while($row=$result->fetch_assoc()){
                 $ime=$row['naziv_modela'];
                 $Idmodel=$['id_model'];
                 $Idpoizvodjac=$['id_proizvodjac'];
                 $link=['link_model'];
                 ?>
<?php echo $ime ?>
<?php echo $Idmodel ?>
```

```
<?php echo $Idpoizvodjac ?>
<?php
echo $link
?>
<?php }
}else{
       echo "Nema rezultata";
}
Css
Menu.css
#meni{
      float:left;
      width:200px;
}
#meni, #meni ul{
      list-style-type:none;
      padding:0px;
      margin: 0px;
```

```
}
#meni li{
       cursor:pointer;
}
#meni li a{
       text-decoration:none;
}
#meni>li>a{
       padding:2px 10px;
       font-weight:bold;
}
#meni li li{
       cursor:auto;
       border:0px;
        padding: 0px 14px;
}
#disclaimer,#into{
       width:400px;
}
a:hover{
       text-decoration:none;
```

```
}
```

Stil.css

```
body{
```

```
margin:0 auto;
        background-image: url("slike/bc4.gif");
        background-repeat: repeat-x;
        background-position: bottom;
        margin-top: 200px;
        margin:0px; font-family:'Open Sans',sans-serif,arial,helvetica,verdana
}
#okvir{
        margin: auto;
       width:1000px;
        margin-top:100px;
        background:white;
}
#zaglavlje{
       float:left;
       width:998px;
        min-height:100px;
       text-align:center;
```

```
/*border-bottom:1px solid grey;*/
}
#sadrzaj{
       float:left;
        width:998px;
        height:auto;
        min-height:550px;
        margin-top:60px;
}
#sadrzaj_levo{
       float:left;
       width:200px;
        min-height:740px;
        padding:5px;
        border-right:1px solid gray;
}
#sadrzaj_levo_div{
       float:left;
       width:190px;
        height:auto;
        padding:5px;
        margin-top:5px;
```

```
/*border:1x solid silver;*/
       margin-bottom:5px;
}
#sadrzaj_centar{
       float:left;
       width:550px;
       min-height:740px;
       padding:5px;
       /*border-right:1px solid grey;*/
       padding-top:5px;
}
#sadrzaj_centar h2{
       background:#C8DEF7;
       font-size:14px;
       text-align:center;
       text-transform:uppercase;
       color:grey;
       font-weight:bold;
       padding:0px;
       margin-bottom:10px;
       margin-top:5px;
}
#sadrzaj_desno{
       float:left;
```

```
width:200px;
        min-height:740px;
        padding:5px;
}
#sadrzaj_desno_div{
       float:left;
       width:200px;
        height:auto;
        padding:5px;
       /*border:1px solid silver;*/
        margin-bottom:5px;
}
h2{
        background:white;
       font-size:14px;
       text-align:center;
       text-transform:uppercase;
       color:grey;
       font-weight:bold;
        padding:0px;
        margin:0px;
}
#futer{
       float:left;
```

```
width:990px;
        padding:5px;
       text-align:center;
       font-weight:bold;
        background:white;
        margin-top:50px;
}
#rezultat{
       display:inline;
}
.krug{
       list-style-type: none;
}
a:hover{
       text-decoration: none;
}
/* video u boostrapu*/
.video-section .pattern-overlay {
background-color: rgba(71, 71, 71, 0.59);
padding: 110px 0 32px;
```

```
min-height: 496px;
/* Incase of overlay problems just increase the min-height*/
}
.video-section h1, .video-section h3{
text-align:center;
color:#fff;
.video-section h1{
font-size:110px;
font-family: 'Buenard', serif;
font-weight:bold;
text-transform: uppercase;
margin: 40px auto 0px;
text-shadow: 1px 1px 1px #000;
-webkit-text-shadow: 1px 1px 1px #000;
-moz-text-shadow: 1px 1px 1px #000;
}
.video-section h3{
font-size: 25px;
font-weight:lighter;
margin: 0px auto 15px;
}
.video-section .buttonBar{display:none;}
.player {font-size: 1px;}
```

```
/* search*/
#flipkart-navbar {
  background-color: #2874f0;
  color: #FFFFFF;
}
.row1{
  padding-top: 10px;
}
.row2 {
  padding-bottom: 20px;
}
.flipkart-navbar-input {
  padding: 11px 16px;
  border-radius: 2px 0 0 2px;
  border: 0 none;
  outline: 0 none;
  font-size: 15px;
}
.flipkart-navbar-button {
  background-color: #ffe11b;
  border: 1px solid #ffe11b;
```

```
border-radius: 0 2px 2px 0;
  color: #565656;
  padding: 10px 0;
  height: 43px;
  cursor: pointer;
}
.cart-button {
  background-color: #2469d9;
  box-shadow: 0 2px 4px 0 rgba(0, 0, 0, .23), inset 1px 1px 0 0 hsla(0, 0%, 100%, .2);
  padding: 10px 0;
  text-align: center;
  height: 41px;
  border-radius: 2px;
  font-weight: 500;
  width: 120px;
  display: inline-block;
  color: #FFFFFF;
  text-decoration: none;
  color: inherit;
  border: none;
  outline: none;
}
.cart-button:hover{
```

```
text-decoration: none;
  color: #fff;
  cursor: pointer;
}
.cart-svg {
  display: inline-block;
  width: 16px;
  height: 16px;
  vertical-align: middle;
  margin-right: 8px;
}
.item-number {
  border-radius: 3px;
  background-color: rgba(0, 0, 0, .1);
  height: 20px;
  padding: 3px 6px;
  font-weight: 500;
  display: inline-block;
  color: #fff;
  line-height: 12px;
  margin-left: 10px;
}
```

```
.upper-links {
  display: inline-block;
  padding: 0 11px;
  line-height: 23px;
  font-family: 'Roboto', sans-serif;
  letter-spacing: 0;
  color: inherit;
  border: none;
  outline: none;
  font-size: 12px;
}
.dropdown {
  position: relative;
  display: inline-block;
  margin-bottom: 0px;
}
.dropdown:hover {
  background-color: #fff;
}
.dropdown:hover .links {
  color: #000;
}
```

```
.dropdown:hover .dropdown-menu {
  display: block;
}
.dropdown .dropdown-menu {
  position: absolute;
  top: 100%;
  display: none;
  background-color: #fff;
  color: #333;
  left: 0px;
  border: 0;
  border-radius: 0;
  box-shadow: 0 4px 8px -3px #555454;
  margin: 0;
  padding: 0px;
}
.links {
  color: #fff;
 text-decoration: none;
}
.links:hover {
```

```
color: #fff;
  text-decoration: none;
}
.profile-links {
  font-size: 12px;
  font-family: 'Roboto', sans-serif;
  border-bottom: 1px solid #e9e9e9;
  box-sizing: border-box;
  display: block;
  padding: 0 11px;
  line-height: 23px;
}
.profile-li{
  padding-top: 2px;
}
.largenav {
  display: none;
}
.smallnav{
  display: block;
}
```

```
. small search \{
  margin-left: 15px;
  margin-top: 15px;
}
.menu{
  cursor: pointer;
}
@media screen and (min-width: 768px) {
  .largenav {
    display: block;
  }
  .smallnav{
    display: none;
  }
  . small search \{
    margin: 0px;
  }
}
/*Sidenav*/
.sidenav {
  height: 100%;
```

```
width: 0;
  position: fixed;
  z-index: 1;
  top: 0;
  left: 0;
  background-color: #fff;
  overflow-x: hidden;
  transition: 0.5s;
  box-shadow: 0 4px 8px -3px #555454;
  padding-top: 0px;
}
.sidenav a {
  padding: 8px 8px 8px 32px;
  text-decoration: none;
  font-size: 25px;
  color: #818181;
  display: block;
  transition: 0.3s
}
.sidenav .closebtn {
  position: absolute;
  top: 0;
  right: 25px;
```

```
font-size: 36px;
  margin-left: 50px;
  color: #fff;
}
@media screen and (max-height: 450px) {
.sidenav a {font-size: 18px;}
}
.sidenav-heading{
  font-size: 36px;
  color: #fff;
}
Register.css
*{
margin:0;
padding:0;
}
h1 {
font-size: 2em;
font-family: "Core Sans N W01 35 Light";
font-weight: normal;
margin: .67em 0;
display: block;
```

```
}
#registered {
  margin-top: 50px;
}
#registered img {
  margin-bottom: 0px;
  width: 100px;
  height: 100px;
}
#registered span {
  clear: both;
  display: block;
}
img {
  margin-bottom: 20px;
}
.avatar {
  margin: 10px 0 20px 0;
}
```

```
.module{
position:relative;
 top:10%;
 height:65%;
width:450px;
 margin-left:auto;
 margin-right:auto;
}
.user {
  color: #66d8fc;
 font-weight: bold;
}
.userlist {
  float:left;
  padding: 30px;
}
.userlist span {
  color: #0590fc;
}
. welcome \{\\
 position:relative;
```

```
top:30%;
height:65%;
width:900px;
margin-left:auto;
margin-right:auto;
margin-top: 50px;
}
::-moz-selection {
background: #19547c;
}
::selection {
background: #19547c;
}
input::-moz-selection {
background: #037db6;
}
input::selection {
background: #037db6;
}
body{
color: #fff;
background-color:#f0f0f0;
font-family:helvetica;
```

```
background:url('slike/rsz_bg1.jpg') #0f2439 no-repeat center top;
}
.body-content{
position:relative;
top:20px;
height:700px;
width:800px;
margin-left:auto;
margin-right:auto;
background: transparent;
}
select,
textarea,
input[type="text"],
input[type="password"],
input[type="email"]
{
height:30px;
width:100%;;
display: inline-block;
vertical-align: middle;
height: 34px;
 padding: 0 10px;
```

```
margin-top: 3px;
 margin-bottom: 10px;
font-size: 15px;
 line-height: 20px;
 border: 1px solid rgba(255, 255, 255, 0.3);
 background-color: rgba(0, 0, 0, 0.5);
color: rgba(255, 255, 255, 0.7);
-moz-box-sizing: border-box;
 box-sizing: border-box;
border-radius: 2px;
}
select,
textarea,
input[type="text"],
input[type="password"],
input[type="email"] {
-webkit-appearance: none;
-moz-appearance: none;
-ms-appearance: none;
 appearance: none;
-webkit-transition: background-position 0.2s, background-color 0.2s, border-color 0.2s, box-shadow
0.2s;
transition: background-position 0.2s, background-color 0.2s, border-color 0.2s, box-shadow 0.2s;
}
select:hover,
```

```
textarea:hover,
input[type="text"]:hover,
input[type="password"]:hover,
input[type="email"]:hover {
 border-color: rgba(255, 255, 255, 0.5);
 background-color: rgba(0, 0, 0, 0.5);
 color: rgba(255, 255, 255, 0.7);
}
select:focus,
textarea:focus,
input[type="text"]:focus,
input[type="password"]:focus,
input[type="email"]:focus {
 border: 2px solid;
 border-color: #1e5f99;
 background-color: rgba(0, 0, 0, 0.5);
 color: #ffffff;
}
.btn {
 text-overflow: ellipsis;
 white-space: nowrap;
 overflow: hidden;
 margin: 3px 0;
 padding: 6px 20px;
 font-size: 15px;
```

```
line-height: 20px;
 height: 34px;
 background-color: rgba(0, 0, 0, 0.15);
 color: #00aeff;
 border: 1px solid rgba(255, 255, 255, 0.15);
 box-shadow: 0 0 rgba(0, 0, 0, 0);
 border-radius: 2px;
 -webkit-transition: background-color 0.2s, box-shadow 0.2s, background-color 0.2s, border-color 0.2s,
color 0.2s;
 transition: background-color 0.2s, box-shadow 0.2s, background-color 0.2s, border-color 0.2s, color
0.2s;
}
.btn.active,
.btn:active {
 padding: 7px 19px 5px 21px;
}
.btn.disabled:active,
.btn[disabled]:active,
.btn.disabled.active,
.btn[disabled].active {
 padding: 6px 20px !important;
}
.btn:hover,
.btn:focus {
 background-color: rgba(0, 0, 0, 0.25);
 color: #ffffff;
```

```
border-color: rgba(255, 255, 255, 0.3);
 box-shadow: 0 0 rgba(0, 0, 0, 0);
}
.btn:active,
.btn.active {
 background-color: rgba(0, 0, 0, 0.15);
 color: rgba(255, 255, 255, 0.8);
 border-color: rgba(255, 255, 255, 0.07);
 box-shadow: inset 1.5px 1.5px 3px rgba(0, 0, 0, 0.5);
}
.btn-primary {
 background-color: #098cc8;
 color: #ffffff;
 border: 1px solid transparent;
 box-shadow: 0 0 rgba(0, 0, 0, 0);
 border-radius: 2px;
 -webkit-transition: background-color 0.2s, box-shadow 0.2s, background-color 0.2s, border-color 0.2s,
color 0.2s;
 transition: background-color 0.2s, box-shadow 0.2s, background-color 0.2s, border-color 0.2s, color
0.2s;
 background-image: -webkit-linear-gradient(top, #0f9ada, #0076ad);
 background-image: linear-gradient(to bottom, #0f9ada, #0076ad);
 border: 0;
 box-shadow: 0 1px 1px rgba(0, 0, 0, 0.3), 0 0 0 1px rgba(255, 255, 255, 0.15) inset;
.btn-primary:hover,
```

```
.btn-primary:focus {
 background-color: #21b0f1;
 color: #ffffff;
 border-color: transparent;
 box-shadow: 0 0 rgba(0, 0, 0, 0);
.btn-primary:active,
.btn-primary.active {
 background-color: #006899;
 color: rgba(255, 255, 255, 0.7);
 border-color: transparent;
 box-shadow: inset 1.5px 1.5px 3px rgba(0, 0, 0, 0.5);
}
.btn-primary:hover,
.btn-primary:focus {
 background-image: -webkit-linear-gradient(top, #37c0ff, #0097dd);
 background-image: linear-gradient(to bottom, #37c0ff, #0097dd);
}
.btn-primary:active,
.btn-primary.active {
 background-image: -webkit-linear-gradient(top, #006ea1, #00608d);
 background-image: linear-gradient(to bottom, #006ea1, #00608d);
 box-shadow: 1px 1px 2px rgba(0, 0, 0, 0.6) inset, 0 0 0 1px rgba(255, 255, 255, 0.07) inset;
}
.btn-block {
```

```
display: block;
 width: 100%;
 padding-left: 0;
 padding-right: 0;
}
.alert {
 -moz-box-sizing: border-box;
 box-sizing: border-box;
 padding: 4px 20px 4px 20px;
 font-size: 13px;
 line-height: 20px;
 margin-bottom: 20px;
 text-shadow: none;
 position: relative;
 background-color: #272e3b;
 color: rgba(255, 255, 255, 0.7);
 border: 1px solid #000;
 box-shadow: 0 0 0 1px #363d49 inset, 0 5px 10px rgba(0, 0, 0, 0.75);
}
.alert-error {
 color: #f00;
 background-color: #360e10;
 box-shadow: 0 0 0 1px #551e21 inset, 0 5px 10px rgba(0, 0, 0, 0.75);
}
```

```
.alert:empty{
  display: none;
}
.alert-success {
color: #21ec0c;
background-color: #15360e;
box-shadow: 0 0 0 1px #2a551e inset, 0 5px 10px rgba(0, 0, 0, 0.75);
}
Sidebar.css - ovaj css kod je uzet
body{
color: #fff;
background-color:#f0f0f0;
font-family:helvetica;
background:url('slike/rsz_bg2.jpg') #0f2439 no-repeat center top;
}
/* Sidebar */
#sidebar-wrapper {
  z-index: 1;
  position: absolute;
  width: 0;
  height: 100%;
  overflow-y: hidden;
  background: #2C3E50;
 /* border: 2px solid red;*/
```

```
opacity: 0.9;
}
/* Always take up entire screen */
#page-content-wrapper {
  width: 100%;
  position: absolute;
  padding: 15px;
  /*border: 5px solid blue;*/
}
/* Change with of sidebar from 0 to 250px */
#wrapper.menuDisplayed #sidebar-wrapper {
  width: 250px;
}
/* Since we added left padding, we need to shrink the width by 250px */
#wrapper.menuDisplayed #page-content-wrapper {
  padding-left: 250px;
}
/* Sidebar styling - the entire ul list */
.sidebar-nav {
```

```
padding: 0;
  list-style: none;
}
.sidebar-nav li {
  text-indent: 20px;
  line-height: 40px;
}
.sidebar-nav li a {
  display: block;
  text-decoration: none;
  color: #ddd;
}
.sidebar-nav li a:hover {
  background: #16A085;
}
.color{
        color:#5c5c5c;
}
```

Java script i jquery

Ajax.js

var xmlHttp=null;

```
function GetXmlHttpObject();
{
       try{
               xmlHttp=new XMLHttpRequest();
       }
       catch(e){
              try{
                      xmlHttp=new ActiveXObject("Msxml2.XMLHTTP");
               }
              catch(e){
                      xmlHttp=new ActiveXObject("Microsoft.XMLHTTP");
               }
       }
       return xmlHttp;
}
function setOutput(){
       if(xmlHttp.readyState=4){
               document.getElementById('rezultat').innerHTML=xmlHttp.responseText;
       }
}
function prikaz(){
       xmlHttp=GetXmlHttpObject();
       var proizvodjac=document.getElementById('proizvodjac1').value;
```

```
if(xmlHttp!=null){
               xmlHttp.open("GET","obrada.php?id="+proizvodjac,true);
               xmlHttp.send(null);
               xmlHttp.onreadystatechange=setOutput;
       }
}
Search.js
function openNav() {
  document.getElementById("mySidenav").style.width = "70%";
  // document.getElementById("flipkart-navbar").style.width = "50%";
  document.body.style.backgroundColor = "rgba(0,0,0,0.4)";
}
function closeNav() {
  document.getElementById("mySidenav").style.width = "0";
  document.body.style.backgroundColor = "rgba(0,0,0,0)";
```

}

Baza




Anketa



Grad



Korisnici1



Meni

←T			∇	id_meni	ime_linka	link	roditelj	id_uloge
	<i>⊘</i> Edi	t 🛂 Copy	Delete	1	POCETNA STRANA	index.php	0	2
	<i>⊘</i> Edi	t ≩ € Copy	Delete	2	ADMIN panel [upis]	unos.php	0	1
	<i></i> €di	t ≩ ∔ Copy	Delete	3	KONTAKT	sidebar.php	0	2
	<i>⊘</i> Edi	t ≩≟ Copy	Delete	4	GALERIJA	index.php	0	2
↑		Check all	With se	elected: 🎸	Æ Edit Æ Copy	Delete	Export	

Model

←T	→		\Rightarrow	id_model	id_proizvodjac	naziv_modela	link_model
	Ø Edit	≟ Сору	Delete	1	1	Lumia 1020	galerija.php
		≩ сору	Delete	2	1	Lumia 1320	galerija.php
	Ø Edit	≩- Сору	Delete	3	1	Lumia 1520	galerija.php
		≩ сору	Delete	4	1	Lumia 510	galerija.php
	Ø Edit	≩- Сору	Delete	5	2	Galaxy Xcover 4	galerija.php
		≩ сору	Delete	6	2	Galaxy C7 Pro	galerija.php
	Ø Edit	≟ Сору	Delete	7	2	Galaxy J2 Ace	galerija.php
		≩ сору	Delete	8	2	Galaxy J1	galerija.php
	Ø Edit	≟ Сору	Delete	9	2	Galaxy A7	galerija.php
		≩ сору	Delete	10	2	Galaxy A5	galerija.php
	Ø Edit	≩ сору	Delete	11	3	Huawei P9	
		≩ сору	Delete	12	3	Huawei Y6	
	Ø Edit	≩- Сору	Delete	13	3	Huawei Y5 II dual	
		≩ сору	Delete	14	3	Huawei P8 Lite dual	
	Edit	≩ Copy	Delete	15	3	Huawei P9 Lite	

Proizvodjac

← 	$\overline{}$	id_proizvodjac	naziv_proizvodjaca
	Delete	1	NOKIA
☐ Ø Edit ♣ Copy (Delete	2	SAMSUNG
	Delete	3	HUAWEI
☐ Ø Edit औ Copy (Delete	4	apple

Telefon

<u>·</u>	id_telefon	id_model	boja	kamera	status	slika	status_slika	cena	godina_proizvodnje
☐ Ø Edit ♣ Copy Delete	1	1	crna	Orijentacija sočiva: sa prednje strane, Broj piks	Novi	lumia1020.jpg	0	35000	2012
	2	4	crna	trenutno nema kameru	Polovan	lumia510.jpg	1	15000	2012
☐ Ø Edit ♣ Copy Delete	3	6	bela	Broj piksela senzora : 5 megapiksela, Rezolucija	Nov	galaxyc7.jpg	0	21000	2016
Copy Delete	4	8	bela	Primarna kamera 5 MP, Video 720p@30fps, Pomoćna	Nov	galaxyj1.jpg	1	32000	2015
	5	10	pink	Broj piksela senzora : 16 megapiksela, Rezoluci	Polovan	galaxya5.jpg	0	27000	2009
	6	3	crna	20 MP, 4992 x 3744 pixels, Carl Zeiss optics, opti	Nov	lumia1520.jpg	0	42000	2013
Opp Goldete	7	7	pink	Prednja kamera rezolucije 5MP, glavna kamera 13MP	Polovan	galaxyj2ace.jpg	0	23000	2013
☐ Ø Edit ♣ Copy Delete	8	2	crna	Video zapip: check quality, Zadnja kamera: 5 MP,	Nov	lumia1320.jpg	0	31000	0
☐ Ø Edit ♣ Copy Delete	9	9	bela	Broj piksela senzora : 13.0 megapiksela, Rezoluci	Nov	galaxyj1.jpg	0	28000	2016
	10	5	siva	2 MP prednja kamera, 5MP glavna kamera sa autofoku	Polovan	galaxy4.jpg	0	26000	2010
	11	11	crna	12 MP / 8 MP kamere	Nov	huaweip7.png	0	25000	2014
☐ Ø Edit ♣ Copy ⊜ Delete	12	15	crna	13 MP / 8 MP kamere	Nov	huaweip9.png	0	28000	2016
☐ Ø Edit ♣ Copy Delete	13	13	crna	8 MP / 2 MP kamere, Quad-core / 1 GB platforma	Polovan	huaweiy6.png	0	18000	2014
☐ Ø Edit ♣ Copy Delete	14	12	crna	8 MP / 2 MP kamere, Quad-core / 1 GB platforma	Nov	huaweiy5.png	0	29000	2016
	15	14	crna	13 MP / 5 MP kamere, Octa-core / 2 GB platforma	Nov	huaweip8.png	0	29000	2016

Uloga_korisnici

۲	_→		$\overline{}$	id_uloga_korisnici	id_uloge	id_korisnik1
	Edit	≩- Copy	Delete	1	1	1
	Edit	≟ Copy	Delete	2	2	2
	Edit	≟ Copy	Delete	3	2	9
	Edit	≩ сору	Delete	4	2	10