

```

In[1]:= rawData10 = Transpose[
  Import[
    "/home/neofelia/Desktop/Bachelor/static_lambda/histograms/n0l07range10width1.csv",
    "Data", "HeaderLines" → 1]];
value10 = rawData10[[3]];
counter10 = rawData10[[4]];
maxCounter = Max[counter10];
hist10 = Transpose[{value10, counter10 / maxCounter}];

rawData20 = Transpose[
  Import[
    "/home/neofelia/Desktop/Bachelor/static_lambda/histograms/n0l07range20width1.csv",
    "Data", "HeaderLines" → 1]];
value20 = rawData20[[3]];
counter20 = rawData20[[4]];
maxCounter20 = Max[counter20];
hist20 = Transpose[{value20, counter20 / maxCounter20}];

rawData30 = Transpose[
  Import[
    "/home/neofelia/Desktop/Bachelor/static_lambda/histograms/n0l07range30width1.csv",
    "Data", "HeaderLines" → 1]];
value30 = rawData30[[3]];
counter30 = rawData30[[4]];
maxCounter30 = Max[counter30];
hist30 = Transpose[{value30, counter30 / maxCounter30}];

rawData40 = Transpose[
  Import[
    "/home/neofelia/Desktop/Bachelor/static_lambda/histograms/n0l07range40width1.csv",
    "Data", "HeaderLines" → 1]];
value40 = rawData40[[3]];
counter40 = rawData40[[4]];
maxCounter40 = Max[counter40];
hist40 = Transpose[{value40, counter40 / maxCounter40}];

```

```

In[21]:= rawData110 = Transpose[
    Import[
        "/home/neofelia/Desktop/Bachelor/static_lambda/histograms/n0l07range110width1.csv",
        "Data", "HeaderLines" → 1]];
value110 = rawData110[[3]];
counter110 = rawData110[[4]];
maxCounter110 = Max[counter110];
hist110 = Transpose[{value110, counter110/maxCounter110}];


rawData120 = Transpose[
    Import[
        "/home/neofelia/Desktop/Bachelor/static_lambda/histograms/n0l07range120width1.csv",
        "Data", "HeaderLines" → 1]];
value120 = rawData120[[3]];
counter120 = rawData120[[4]];
maxCounter120 = Max[counter120];
hist120 = Transpose[{value120, counter120/maxCounter120}];

rawData130 = Transpose[
    Import[
        "/home/neofelia/Desktop/Bachelor/static_lambda/histograms/n0l07range130width1.csv",
        "Data", "HeaderLines" → 1]];
value130 = rawData130[[3]];
counter130 = rawData130[[4]];
maxCounter130 = Max[counter130];
hist130 = Transpose[{value130, counter130/maxCounter130}];

rawData140 = Transpose[
    Import[
        "/home/neofelia/Desktop/Bachelor/static_lambda/histograms/n0l07range140width1.csv",
        "Data", "HeaderLines" → 1]];
value140 = rawData140[[3]];
counter140 = rawData140[[4]];
maxCounter140 = Max[counter140];
hist140 = Transpose[{value140, counter140/maxCounter140}];


```

```
In[41]:= ListPlot[hist10, Filling -> Axis, PlotRange -> All, PlotStyle -> Blue]
```




```
In[42]:= nlm10 = NonlinearModelFit[hist10,
  A0 / Sqrt[2 * π * σ^2] * Exp[-(x - μ)^2 / (2 * σ^2)], {{A0}, {σ}, {μ, 10}}, x];
Normal[nlm10];
nlm10["BestFitParameters"]
(*nlm["FitResiduals"] ; *)
Show[ListPlot[hist10, PlotRange -> All],
  Plot[nlm10[x], {x, 0, 200}, PlotRange -> {{0, 200}, {0, 100}}, PlotStyle -> {Thick, Red}]]
```

Out[44]= {A0 -> 7.77589, σ -> 3.0537, μ -> 8.11641}




```
In[46]:= ListPlot[{hist20}, Filling -> Axis, PlotRange -> All, PlotStyle -> Blue]
```




```
In[47]:=
```

```
n1m20 = NonlinearModelFit[hist20,
  A0 / Sqrt[2 * π * σ ^ 2] * e ^ (- (x - μ) ^ 2 / (2 * σ)), {{A0}, {σ}, {μ, 40}}, x];
Normal[n1m20];
n1m10["BestFitParameters"]
(*n1m["FitResiduals"] ; *)
Show[ListPlot[hist20, PlotRange -> All],
  Plot[n1m20[x], {x, 0, 200}, PlotRange -> {{0, 200}, {0, 100}}, PlotStyle -> {Thick, Red}]]
```

Out[49]= {A0 -> 7.77589, σ -> 3.0537, μ -> 8.11641}




```
In[51]:= ListPlot[{hist30}, Filling -> Axis, PlotRange -> All, PlotStyle -> Blue]
```




```
In[52]:=
```

```
n1m30 = NonlinearModelFit[hist30,
  A0 / Sqrt[2 * π * σ^2] * Exp[-(x - μ)^2 / (2 * σ^2)], {{A0}, {σ}, {μ, 70}}, x];
Normal[n1m30];
n1m30["BestFitParameters"]
(*n1m["FitResiduals"] ; *)
Show[ ListPlot[hist30, PlotRange -> All],
  Plot[n1m30[x], {x, 0, 200}, PlotRange -> {{0, 200}, {0, 100}}, PlotStyle -> {Thick, Red} ]]
```

Out[54]= {A0 -> 85.0576, σ -> 41.2483, μ -> 56.1274}




```
In[56]:= ListPlot[{hist40}, Filling -> Axis, PlotRange -> All, PlotStyle -> Blue]
```




```
In[57]:= nlm40 = NonlinearModelFit[hist40,
      A0 / Sqrt[2 *  $\pi$  *  $\sigma^2$ ] *  $e^{-(x - \mu)^2 / (2 * \sigma^2)}$ ], {{A0}, { $\sigma$ }, { $\mu$ , 120}}, x];
Normal[nlm40];
nlm40["BestFitParameters"]
(*nlm["FitResiduals"] ; *)
Show[ ListPlot[hist40, PlotRange -> All],
      Plot[nlm40[x], {x, 0, 200}, PlotRange -> {{0, 200}, {0, 100}}, PlotStyle -> {Thick, Red} ]]
```

Out[59]= {A0 -> 145.53,  $\sigma$  -> 74.7055,  $\mu$  -> 82.4672}




```
In[61]:= ListPlot[{hist110}, Filling -> Axis, PlotRange -> All, PlotStyle -> Blue]
```



```
In[85]:=
```


```
nlm110 = NonlinearModelFit[hist110,
  A0 / Sqrt[2 * π * σ^2] * e^(-(x - μ)^2 / (2 * σ^2)), {{A0}, {σ}, {μ, 250}}, x];
Normal[nlm110];
nlm110["BestFitParameters"]
(*nlm["FitResiduals"] ; *)
Show[ListPlot[hist110, PlotRange -> All],
  Plot[nlm110[x], {x, 0, 600}, PlotRange -> {{0, 600}, {0, 100}}, PlotStyle -> {Thick, Red}]]
```

```
Out[87]= {A0 -> 577.116, σ -> 287.114, μ -> 275.207}
```




In[66]:=

```
ListPlot[{hist120}, Filling -> Axis, PlotRange -> All, PlotStyle -> Blue]
```



```
In[89]:= nlm120 = NonlinearModelFit[hist120,
      A0 / Sqrt[2 * π * σ^2] * e^(-(x - μ)^2 / (2 * σ)), {{A0}, {σ}, {μ, 350}}, x];
Normal[nlm120];
nlm120["BestFitParameters"]
(*nlm["FitResiduals"] ; *)
Show[ListPlot[hist120, PlotRange -> All],
      Plot[nlm120[x], {x, 0, 600}, PlotRange -> {{0, 600}, {0, 100}}, PlotStyle -> {Thick, Red}]]
```


Out[91]= {A0 -> 542.631, σ -> 325.662, μ -> 303.349}






In[71]:=

```
ListPlot[{hist130}, Filling -> Axis, PlotRange -> All, PlotStyle -> Blue]
```




```
In[93]:= nlm130 = NonlinearModelFit[hist130,
      A0 / Sqrt[2 * π * σ^2] * e^(-(x - μ)^2 / (2 * σ)), {{A0}, {σ}, {μ, 400}}, x];
Normal[nlm130];
nlm130["BestFitParameters"]
(*nlm["FitResiduals"] ; *)
Show[ListPlot[hist130, PlotRange -> All],
      Plot[nlm130[x], {x, 0, 600}, PlotRange -> {{0, 600}, {0, 100}}, PlotStyle -> {Thick, Red}]]
```

Out[95]= {A0 -> 607.982, σ -> 358.128, μ -> 330.471}



```
In[76]:= ListPlot[{hist140}, Filling -> Axis, PlotRange -> All, PlotStyle -> Blue]
```



```
In[97]:= nlm140 = NonlinearModelFit[hist140,
  A0 / Sqrt[2 * π * σ^2] * e^(- (x - μ)^2 / (2 * σ^2)), {{A0}, {σ}, {μ, 350}}, x];
Normal[nlm140];
nlm140["BestFitParameters"]
(*nlm["FitResiduals"] ; *)
Show[ ListPlot[hist140, PlotRange -> All],
  Plot[nlm140[x], {x, 0, 800}, PlotRange -> {{0, 800}, {0, 100}}, PlotStyle -> {Thick, Red} ]]
```

Out[99]= {A0 -> 650.081, σ -> 386.417, μ -> 358.249}

