

A Comparative Study of Monolithic and Modular Backend Architectures in a Full-Stack Issue Tracking Web Application

Mireya Francesca Vella

Institute of Information and Communication Technology

Malta College of Arts, Science and Technology

Paola, Malta

mireya.vella.i85114@mcast.edu.mt

Abstract—This document is a model and instructions for $\text{\LaTeX}$. This and the `IEEEtran.cls` file define the components of your paper [title, text, heads, etc.]. ***CRITICAL: Do Not Use Symbols, Special Characters, Footnotes, or Math in Paper Title or Abstract.**

Index Terms—component, formatting, style, styling, insert

I. INTRODUCTION

This document is a model and instructions for $\text{\LaTeX}$. Please observe the conference page limits.

II. EASE OF USE

A. Maintaining the Integrity of the Specifications

The `IEEEtran` class file is used to format your paper and style the text. All margins, column widths, line spaces, and text fonts are prescribed; please do not alter them. You may note peculiarities. For example, the head margin measures proportionately more than is customary. This measurement and others are deliberate, using specifications that anticipate your paper as one part of the entire proceedings, and not as an independent document. Please do not revise any of the current designations.

III. PREPARE YOUR PAPER BEFORE STYLING

Before you begin to format your paper, first write and save the content as a separate text file. Complete all content and organizational editing before formatting. Please note sections III-A–III-E below for more information on proofreading, spelling and grammar.

Keep your text and graphic files separate until after the text has been formatted and styled. Do not number text heads— $\text{\LaTeX}$ will do that for you.

A. Abbreviations and Acronyms

Define abbreviations and acronyms the first time they are used in the text, even after they have been defined in the abstract. Abbreviations such as IEEE, SI, MKS, CGS, ac, dc, and rms do not have to be defined. Do not use abbreviations in the title or heads unless they are unavoidable.

Identify applicable funding agency here. If none, delete this.

B. Units

- Use either SI (MKS) or CGS as primary units. (SI units are encouraged.) English units may be used as secondary units (in parentheses). An exception would be the use of English units as identifiers in trade, such as “3.5-inch disk drive”.
- Avoid combining SI and CGS units, such as current in amperes and magnetic field in oersteds. This often leads to confusion because equations do not balance dimensionally. If you must use mixed units, clearly state the units for each quantity that you use in an equation.
- Do not mix complete spellings and abbreviations of units: “Wb/m²” or “webers per square meter”, not “webers/m²”. Spell out units when they appear in text: “. . . a few henries”, not “. . . a few H”.
- Use a zero before decimal points: “0.25”, not “.25”. Use “cm³”, not “cc”).

C. Equations

Number equations consecutively. To make your equations more compact, you may use the solidus (/), the `exp` function, or appropriate exponents. Italicize Roman symbols for quantities and variables, but not Greek symbols. Use a long dash rather than a hyphen for a minus sign. Punctuate equations with commas or periods when they are part of a sentence, as in:

$$a + b = \gamma \tag{1}$$

Be sure that the symbols in your equation have been defined before or immediately following the equation. Use “(1)”, not “Eq. (1)” or “equation (1)”, except at the beginning of a sentence: “Equation (1) is . . .”

D. $\text{\LaTeX}$ -Specific Advice

Please use “soft” (e.g., `\eqref{Eq}`) cross references instead of “hard” references (e.g., (1)). That will make it possible to combine sections, add equations, or change the order of figures or citations without having to go through the file line by line.

Please don't use the `{eqnarray}` equation environment. Use `{align}` or `{IEEEeqnarray}` instead. The `{eqnarray}` environment leaves unsightly spaces around relation symbols.

Please note that the `{subequations}` environment in L^AT_EX will increment the main equation counter even when there are no equation numbers displayed. If you forget that, you might write an article in which the equation numbers skip from (17) to (20), causing the copy editors to wonder if you've discovered a new method of counting.

BIB_TE_X does not work by magic. It doesn't get the bibliographic data from thin air but from .bib files. If you use BIB_TE_X to produce a bibliography you must send the .bib files.

L^AT_EX can't read your mind. If you assign the same label to a subsubsection and a table, you might find that Table I has been cross referenced as Table IV-B3.

L^AT_EX does not have precognitive abilities. If you put a `\label` command before the command that updates the counter it's supposed to be using, the label will pick up the last counter to be cross referenced instead. In particular, a `\label` command should not go before the caption of a figure or a table.

Do not use `\nonumber` inside the `{array}` environment. It will not stop equation numbers inside `{array}` (there won't be any anyway) and it might stop a wanted equation number in the surrounding equation.

E. Some Common Mistakes

- The word "data" is plural, not singular.
- The subscript for the permeability of vacuum μ_0 , and other common scientific constants, is zero with subscript formatting, not a lowercase letter "o".
- In American English, commas, semicolons, periods, question and exclamation marks are located within quotation marks only when a complete thought or name is cited, such as a title or full quotation. When quotation marks are used, instead of a bold or italic typeface, to highlight a word or phrase, punctuation should appear outside of the quotation marks. A parenthetical phrase or statement at the end of a sentence is punctuated outside of the closing parenthesis (like this). (A parenthetical sentence is punctuated within the parentheses.)
- A graph within a graph is an "inset", not an "insert". The word alternatively is preferred to the word "alternately" (unless you really mean something that alternates).
- Do not use the word "essentially" to mean "approximately" or "effectively".
- In your paper title, if the words "that uses" can accurately replace the word "using", capitalize the "u"; if not, keep using lower-cased.
- Be aware of the different meanings of the homophones "affect" and "effect", "complement" and "compliment", "discreet" and "discrete", "principal" and "principle".
- Do not confuse "imply" and "infer".
- The prefix "non" is not a word; it should be joined to the word it modifies, usually without a hyphen.

- There is no period after the "et" in the Latin abbreviation "et al".
- The abbreviation "i.e." means "that is", and the abbreviation "e.g." means "for example".

An excellent style manual for science writers is [7].

F. Authors and Affiliations

The class file is designed for, but not limited to, six authors. A minimum of one author is required for all conference articles. Author names should be listed starting from left to right and then moving down to the next line. This is the author sequence that will be used in future citations and by indexing services. Names should not be listed in columns nor group by affiliation. Please keep your affiliations as succinct as possible (for example, do not differentiate among departments of the same organization).

G. Identify the Headings

Headings, or heads, are organizational devices that guide the reader through your paper. There are two types: component heads and text heads.

Component heads identify the different components of your paper and are not topically subordinate to each other. Examples include Acknowledgments and References and, for these, the correct style to use is "Heading 5". Use "figure caption" for your Figure captions, and "table head" for your table title. Run-in heads, such as "Abstract", will require you to apply a style (in this case, italic) in addition to the style provided by the drop down menu to differentiate the head from the text.

Text heads organize the topics on a relational, hierarchical basis. For example, the paper title is the primary text head because all subsequent material relates and elaborates on this one topic. If there are two or more sub-topics, the next level head (uppercase Roman numerals) should be used and, conversely, if there are not at least two sub-topics, then no subheads should be introduced.

H. Figures and Tables

a) *Positioning Figures and Tables:* Place figures and tables at the top and bottom of columns. Avoid placing them in the middle of columns. Large figures and tables may span across both columns. Figure captions should be below the figures; table heads should appear above the tables. Insert figures and tables after they are cited in the text. Use the abbreviation "Fig. 1", even at the beginning of a sentence.

TABLE I
TABLE TYPE STYLES

Table Head	Table Column Head		
	<i>Table column subhead</i>	<i>Subhead</i>	<i>Subhead</i>
copy	More table copy ^a		

^aSample of a Table footnote.

Figure Labels: Use 8 point Times New Roman for Figure labels. Use words rather than symbols or abbreviations when



Fig. 1. Example of a figure caption.

writing Figure axis labels to avoid confusing the reader. As an example, write the quantity “Magnetization”, or “Magnetization, M”, not just “M”. If including units in the label, present them within parentheses. Do not label axes only with units. In the example, write “Magnetization (A/m)” or “Magnetization {A[m(1)]}”, not just “A/m”. Do not label axes with a ratio of quantities and units. For example, write “Temperature (K)”, not “Temperature/K”.

ACKNOWLEDGMENT

The preferred spelling of the word “acknowledgment” in America is without an “e” after the “g”. Avoid the stilted expression “one of us (R. B. G.) thanks ...”. Instead, try “R. B. G. thanks...”. Put sponsor acknowledgments in the unnumbered footnote on the first page.

REFERENCES

- [1] L. F. Al-Qora'n and A. Al-Said Ahmad, “Modular Monolith Architecture in Cloud Environments: A Systematic Literature Review,” *Future Internet*, vol. 17, no. 11, Art. no. 496, 2025, doi: 10.3390/fi17110496.
- [2] R. Su and X. Li, “Modular Monolith: Is This the Trend in Software Architecture?,” in *Proc. 1st Int. Workshop on New Trends in Software Architecture (SATrends '24)*, 2024, doi: 10.1145/3643657.3643911.
- [3] C. Schröder, A. van der Feltz, A. Panichella, and M. Aniche, “Search-Based Software Re-Modularization: A Case Study at Adyen,” in *Proc. IEEE/ACM 43rd Int. Conf. on Software Engineering: Software Engineering in Practice (ICSE-SEIP)*, 2021, pp. 81–90, doi: 10.1109/ICSE-SEIP52600.2021.00017.
- [4] E. Pisch, Y. Cai, R. Kazman, J. Lefever, and H. Fang, “M-score: An Empirically Derived Software Modularity Metric,” in *Proc. ACM/IEEE Int. Symp. on Empirical Software Engineering and Measurement (ESEM)*, pp. 382–392, 2024, doi: 10.1145/3674805.3686697.
- [5] P. Rachow and M. Riebisch, “An Architecture Smell Knowledge Base for Managing Architecture Technical Debt,” in *Proc. IEEE/ACM Int. Conf. on Technical Debt (TechDebt)*, pp. 1–10, 2022, doi: 10.1145/3524843.3528092.
- [6] P. Gnoyke, S. Schulze, and J. Krüger, “Evolution Patterns of Software-Architecture Smells: An Empirical Study of Intra- and Inter-Version Smells,” *Journal of Systems and Software*, vol. 217, Art. no. 112170, 2024, doi: 10.1016/j.jss.2024.112170.
- [7] R. Jolak, S. Karlsson, and F. Dobsław, “An Empirical Investigation of the Impact of Architectural Smells on Software Maintainability,” *Journal of Systems and Software*, vol. 225, Art. no. 112382, 2025, doi: 10.1016/j.jss.2025.112382.
- [8] L. da S. Sousa, W. Oizumi, A. Garcia, A. Oliveira, D. Cedrim, and C. Lucena, “When Are Smells Indicators of Architectural Refactoring Opportunities? A Study of 50 Software Projects,” in *Proc. 28th Int. Conf. on Program Comprehension (ICPC '20)*, 2020, doi: 10.1145/3387904.3389276.
- [9] H. Mumtaz, P. Singh, and K. Blincoe, “A Systematic Mapping Study on Architectural Smells Detection,” *Journal of Systems and Software*, vol. 173, Art. no. 110885, 2021, doi: 10.1016/j.jss.2020.110885.
- [10] A. J. J. Tan, C. Y. Chong, and A. Aleti, “Closing the Loop for Software Remodularisation – REARRANGE: An Effort Estimation Approach for Software Clustering-Based Remodularisation,” in *Companion Proc. IEEE/ACM Int. Conf. on Software Engineering (ICSE-Companion)*, 2023, pp. 326–327, doi: 10.1109/ICSE-Companion58688.2023.00090.
- [11] M. Esposito, M. Robredo, F. Arcelli Fontana, and V. Lenarduzzi, “On the Correlation Between Architectural Smells and Static Analysis Warnings,” *Software Quality Journal*, 2025, doi: 10.1007/s11219-025-09730-7.
- [12] O. Özkan, C. Babur, and B. Tekinerdogan, “Refactoring with Domain-Driven Design in an Industrial Context: An Action Research Report,” *Empirical Software Engineering*, 2023, doi: 10.1007/s10664-023-10310-1.
- [13] D. Sas, P. Avgeriou, R. Kruizinga, and R. Scheedler, “Exploring the Relation Between Co-changes and Architectural Smells,” *SN Computer Science*, 2021, doi: 10.1007/s42979-020-00407-5.
- [14] N. Naveen, R. Singh, and A. Rathee, “Improving Software Modularity Using Software Remodularization: Challenges and Opportunities,” *ITM Web of Conferences*, vol. 54, Art. no. 01008, 2023, doi: 10.1051/itm-conf/20235401008.
- [15] G.-D. Schwarz, F. Quast, and D. Riehle, “Ensuring Syntactic Interoperability Using Consumer-Driven Contract Testing,” *Software Testing, Verification and Reliability*, 2025, doi: 10.1002/stvr.70006.