Abdominal pain (prospective data)

Description

457 records of patients with abdominal pain collected by physicians, and 339 records of patients collected by residents

All records were collected during the clinical trial between July 2003 and February 2004

Created

May 2004

Last update

--

Special features

Data cleaned and reviewed by ...

Clinical attributes

Clinical attributes								
#	Code	Name	Possible values					
1	RecordID	ID of a record (as assigned by the MET database)						
1	VisitID	ID of a visit (as assigned by the MET database)						
2	Age	Age in years	Real-valued, discr lt5y	etized to: < 5 years				
			ge5y	≥ 5 years				
3 4	Sex PainDur	Gender Duration of pain (in hours)	male, female Real-valued, discretized to: LE24H ≤ 24 hours					
			GT24H_LE7D	> 24 hours and ≤ 7 days				
			GT7D	> 7 days				
5 6 7 8 9	PainSite PainType Vomiting PrevVis Temp	Site of pain Type of pain Vomiting Previous visit Temperature (Celsius)	RLQ, lower_abdomen, other intermittent, constant yes, no yes, no Real-valued, discretized to: It37 < 37					
			ge37_le39	≥ 37 and ≤ 39				
12 13	O TendSite 1 Guard 2 RebTend 3 PainShift 4 WBC	Site of tenderness Localized guarding Rebound tenderness Shifting of pain WBC	gt39 RLQ, lower_abdon yes, no yes, no yes, no Real-valued, discr le4 gt4_lt12	etized to: ≤ 4 > 4 and < 12				
			ge12	≥ 12				
15	5 Triage Observer	Final triage category established during follow-up Triage category	discharge, observation, consult discharge, observation, consult					
	Observer -	suggested by an observer (a physician or a resident) during assessment	discharge, observation, consult					