

TABLE OF CONTENTS

SUBSECTION-4.3 STRUCTURE, CIVIL AND BUILDING WORKS

	Page. No.
SUBSECTION 4.3 STRUCTURE, CIVIL AND BUILDING WORKS	2
4.3.1. GENERAL.....	2
4.3.2. SCOPE OF WORKS.....	2
4.3.3. LINES AND GRADES	2
4.3.4. ERECTION REQUIREMENTS.....	2
4.3.4.1 Soil Investigation.....	2
4.3.4.2 Field and Laboratory Testing	2
4.3.4.3 Surveying & Setting Out.....	3
4.3.4.4 Temporary Road Works.....	3
4.3.4.5 Earthworks	3
4.3.4.6 Piling Works.....	3
4.3.4.7 Dredging and Disposal of Dredge	3
4.3.4.8 Concrete Works.....	3
4.3.4.9 Grout Works.....	3
4.3.4.10 Design and Fabrication of Structural Steel	3
4.3.4.11 Erection of Structural Steel	3
4.3.4.12 Gallery Works	3
4.3.4.13 Anchor Bolt Works.....	3
4.3.4.14 Concrete Expansion Anchor Works	4
4.3.4.15 Metal Decking Works.....	4
4.3.4.16 Welding Works.....	4
4.3.4.17 Prime Coat and Shop Finish Painting	4
4.3.4.18 Field Finish Painting.....	4
4.3.4.19 Metal Siding, Roof and Interior Wall	4
4.3.4.20 Miscellaneous Architectural Works	4
4.3.4.21 Miscellaneous and Embedded Metal Works.....	4
4.3.4.22 Drainage and Duct Works.....	4
4.3.4.23 Roadwork, Parking Lot and Miscellaneous Pavement Works.....	4
4.3.4.24 Fence, Gates and Guard Rail.....	5
4.3.4.25 Finish Grading and Environmental Protection.....	5

SUBSECTION 4.3 STRUCTURE, CIVIL AND BUILDING WORKS

4.3.1. GENERAL

All Site work of the Civil and Structural items shall conform to the requirements of this Specification.

4.3.2. SCOPE OF WORKS

The Bidder shall perform field work of all structural items unspecified in **Part 4, Subsection 1.2 “Summary of Works”** as clarified in **Part 4 Section 3 Section 3, S-001 “General Design Requirement of Structure, Civil and Building Work”**.

Laying out and verifying lines and grades as specified in **Clause 3** herein.

4.3.3. LINES AND GRADES

The Bidder shall lay out lines and grades from existing base lines and bench marks on the property and shall be fully responsible for the correctness of these lines and grades and for proper execution of the Works. The Owner reserves the right to verify the correctness of these lines and grades during the progress of the Work. This verification by the Owner will not relieve the Bidder of any responsibility for the Work. The Bidder shall reserve and maintain all bench marks and reference points established by the Owner. Should the Bidder, during execution of the work, destroy or remove any bench marks and/or reference points established by the Owner, the cost to the Owner for reestablishing these bench marks and/or reference points will be charged to the Bidder.

4.3.4. ERECTION REQUIREMENTS

All the erection work shall be performed in accordance with the following specifications and in good engineering and construction practice.

4.3.4.1 Soil Investigation

Soil Investigation shall conform to the requirements of **Part 4 Specification S101**.

4.3.4.2 Field and Laboratory Testing

Field and Laboratory Testing shall conform to the requirements of **Part 4, Specification S-210**.

4.3.4.3 Surveying & Setting Out

Surveying & Setting Out shall conform to the requirements of **Part 4 Specification S-240.**

4.3.4.4 Temporary Road Works

Temporary Road Work shall conform to the requirements of **Part 4 Specification S-250.**

4.3.4.5 Earthworks

Earth Work shall conform to the requirements of **Part 4 Specification S-300.**

4.3.4.6 Piling Works

Piling Work shall conform to the requirements of **Part 4 Specification S-320.**

4.3.4.7 Dredging and Disposal of Dredge (Not Applicable)

4.3.4.8 Concrete Works

Concrete Work shall conform to the requirements of **Part 4 Specification S-340.**

4.3.4.9 Grout Works

Grout Work shall conform to the requirements of **Part 4 Specification S-350.**

4.3.4.10 Design and Fabrication of Structural Steel

Design and Fabrication of Structural Steel shall conform to the requirements of **Part 4 Specification S-401.**

4.3.4.11 Erection of Structural Steel

Erection of Structural Steel shall conform to the requirements of **Part 4 Specification S-402.**

4.3.4.12 Gallery Works

Gallery Work shall conform to the requirements of **Part 4 Specification S-403.**

4.3.4.13 Anchor Bolt Works

Anchor Bolt shall conform to the requirements of **Part 4 Specification S-404.**

4.3.4.14 Concrete Expansion Anchor Works

Concrete Expansion Anchor Work shall conform to the requirements of **Part 4 Specification S-405**.

4.3.4.15 Metal Decking Works

Metal Decking Work shall conform to the requirements of **Part 4 Specification S-406**.

4.3.4.16 Welding Works

Welding in Structural Steel shall conform to the requirements of **Part 4 Specification S-410**.

4.3.4.17 Prime Coat and Shop Finish Painting

Prime Coat and Shop Finish Painting shall conform to the requirements of **Part 4 Specification S-420**.

4.3.4.18 Field Finish Painting

Field Finish Painting shall conform to the requirements of **Part 4 Specification S-430**.

4.3.4.19 Metal Siding, Roof and Interior Wall

Metal Siding, Roof and Interior Wall shall conform to the requirements of **Part 4 Specification S-510**.

4.3.4.20 Miscellaneous Architectural Works

Miscellaneous Architectural Work shall conform to the requirements of **Part 4 Specification S-520**.

4.3.4.21 Miscellaneous and Embedded Metal Works

Miscellaneous and Embedded Metal Work shall conform to the requirements of **Part 4 Specification S-530**.

4.3.4.22 Drainage and Duct Works

Drainage Culverts, Storm Sewer System and Paved Ditches shall conform to the requirements of **Part 4 Specification S-600**.

4.3.4.23 Roadwork, Parking Lot and Miscellaneous Pavement Works

Road Work, Finishing and Parking shall conform to the requirements of **Part 4 Specification S-630**.

4.3.4.24 Fence, Gates and Guard Rail

Fence Work, Gates and Guard Rail shall conform to the requirements of **Part 4 Specification S-640**.

4.3.4.25 Finish Grading and Environmental Protection

Finish Grading and Environmental Protection shall conform to the requirements of **Part 4 Specification S-650**.

(Last page of Subsection 4.3)