

Testing and Code Review

1. Change History

Change	Date	Modified Sections	Rationale
Nothing to show			

2. Back-end Test Specification: APIs

2.1. Locations of Back-end Tests and Instructions to Run Them

2.1.1. Tests

Notes API			
Interface	No Mocks	With Mocks	Mocked Components
POST /api/notes	src/tests/notes.normal.test.ts#L38	src/tests/notes.mocked.test.ts#L63	Notes Service, Notes DB, OpenAI API
PUT /api/notes/:id	L135	L85	Notes Service
DELETE /api/notes/:id	L197	L116	Notes Service
GET /api/notes/:id	L248	L102	Notes Service, Notes DB
GET /api/notes	L301	L130, 147	Notes Service, Workspace DB, OpenAI API
GET /api/notes/:id/workspaces	L605	L280	Notes Service
POST /api/notes/:id/share	L402	L294, 541, 623	Notes Service, Notes DB, Workspace DB
POST /api/notes/:id/copy	L510	L311, 328, 566	Notes Service, Notes DB
Workspaces API			
Interface	No Mocks	With Mocks	Mocked Components
POST /api/workspaces	src/tests/workspace.normal.test.ts#L41	L44	Workspace Service
GET /api/workspaces/personal	L101	L84	Workspace Service
GET /api/workspaces/user	L183	L118	Workspace Service
GET /api/workspaces/:id	L231	L152	Workspace Service
GET /api/workspaces/:id/members	L275	L186	Workspace Service
GET /api/workspaces/:id/tags	L306	L236	Workspace Service
GET /api/workspaces/:id/membership/:userId	L441	L270	Workspace Service
POST /api/workspaces/:id/members	L524	L304	Workspace Service
POST /api/workspaces/:id/leave	L738	L374	Workspace Service
PUT /api/workspaces/:id	L836	L392	Workspace Service
PUT /api/workspaces/:id/picture	L897	L428	Workspace Service
DELETE /api/workspaces/:id/members/:userId	L955	L464	Workspace Service
DELETE /api/workspaces/:id	L1112	L498	Workspace Service
GET /api/workspaces/:id/poll	L1204	L532	Workspace Service
Authentication API			
Interface	No Mocks	With Mocks	Mocked Components
POST /api/auth/signup	src/tests/auth.normal.test.ts#L123	L77	Auth Service, Workspace Service, User DB, Google OAuth
POST /api/auth/signin	L151	L290	Auth Service
POST /api/auth/dev-login	L68	L394	Auth Service
User API			
Interface	No Mocks	With Mocks	Mocked Components
GET /api/users/profile	src/tests/user.normal.test.ts#L39	---	---
PUT /api/users/profile	L57	L48	User DB, Workspace DB
DELETE /api/users/profile	L166	L104	Workspace DB
POST /api/users/fcm-token	L230	L155	User DB
GET /api/users/:id	L273	L209	User DB
GET /api/users/email/:email	L318	L260	User DB
Message API			
Interface	No Mocks	With Mocks	Mocked Components
GET /api/messages/workspace/:workspaceId	src/tests/message.normal.test.ts#L61	L67	Message DB
POST /api/messages/workspace/:workspaceId	L188	L91	Message DB, Workspace DB
DELETE /api/messages/:messageId	L261	L134	Message DB, Workspace DB
Media API			
Interface	No Mocks	With Mocks	Mocked Components

Interface	No Mocks	With Mocks	Mocked Components
POST /api/media/upload	src/tests/media.normal.test.ts#L56 L55		Media Service, File System

2.1.2. Commit Hash Where Tests Run

2.1.3. How to Run the Tests

1. cd backend
2. npm install
3. npm test

2.2. GitHub Actions Configuration Location

~/github/workflows/backend-tests.yml

2.3. Jest Coverage Report Screenshots (Without Mocking)

File	% Stmts	% Branch	% Funcs	% Lines	Uncovered Lines
All files	81.78	61.56	88.35	81.9	
asyncHandler.util.ts	100	100	100	100	
auth.controller.ts	43.18	23.07	66.66	43.18	23-38,47,53,59,60
auth.middleware.ts	98.14	100	100	98.07	68
auth.routes.ts	100	100	100	100	
auth.service.ts	43.63	11.11	50	43.63	17-40,47,53,59-60
auth.types.ts	100	100	100	100	
constants.ts	100	100	100	100	
database.ts	0	0	0	0	1-44
errorHandler.middleware.ts	100	100	100	100	
logger.util.ts	100	50	100	100	7-11
media.controller.ts	94.11	80	100	94.11	48
media.routes.ts	100	100	100	100	
media.service.ts	89.28	78.26	100	89.09	72,81,104-105,107
message.model.ts	100	100	100	100	
message.routes.ts	86.95	76.92	100	86.95	18,53-54,64,98-100
message.types.ts	100	100	100	100	
note.model.ts	100	100	100	100	
notes.controller.ts	82.11	50	100	82.11	...6-27,35-36,60
notes.routes.ts	100	100	100	100	
notes.service.ts	73.45	65.9	76.47	76.69	40,146,161,221,222
notes.types.ts	100	100	100	100	
notification.service.ts	65	33.33	50	65	7,46-63
routes.ts	100	100	100	100	
sanitizeInput.util.ts	100	100	100	100	
storage.ts	94.73	66.66	100	94.73	13
user.controller.ts	65.43	12	100	65.43	15-16,33,39,49-50
user.model.ts	75.4	80	90	75.4	113-114,122-123
user.routes.ts	100	100	100	100	
user.types.ts	100	100	100	100	
validation.middleware.ts	91.66	100	100	90.9	23
workspace.controller.ts	82.95	54.44	100	82.95	...-286,321,329
workspace.model.ts	100	100	100	100	
workspace.routes.ts	100	100	100	100	
workspace.service.ts	99.46	97.91	100	99.42	50
workspace.types.ts	100	100	100	100	
Test Suites: 6 passed, 6 total Tests: 218 passed, 218 total Snapshots: 0 total Time: 8.724 s, estimated 15 s Ran all test suites matching /__tests__\/unmocked/i.					

image info

2.4. Jest Coverage Report Screenshots (With Mocking)

File	% Stmts	% Branch	% Funcs	% Lines	Uncovered Line
All files	71.61	57.22	69.17	71.99	
asyncHandler.util.ts	75	100	66.66	100	
auth.controller.ts	100	92.3	100	100	112
auth.middleware.ts	38.88	0	50	36.53	18-22,27-31,41-
auth.routes.ts	100	100	100	100	
auth.service.ts	92.72	88.88	100	92.72	108-109,126-127
auth.types.ts	100	100	100	100	
constants.ts	100	100	100	100	
database.ts	100	100	100	100	
errorHandler.middleware.ts	90.9	100	50	88.88	6
logger.util.ts	100	100	100	100	
media.controller.ts	88.23	60	100	88.23	16,24
media.routes.ts	100	100	100	100	
media.service.ts	80.35	65.21	80	81.81	22,34,45,96,102
message.model.ts	100	100	100	100	
message.routes.ts	81.15	23.07	100	81.15	24,31,35,41,51,
message.types.ts	100	100	100	100	
note.model.ts	100	100	100	100	
notes.controller.ts	79.67	75	100	79.67	...121,129-130,
notes.routes.ts	100	100	100	100	
notes.service.ts	67.25	56.81	64.7	66.01	58,70-107,122,1
notes.types.ts	100	100	100	100	
notification.service.ts	100	100	100	100	
routes.ts	100	100	100	100	
sanitizeInput.util.ts	88.88	0	100	83.33	7
storage.ts	94.73	66.66	100	94.73	39
user.controller.ts	75.3	88	100	75.3	19,44,70-86,120
user.model.ts	73.77	20	90	73.77	85-90,102-111,1
user.routes.ts	100	100	100	100	
user.types.ts	100	100	100	100	
validation.middleware.ts	83.33	0	66.66	81.81	13-16
workspace.controller.ts	71.59	65.55	100	71.59	...404-405,431,
workspace.model.ts	100	100	100	100	
workspace.routes.ts	100	100	100	100	
workspace.service.ts	21.5	10.41	15.78	21.96	13-38,53-118,13
workspace.types.ts	100	100	100	100	
Test Suites: 6 passed, 6 total					
Tests: 184 passed, 184 total					
Snapshots: 0 total					
Time: 17.137 s, estimated 27 s					
Ran all test suites matching /__tests__\/mocked/i.					

image info

2.5. Combined Jest Coverage Reports (With & Without Mocking)

File	% Stmts	% Branch	% Funcs	% Lines	Unc
All files	100	100	100	100	
asyncHandler.util.ts	100	100	100	100	
auth.controller.ts	100	100	100	100	
auth.middleware.ts	100	100	100	100	
auth.routes.ts	100	100	100	100	
auth.service.ts	100	100	100	100	
auth.types.ts	100	100	100	100	
constants.ts	100	100	100	100	
database.ts	100	100	100	100	
errorHandler.middleware.ts	100	100	100	100	
logger.util.ts	100	100	100	100	
media.controller.ts	100	100	100	100	
media.routes.ts	100	100	100	100	
media.service.ts	100	100	100	100	
message.model.ts	100	100	100	100	
message.routes.ts	100	100	100	100	
message.types.ts	100	100	100	100	
note.model.ts	100	100	100	100	
notes.controller.ts	100	100	100	100	
notes.routes.ts	100	100	100	100	
notes.service.ts	100	100	100	100	
notes.types.ts	100	100	100	100	
notification.service.ts	100	100	100	100	
routes.ts	100	100	100	100	
sanitizeInput.util.ts	100	100	100	100	
storage.ts	100	100	100	100	
user.controller.ts	100	100	100	100	
user.model.ts	100	100	100	100	
user.routes.ts	100	100	100	100	
user.types.ts	100	100	100	100	
validation.middleware.ts	100	100	100	100	
workspace.controller.ts	100	100	100	100	
workspace.model.ts	100	100	100	100	
workspace.routes.ts	100	100	100	100	
workspace.service.ts	100	100	100	100	
workspace.types.ts	100	100	100	100	
Test Suites: 13 passed, 13 total					
Tests: 403 passed, 403 total					
Snapshots: 0 total					
Time: 35.87 s					
Ran all test suites.					

image info

3. Back-end Non-functional Requirements

3.1. Test Locations

Non-Functional Requirement	Location in Git
Backend – Search Speed	ThingSpace.ts/backend/src/__tests__/notes.latency.test.ts
Frontend – Two-Click Navigation	frontend/app/src/androidTest/java/com/cpen321/usermanagement/TestReachWithTwoClicks.kt

Backend – Search Speed (notes.latency.test.ts)

- **How to run:** cd backend && npm test -- __tests__/non-func-tests
- **What it checks:** Seeds 400 notes, issues three representative search queries, and reports the mean latency. Latest runs average ~1.1s/query, comfortably under the 5s budget.

Frontend – Two-Click Navigation (TestReachWithTwoClicks.kt)

- **How to run:** cd frontend && ./gradlew connectedAndroidTest -Pandroid.testInstrumentationRunnerArguments.class=com.cpen321.usermanagement.TestReachWithTwoClicks
- **What it checks:** Starting from the main workspace screen, the test traverses to note, template, and chat views—both within the current workspace and across other workspaces—counting taps to confirm every note-bearing screen is reachable in ≤2 clicks.

3.2. Test Verification and Logs

Performance: Search Speed

- Creates 400 notes, runs 3 queries, average ~1.1s (<5s target)
- Logs:

Chat Data Security

- Verification:
- Logs:

4. Front-end Test Specification

This includes the non-functional requirement that every note/message containing screen must be reachable from the main screen within two clicks. This non-functional requirement can only be verified via frontend tests, hence it is included here as `TestReachWith2Clicks.kt`.

4.1. Location in Git

`./Frontend/app/src/androidTest/java/com.cpen321.usermanagement`

4.2. Tests Included

TestCollaborate.kt – Collaborate Feature

- **Prerequisites**
 - Two user accounts: a workspace manager and a workspace member
 - The manager account must have a workspace named `Test`
 - The manager account must not have access to workspaces named `Study` or `Study v2`

Create Workspace

Scenario steps	Test case steps
1. The user opens the “Create Workspace” screen.	Open the “Create Workspace” screen.
2. The app shows input fields for title and a “Create Workspace” button that is disabled.	Check that the “Pick a workspace name” field is visible. Check that button labelled “Create Workspace” is present and disabled.
3a. The user inputs a workspace title that is already taken	Before the test, a separate workspace called “Test” should be created. Then, open the “Create Workspace” screen and input “Test” in the title field. Click “Create”.
3a1. The app displays an error message telling user that the creation failed	Check the dialog shows: “Failed to create workspace.”
3. The user enters valid information.	Input “Studies” in the title field. Check that button labelled “Create” is now enabled.
4. The user clicks the “Create” button.	Click “Create”. Verify system shows “Manage Workspace Profile” for user to make edits and that the “Save” button is disabled until a workspace bio is inputted. Verify workspace “Studies” appears in the workspace list.

Update Workspace (Manager)

Scenario steps	Test case steps
10. The manager navigates to the “Edit Workspace” icon.	As the workspace manager account, navigate to the workspace screen. Click the “Pencil” icon next to the “Studies” workspace.
11. The manager edits the title and bio.	Change title to “Studies v2” and the bio to “Study group” and click the “Save” button. Check the confirmation message: “Profile updated successfully.”

Invite to Workspace

Scenario steps	Test case steps
5. A workspace member selects “Invite User”.	Click “Studies” workspace’s “Manage Workspace” icon (pencil icon). Click the “Invite User” icon on the bottom navbar (icon with person and cogwheel).
6. The app shows an input field for email and a “Invite to the Workspace” button.	Check input field and “Invite to the Workspace” button are visible.
7a. The inviter inputs invalid email.	Input “invalidemail” and click “Invite to the workspace”.
7a1. The app displays an error message about no user with the email existing	Check message: “Could not retrieve profile matching the given email!”
7. The inviter inputs a valid email	Input the email of another account (your teammate’s account on the app). Click the “Invite to the Workspace” button. Check the confirmation message: “The user got added to the workspace.”
7b. The invitee is already in the workspace.	Input the email of the teammate already in the workspace and click “Invite to the workspace”.
7b1. The app displays an error message indicating that the invitee is already in the workspace.	Check message: “The user is already a member!”

Send Chat Message

Scenario steps	Test case steps
8. The user opens workspace chat.	Go to Workspaces Screen. Click the “Chat” icon next to the “Studies” workspace. Check that the system displays the workspace chat screen.
9a. The message is empty.	Leave input blank or simply spaces and click the “Send” icon. Check that nothing occurs in the chat screen.
9. The user types a valid message and presses send.	Input “Hello team!” in the chat box and click the “Send” icon. Check the chat log shows “Hello team!” with the sender’s profile picture and timestamp.

Update Workspace (Non-Manager)

Scenario steps	Test case steps
10a. A non-manager user attempts to update the workspace.	Log in as a non-manager user and navigate to the "Edit Workspace" icon. Check that the input fields are greyed out.

Leave Workspace (Non-Manager)

Scenario steps	Test case steps
12. The user (non-manager) selects "Leave Workspace".	Open "Studies" manage workspace screen (pencil icon) using your non-manager account and click "Leave Workspace" (door icon).
13. App removes user from the workspace	Check that the "Studies" workspace doesn't show up in the workspace list screen.

Ban Users

Scenario steps	Test case steps
14. The manager opens the Members screen (Profile icon in manage workspace screen).	"Studies" workspace → Manage Workspace → Members screen (profile icon).
15. Manager chooses the user to ban	Click the trash bin icon next to the user.
16. App bans user from the workspace permanently	Verify the banned user doesn't show up in the Members screen anymore. Verify the user cannot be invited anymore and system shows an error message: "This user is banned."

Delete Workspace (Manager)

Scenario steps	Test case steps
17. The manager selects "Delete Workspace".	Open "Studies" settings and click "Delete Workspace" (trash bin icon).
18. App deletes the workspace	Verify the workspace "Studies" doesn't show up in the workspace list screen. Verify the workspace "Studies" can be created.

Logs:

Test of the non-functional requirement that every note-containing screen is reachable from the main screen within two clicks or fewer (`TestReachWith2Clicks.kt`). Starting at the main content screen in a workspace, the test navigates to templates or chat screens in the current workspace, as well as content, templates, or chat in other workspaces. Each route tracks the number of taps performed and asserts that the destination is reached in two clicks or less.

5. Automated Code Review Results

5.1. Commit Hash Where Codacy Ran

5.2. Unfixed Issues per Codacy Category

Issues breakdown




All clear!

When issues come up, you'll be able to see here the issues breakdown per category.


image info

5.3. Unfixed Issues per Codacy Code Pattern


Issues


 **Current**


0

 **Ignored**

0

 Filter by

Languages 

Severities 

Categori

All issues

0

image info

5.4. Justifications for Unfixed Issues

- Usage of Deprecated Modules
 - Location: src/services/chatService.js#L31
 - Justification:
