

Table profiles

Columns

Name	Type	Constraints
id	uuid	Primary
full_name	text	Nullable
avatar_url	text	Nullable
phone	text	Nullable
platform_role	platform_role	
created_at	timestampz	
updated_at	timestampz	

Table churches

Columns

Name	Type	Constraints
id	uuid	Primary
owner_id	uuid	
name	text	
slug	text	Unique
description	text	Nullable
status	church_status	
created_at	timestampz	
updated_at	timestampz	

Table church_settings

Columns

Name	Type	Constraints
church_id	uuid	Primary
logo_url	text	Nullable
cover_url	text	Nullable
primary_color	text	Nullable
secondary_color	text	Nullable

Name	Type	Constraints
contact_email	text	Nullable
contact_phone	text	Nullable
address	text	Nullable
social_links	jsonb	
updated_at	timestampz	

Table church_members

Columns

Name	Type	Constraints
id	uuid	Primary
church_id	uuid	
user_id	uuid	
role	church_role	
status	text	
joined_at	timestampz	

Table seasons

Columns

Name	Type	Constraints
id	uuid	Primary
name	text	
start_date	date	
end_date	date	
is_current	bool	
created_at	timestampz	

Table gameweeks

Columns

Name	Type	Constraints
id	uuid	Primary
season_id	uuid	

Name	Type	Constraints
number	int4	
name	text	Nullable
start_date	timestamptz	
end_date	timestamptz	
transfer_deadline	timestamptz	
status	text	

Table teams

Columns

Name	Type	Constraints
id	uuid	Primary
name	text	
short_name	text	Nullable
logo_url	text	Nullable
league_name	text	Nullable
country	text	Nullable

Table players

Columns

Name	Type	Constraints
id	uuid	Primary
team_id	uuid	Nullable
name	text	
photo_url	text	Nullable
position	player_position	
price	numeric	
status	player_status	
created_at	timestamptz	

Table matches

Columns

Name	Type	Constraints
id	uuid	Primary
season_id	uuid	
gameweek_id	uuid	
home_team_id	uuid	
away_team_id	uuid	
match_date	timestampz	
status	match_status	
home_score	int4	Nullable
away_score	int4	Nullable
venue	text	Nullable
created_at	timestampz	
updated_at	timestampz	

Table match_player_stats

Columns

Name	Type	Constraints
id	uuid	Primary
match_id	uuid	
player_id	uuid	
minutes_played	int4	
goals	int4	
assists	int4	
shots	int4	
shots_on_target	int4	
passes	int4	
tackles	int4	
interceptions	int4	
saves	int4	
clean_sheet	bool	
yellow_cards	int4	
red_cards	int4	

Name	Type	Constraints
own_goals	int4	
penalties_saved	int4	
penalties_missed	int4	
bonus	int4	
fantasy_points	int4	

Table fantasy_rules

Columns

Name	Type	Constraints
id	uuid	Primary
season_id	uuid	
church_id	uuid	Nullable
rules	jsonb	
created_at	timestampz	

Table fantasy_leagues

Columns

Name	Type	Constraints
id	uuid	Primary
church_id	uuid	Nullable
season_id	uuid	
created_by	uuid	
name	text	
description	text	Nullable
is_private	bool	
invite_code	text	Nullable Unique
max_members	int4	
status	league_status	
created_at	timestampz	
updated_at	timestampz	

Table fantasy_teams

Columns

Name	Type	Constraints
id	uuid	Primary
league_id	uuid	
user_id	uuid	
name	text	
budget	numeric	
total_points	int4	
overall_rank	int4	Nullable
created_at	timestamptz	
updated_at	timestamptz	

Table fantasy_team_players

Columns

Name	Type	Constraints
id	uuid	Primary
fantasy_team_id	uuid	
player_id	uuid	
is_captain	bool	
is_vice_captain	bool	
is_bench	bool	
bench_order	int4	Nullable
added_at	timestamptz	

Table transfers

Columns

Name	Type	Constraints
id	uuid	Primary
fantasy_team_id	uuid	
gameweek_id	uuid	
player_out_id	uuid	Nullable
player_in_id	uuid	

Name	Type	Constraints
cost	numeric	
created_at	timestamptz	

Table fantasy_team_gameweek_points

Columns

Name	Type	Constraints
id	uuid	Primary
fantasy_team_id	uuid	
gameweek_id	uuid	
points	int4	
rank	int4	Nullable

Table advertisements

Columns

Name	Type	Constraints
id	uuid	Primary
church_id	uuid	
title	text	
description	text	Nullable
image_url	text	Nullable
target_url	text	Nullable
placement	ad_placement	
start_date	timestamptz	
end_date	timestamptz	
status	ad_status	
budget	numeric	Nullable
impressions	int8	
clicks	int8	
created_at	timestamptz	
updated_at	timestamptz	

Table subscriptions

Columns

Name	Type	Constraints
id	uuid	Primary
church_id	uuid	
tier	subscription_tier	
status	subscription_status	
current_period_start	timestamptz	
current_period_end	timestamptz	Nullable
cancel_at_period_end	bool	
created_at	timestamptz	
updated_at	timestamptz	

Table payments

Columns

Name	Type	Constraints
id	uuid	Primary
church_id	uuid	
subscription_id	uuid	Nullable
amount	numeric	
currency	text	
status	payment_status	
provider	text	Nullable
provider_payment_id	text	Nullable
created_at	timestamptz	

Table invoices

Columns

Name	Type	Constraints
id	uuid	Primary
church_id	uuid	
payment_id	uuid	Nullable
invoice_number	text	Unique

Name	Type	Constraints
amount	numeric	
status	text	
issued_at	timestampz	
due_at	timestampz	Nullable

Table church_wallet

Columns

Name	Type	Constraints
church_id	uuid	Primary
balance	numeric	
currency	text	
updated_at	timestampz	

Table church_wallet_transactions

Columns

Name	Type	Constraints
id	uuid	Primary
church_id	uuid	
type	wallet_tx_type	
amount	numeric	
reason	text	Nullable
reference_id	uuid	Nullable
created_at	timestampz	

Table notifications

Columns

Name	Type	Constraints
id	uuid	Primary
user_id	uuid	
church_id	uuid	Nullable
title	text	

Name	Type	Constraints
message	text	Nullable
type	notification_type	
read	bool	
created_at	timestampz	

Table announcements

Columns

Name	Type	Constraints
id	uuid	Primary
church_id	uuid	
created_by	uuid	
title	text	
content	text	
published_at	timestampz	

Table audit_logs

Columns

Name	Type	Constraints
id	uuid	Primary
actor_id	uuid	Nullable
church_id	uuid	Nullable
action	text	
entity_type	text	
entity_id	uuid	Nullable
metadata	jsonb	
created_at	timestampz	

Custom Types / Enums

ad_placement

home_banner | fantasy_banner | church_dashboard | leaderboard | sponsored_post | popup

ad_status

draft | pending_review | active | paused | ended | rejected

church_role

church_admin | league_admin | member

church_status

pending | active | suspended

league_status

draft | active | closed | archived

match_status

scheduled | live | finished | postponed | cancelled

notification_type

gameweek_start | gameweek_end | results | transfer_deadline | church_announcement | promotion | system

payment_status

pending | succeeded | failed | refunded

platform_role

super_admin | user

player_position

GK | DEF | MID | FWD

player_status

available | injured | suspended | doubtful

subscription_status

trialing | active | past_due | canceled | expired

subscription_tier

free | pro | premium

wallet_tx_type

credit | debit

RLS Policies

profiles

Policy	Command	Roles	Action	USING	WITH CHECK
profiles_select_own_or_admin	SELECT	public	PERMISSIVE	((id = auth.uid()) OR is_super_admin())	—
profiles_update_own	UPDATE	public	PERMISSIVE	(id = auth.uid())	(id = auth.uid())

churches

Policy	Command	Roles	Action	USING	WITH CHECK
churches_select_active_or_member_or_admin	SELECT	public	PERMISSIVE	((status = 'active'::church_status) OR (owner_id = auth.uid()) OR is_church_member(id) OR is_super_admin())	—
churches_insert_authenticated	INSERT	public	PERMISSIVE	—	((auth.uid() IS NOT NULL) AND (owner_id = auth.uid()))
churches_update_owner_or_admin	UPDATE	public	PERMISSIVE	((owner_id = auth.uid()) OR is_church_admin(id) OR is_super_admin())	—
churches_delete_super_admin	DELETE	public	PERMISSIVE	is_super_admin()	—

church_settings

Policy	Command	Roles	Action	USING	WITH CHECK
church_settings_select	SELECT	public	PERMISSIVE	(is_church_member(church_id) OR is_super_admin() OR (EXISTS (SELECT 1 FROM churches c WHERE ((c.id = church_settings.church_id) AND (c.status = 'active'::church_status))))))	—
church_settings_manage	ALL	public	PERMISSIVE	is_church_admin(church_id)	is_church_admin(church_id)

fantasy_teams

Policy	Command	Roles	Action	USING	WITH CHECK
fteams_delete_own_or_admin	DELETE	public	PERMISSIVE	((user_id = auth.uid()) OR is_super_admin())	—
fteams_select	SELECT	public	PERMISSIVE	((user_id = auth.uid()) OR is_super_admin() OR (EXISTS (SELECT 1 FROM fantasy_teams ft2 WHERE ((ft2.league_id = fantasy_teams.league_id) AND (ft2.user_id = auth.uid())))))	—
fteams_insert_self	INSERT	public	PERMISSIVE	—	(user_id = auth.uid())
fteams_update_own_or_admin	UPDATE	public	PERMISSIVE	((user_id = auth.uid()) OR is_super_admin())	—

church_members

Policy	Command	Roles	Action	USING	WITH CHECK
church_members_select	SELECT	public	PERMISSIVE	((user_id = auth.uid()) OR is_church_member(church_id) OR is_super_admin())	—
church_members_insert_self_or_admin	INSERT	public	PERMISSIVE	—	((user_id = auth.uid()) OR is_church_admin(church_id))

Policy	Command	Roles	Action	USING	WITH CHECK
church_members_manage_admin	UPDATE	public	PERMISSIVE	is_church_admin(church_id)	—
church_members_delete_admin_or_self	DELETE	public	PERMISSIVE	(is_church_admin(church_id) OR (user_id = auth.uid()))	—

seasons

Policy	Command	Roles	Action	USING	WITH CHECK
seasons_select_all	SELECT	public	PERMISSIVE	true	—
seasons_manage_super_admin	ALL	public	PERMISSIVE	is_super_admin()	is_super_admin()

gameweeks

Policy	Command	Roles	Action	USING	WITH CHECK
gameweeks_select_all	SELECT	public	PERMISSIVE	true	—
gameweeks_manage_super_admin	ALL	public	PERMISSIVE	is_super_admin()	is_super_admin()

teams

Policy	Command	Roles	Action	USING	WITH CHECK
teams_select_all	SELECT	public	PERMISSIVE	true	—
teams_manage_super_admin	ALL	public	PERMISSIVE	is_super_admin()	is_super_admin()

players

Policy	Command	Roles	Action	USING	WITH CHECK
players_select_all	SELECT	public	PERMISSIVE	true	—
players_manage_super_admin	ALL	public	PERMISSIVE	is_super_admin()	is_super_admin()

matches

Policy	Command	Roles	Action	USING	WITH CHECK
matches_select_all	SELECT	public	PERMISSIVE	true	—
matches_manage_super_admin	ALL	public	PERMISSIVE	is_super_admin()	is_super_admin()

match_player_stats

Policy	Command	Roles	Action	USING	WITH CHECK
mps_select_all	SELECT	public	PERMISSIVE	true	—
mps_manage_super_admin	ALL	public	PERMISSIVE	is_super_admin()	is_super_admin()

subscriptions

Policy	Command	Roles	Action	USING	WITH CHECK
subscriptions_select	SELECT	public	PERMISSIVE	(is_church_admin(church_id) OR is_super_admin())	—
subscriptions_manage_super_admin	ALL	public	PERMISSIVE	is_super_admin()	is_super_admin()

fantasy_rules

Policy	Command	Roles	Action	USING	WITH CHECK
fantasy_rules_select	SELECT	public	PERMISSIVE	((church_id IS NULL) OR is_church_member(church_id) OR is_super_admin())	—
fantasy_rules_manage	ALL	public	PERMISSIVE	((((church_id IS NOT NULL) AND is_church_admin(church_id)) OR is_super_admin())	((((church_id IS NOT NULL) AND is_church_admin(church_id)) OR is_super_admin())

fantasy_leagues

Policy	Command	Roles	Action	USING	WITH CHECK
leagues_select	SELECT	public	PERMISSIVE	((church_id IS NULL) OR is_church_member(church_id) OR is_super_admin())	—
leagues_manage	ALL	public	PERMISSIVE	((((church_id IS NOT NULL) AND has_church_role(church_id, ARRAY['church_admin'::church_role, 'league_admin'::church_role])) OR is_super_admin())	((((church_id IS NOT NULL) AND has_church_role(church_id, ARRAY['church_admin'::church_role, 'league_admin'::church_role])) OR is_super_admin())

fantasy_team_players

Policy	Command	Roles	Action	USING	WITH CHECK
ftplayers_select	SELECT	public	PERMISSIVE	(owns_fantasy_team(fantasy_team_id) OR is_super_admin() OR (EXISTS (SELECT 1 FROM (fantasy_teams ft JOIN fantasy_teams ft2 ON ((ft2.league_id = ft.league_id))) WHERE ((ft.id = fantasy_team_players.fantasy_team_id) AND (ft2.user_id = auth.uid())))))	—
ftplayers_manage_own	ALL	public	PERMISSIVE	owns_fantasy_team(fantasy_team_id)	owns_fantasy_team(fantasy_team_id)

transfers

Policy	Command	Roles	Action	USING	WITH CHECK
transfers_select_own	SELECT	public	PERMISSIVE	(owns_fantasy_team(fantasy_team_id) OR is_super_admin())	—
transfers_insert_own	INSERT	public	PERMISSIVE	—	owns_fantasy_team(fantasy_team_id)

fantasy_team_gameweek_points

Policy	Command	Roles	Action	USING	WITH CHECK
ftgw_points_select	SELECT	public	PERMISSIVE	(owns_fantasy_team(fantasy_team_id) OR is_super_admin() OR (EXISTS (SELECT 1 FROM (fantasy_teams ft JOIN fantasy_teams ft2 ON ((ft2.league_id = ft.league_id))) WHERE ((ft.id = fantasy_team_gameweek_points.fantasy_team_id) AND (ft2.user_id = auth.uid())))))	—
ftgw_points_manage_system	ALL	public	PERMISSIVE	is_super_admin()	is_super_admin()

advertisements

Policy	Command	Roles	Action	USING	WITH CHECK
ads_select	SELECT	public	PERMISSIVE	((status = 'active'::ad_status) OR is_church_admin(church_id) OR is_super_admin())	—
ads_manage	ALL	public	PERMISSIVE	is_church_admin(church_id)	is_church_admin(church_id)

payments

Policy	Command	Roles	Action	USING	WITH CHECK
payments_select	SELECT	public	PERMISSIVE	(is_church_admin(church_id) OR is_super_admin())	—
payments_manage_super_admin	ALL	public	PERMISSIVE	is_super_admin()	is_super_admin()

invoices

Policy	Command	Roles	Action	USING	WITH CHECK
invoices_select	SELECT	public	PERMISSIVE	(is_church_admin(church_id) OR is_super_admin())	—

church_wallet

Policy	Command	Roles	Action	USING	WITH CHECK
wallet_select	SELECT	public	PERMISSIVE	(is_church_admin(church_id) OR is_super_admin())	—
wallet_manage_super_admin	ALL	public	PERMISSIVE	is_super_admin()	is_super_admin()

church_wallet_transactions

Policy	Command	Roles	Action	USING	WITH CHECK
wallet_tx_select	SELECT	public	PERMISSIVE	(is_church_admin(church_id) OR is_super_admin())	—

notifications

Policy	Command	Roles	Action	USING	WITH CHECK
notifications_select_own	SELECT	public	PERMISSIVE	((user_id = auth.uid()) OR is_super_admin())	—

Policy	Command	Roles	Action	USING	WITH CHECK
notifications_update_own	UPDATE	public	PERMISSIVE	(user_id = auth.uid())	(user_id = auth.uid())

announcements

Policy	Command	Roles	Action	USING	WITH CHECK
announcements_select	SELECT	public	PERMISSIVE	(is_church_member(church_id) OR is_super_admin())	—
announcements_manage	ALL	public	PERMISSIVE	is_church_admin(church_id)	is_church_admin(church_id)

audit_logs

Policy	Command	Roles	Action	USING	WITH CHECK
audit_logs_select_admin	SELECT	public	PERMISSIVE	((church_id IS NOT NULL) AND is_church_admin(church_id)) OR is_super_admin()	—