# For Linux/Mac OS users to connect to the EC2 Instance

Prerequisite:
- Make sure you have set up MyIP in your instance's inbound security group.

For Linux/Mac systems, **you don't need to convert your .pem file to a .ppk file**.

1. Now, open your EC2 dashboard and select your instance. Copy your **'Public IPv4 address'** information as shown in the screenshot.

2. Open **'Terminal'** on your system and go to the location where you downloaded the .pem file.
   - Let's say that your **.pem** file was downloaded in the 'Downloads' folder.
   - You need to first change your current working directory to the 'Downloads' directory.
   - To do that, use the following '**cd**' command: `cd Downloads/`

3. Next, run the '`ls`' command, which lists all the files in a given Linux directory. Verify that your .pem file exists in the given directory.

4. Change the permissions of the **.pem** file to **400**, which gives the user read permission and removes all other permissions.

- The command is shown below. (**upgrad-siben.pem** is the filename in our case)

```
chmod 400 upgrad-siben.pem
```

In case you have not changed your directory to which the **.pem** file was downloaded, you can specify the path of the **.pem** file. The command will then be as shown below:

```
chmod 400 Downloads/upgrad-siben.pem
```

After **chmod 400** you need to specify the path to the **.pem** file.

5. Next, if you are working from the directory in which you have downloaded the **.pem** file, you need to enter the following command:

```
ssh -i ec2-user@public_dns_name upgrad-siben.pem
```

- Replace the public_dns_name with your instance's Public IPv4 address.
- Also, before running this command, ensure that you are present in the directory in which your .pem file is present.

If have not changed your directory to the directory where the **.pem** file is present then you can enter the following command to log in:

```
ssh -i ec2-user@public_dns_name <path to your .pem file>
```

- Replace the public_dns_name with your instance's Public IPv4 address.
- Also, the value **<path to your .pem file>** will depend on the location where you have saved this file.

6. When prompted enter **yes** on the **Terminal**.

```
~  🐠   ssh ec2-user@34.229.137.45 -i Downloads/upgrad-siben.pem
The authenticity of host '34.229.137.45 (34.229.137.45)' can't be established.
ECDSA key fingerprint is SHA256:TwHvhYvzRkAEX4kHhUp5dbRnp9hgE5RAs9M9nGXgzBo.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '34.229.137.45' (ECDSA) to the list of known hosts.
```

Disclaimer: All content and material on the upGrad website is copyrighted material, either belonging to upGrad or its bonafide contributors, and is purely for the dissemination of education. You are permitted to access print and download extracts from this site purely for your own education only and on the following basis:

- You can download this document from the website for self-use only.
- Any copies of this document, in part or full, saved to disc or to any other storage medium may only be used for subsequent, self-viewing purposes or to print an individual extract or copy for non-commercial personal use only.
- Any further dissemination, distribution, reproduction, copying of the content of the document herein or the uploading thereof on other websites or use of the content for any other commercial/unauthorized purposes in any way which could infringe the intellectual property rights of upGrad or its contributors, is strictly prohibited.
- No graphics, images, or photographs from any accompanying text in this document will be used separately for unauthorised purposes.
- No material in this document will be modified, adapted, or altered in any way.
- No part of this document or upGrad content may be reproduced or stored in any other website or included in any public or private electronic retrieval system or service without upGrad's prior written permission.
- Any rights not expressly granted in these terms are reserved.