


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Computer Page feature	11.264 s	3	0	3	0	24	9	3	12
Register feature	4.175 s	1	1	0	0	10	10	0	0

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Computer Page feature	Verify That User Should Build You Own Computer And Add Them To Cart Successfully
2		Verify That User Should Build You Own Computer And Add Them To Cart Successfully
3		Verify That User Should Build You Own Computer And Add Them To Cart Successfully

TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@onlytest	4	1	3	0	2	1	1	0



#	Feature Name	T	P	F	S	Duration
1	Computer Page feature	3	0	3	0	11.264 s
2	Register feature	1	1	0	0	4.175 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Computer Page feature	Verify That User Should Build You Own Computer And Add Them To Cart Successfully	8	3	1	4	4.432 s
2		Verify That User Should Build You Own Computer And Add Them To Cart Successfully	8	3	1	4	3.245 s
3		Verify That User Should Build You Own Computer And Add Them To Cart Successfully	8	3	1	4	3.549 s
4	Register feature	Verify That User Should Create Account Successfully	10	10	0	0	4.175 s

DETAILED SECTION -- 7 -

### **Computer Page feature**

FAILED	DURATION - 11.264 s	Scenarios		Steps	
		Total - 3		Total - 24	
/ 9:57:50.061 am // 9	9:58:01.325 am /	Pass - 0	3	Pass - 9	24
		Fail - 3	~ J	Fail - 3	<u> </u>
		Skip - 0		Skip - 12	

# **Verify That User Should Build You Own Computer And Add Them To Cart Successfully**




#	Step / Hook Details	Status	Duration
1	Given User should click on computer tab	PASSED	0.547 s
2	When User should click on desktop link	PASSED	0.456 s
3	And User should click on product name Build your own computer	PASSED	0.008 s
4	And User should select "2.2 GHz Intel Pentium Dual-Core E2200"	FAILED	0.003 s
	io.cucumber.core.exception.CucumberException: Step [User should select {string}] is defined with 5 parameters at 'com.nopcommerce.demo. steps.ComputerSteps.userShouldSelect(java.lang.String,java.lang.String,java.lang.String,java.lang.String,java.lang.String)'. However, the gherkin step has 1 arguments: * "2.2 GHz Intel Pentium Dual-Core E2200" Step text: User should select "2.2 GHz Intel Pentium Dual-Core E2200" at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.PickleStepTestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	$at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runlnSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testing.TestRuffier.run(TestRuffier.java.021) at org.testing.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testing.SuiteRunner.runSequentially(SuiteRunner.java:443) at org.testing.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testing.SuiteRunner.privateRun(SuiteRunner.java:497)		
	at org.testing.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testing.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testing.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testing.TestNG.runSuites(TestNG.java:1114)		
	at org.testing.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
5	And User should select "2 GB"	SKIPPED	0.001 s
6	And User should select "320 GB"	SKIPPED	0.000 s
7	And User should select "Vista Home [+\$50.00]"	SKIPPED	0.000 s
8	Then User should select "Microsoft Office [+\$50.00]"	SKIPPED	0.002 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.372 s
	Verify That User Should Build You Own Computer And Add Them To Cart Successfully		

#	Step / Hook Details	Status	Duration
	The state of the s		

### **Verify That User Should Build You Own Computer And Add Them To Cart Successfully**




#	Step / Hook Details	Status	Duration
1	Given User should click on computer tab	PASSED	0.514 s
2	When User should click on desktop link	PASSED	0.414 s
3	And User should click on product name Build your own computer	PASSED	0.003 s
4	And User should select "2.5 GHz Intel Pentium Dual-Core E2200 [+\$15.00]"	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Step [User should select {string}] is defined with 5 parameters at 'com.nopcommerce.demo. steps.ComputerSteps.userShouldSelect(java.lang.String,java.lang.String,java.lang.String,java.lang.String,java.lang.String)'. However, the gherkin step has 1 arguments: * "2.5 GHz Intel Pentium Dual-Core E2200 [+\$15.00]" Step text: User should select "2.5 GHz Intel Pentium Dual-Core E2200 [+\$15.00]" at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.PickleStepTestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invokeO(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testing.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testing.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testing. Suiter Curine Worker, during worker, java. 93) at org.testing. TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testing.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testing.TestNG.runSuites(TestNG.java:1114)		
	at org.testing.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
5	And User should select "4GB [+\$20.00]"	SKIPPED	0.001 s
6	And User should select "400 GB [+\$100.00]"	SKIPPED	0.000 s
7	And User should select "Vista Premium [+\$60.00]"	SKIPPED	0.000 s
8	Then User should select "Acrobat Reader [+\$10.00]"	SKIPPED	0.001 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.315 s
	Verify That User Should Build You Own Computer And Add Them To Cart Successfully		

#	Step / Hook Details	Status	Duration
	The state of the s		

### **Verify That User Should Build You Own Computer And Add Them To Cart Successfully**



#	Step / Hook Details	Status	Duration
1	Given User should click on computer tab	PASSED	0.470 s
2	When User should click on desktop link	PASSED	0.430 s
3	And User should click on product name Build your own computer	PASSED	0.002 s
4	And User should select "2.5 GHz Intel Pentium Dual-Core E2200 [+\$15.00]"	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Step [User should select {string}] is defined with 5 parameters at 'com.nopcommerce.demo. steps.ComputerSteps.userShouldSelect(java.lang.String,java.lang.String,java.lang.String,java.lang.String,java.lang.String,java.lang.Stringj. However, the gherkin step has 1 arguments: * "2.5 GHz Intel Pentium Dual-Core E2200 [+\$15.00]" Step text: User should select "2.5 GHz Intel Pentium Dual-Core E2200 [+\$15.00]" at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.PickleStepTestStep.java:56) at io.cucumber.core.runner.FickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testing.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testing. TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testing.Testing.runSuitesLocally(Testing.java:1200)		
	at org.testing.TestNG.runSuites(TestNG.java:1114)		
	at org.testing.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
5	And User should select "8GB [+\$60.00]"	SKIPPED	0.000 s
6	And User should select "320 GB"	SKIPPED	0.000 s
7	And User should select "Vista Home [+\$50.00]"	SKIPPED	0.000 s
8	Then User should select "Total Commander [+\$5.00]"	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.304 s
	Verify That User Should Build You Own Computer And Add Them To Cart Successfully		


DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
	The state of the s		

# **Register feature**

PASSED	DURATION - 4.175 s	Scenarios		Steps	
/ 9:58:01.346 a	m // 9:58:05.521 am /	Total - 1  Pass - 1		Total - 10 Pass - 10	40
		Fail - 0	' '	Fail - 0	10
		Skip - 0		Skip - 0	

# **Verify That User Should Create Account Successfully**



#	Step / Hook Details		Duration
1	Given User is on register page	PASSED	0.575 s
2	When User clicks on register link	PASSED	0.084 s
3	And User selects female radio button	PASSED	0.085 s
4	And User enters first name "Joanne"	PASSED	0.115 s
5	And User enters last name "Rowling"	PASSED	0.089 s
6	And User enters email address "j.rowling@gmail.com"	PASSED	0.117 s
7	And User enters password "abc_123"	PASSED	0.098 s
8	And User enters password to confirm password field "abc_123"	PASSED	0.093 s
9	And User clicks on register link	PASSED	0.511 s

DETAILED SECTION -- 14 --

7	# Step / Hool	k Details	Status	Duration
10	Then User should see text your registration completed		PASSED	0.042 s