

Cucumber Report

28 Dec 2023, 23:00:56

Start : Dec 28, 11:00:51.086 pm

End : Dec 28, 11:00:56.156 pm

Duration : 5.070 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 0



| Feature | | Scenario | | | | Step | | | |
|--|----------|----------|---|---|---|------|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Login User feature file with incorrect email and password</u> | 5.070 s | 1 | 0 | 1 | 0 | 6 | 5 | 1 | 0 |

| # | Feature Name | Scenario Name |
|---|--|--|
| 1 | <u>Login User feature file with incorrect email and password</u> | <u>Launch browser to Login with invalid credential</u> |

| TAG | Scenario | | | | Feature | | | |
|-----------|----------|---|---|---|---------|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @onlytest | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |





| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | Login User feature file with incorrect email and password | 1 | 0 | 1 | 0 | 5.070 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|--|---|---|---|---|----------|
| 1 | <u>Login User feature file with incorrect email and password</u> | <u>Launch browser to Login with invalid credential</u> | 6 | 5 | 1 | 0 | 5.068 s |

Login User feature file with incorrect email and password


| | | | | | |
|--|--------------------|-----------|---|-----------|---|
| FAILED | DURATION - 5.070 s | Scenarios |  | Steps |  |
| / 11:00:51.086 pm // 11:00:56.156 pm / | | Total - 1 | | Total - 6 | |
| | | Pass - 0 | | Pass - 5 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 0 | |

Launch browser to Login with invalid credential

| | | | | |
|--|-------------------------------|---|---|--|
| <div>FAILED</div> | <div>DURATION - 5.068 s</div> | <div></div> | <div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 11:00:51.088 pm // 11:00:56.156 pm /</div> | | | | |
| <div>Login User feature file with incorrect email and password</div> | | | | |
| <div>@onlytest</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I clicked on SignupLogin button | PASSED | 0.553 s |
| 2 | When I Verify Login to your account link is visible | PASSED | 0.031 s |
| 3 | Then I enter incorrect email address 'fjkfjkdds@gmail.com' | PASSED | 0.002 s |
| 4 | And I enter incorrect password '1234Qwer' | PASSED | 0.003 s |
| 5 | And I click on Login button | PASSED | 0.101 s |
| 6 | Then I Verify error 'Your email or password is incorrect!' is visible | FAILED | 0.002 s |
| | io.cucumber.core.exception.CucumberException: Step [I Verify error {string} is visible] is defined with 0 parameters at 'com.automationexercise.steps.LoginWithInvalidCredentialSteps.iVerifyErrorYourEmailOrPasswordIsIncorrectIsVisible()'. However, the gherkin step has 1 arguments: * 'Your email or password is incorrect!' Step text: I Verify error 'Your email or password is incorrect!' is visible at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) | | |
| | AFTER - com.automationexercise.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.410 s |
| | Launch browser to Login with invalid credential | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |