






# Phantom QA results for /fbirn\_out/ses-20ch\_func-bold\_acq-cmrrstd\_task-tsnrxacpc.xml, slice 34




old\_acq-cmrrstd\_task-tsnrxacpc.xml [percent fluct (trend removed), drift, driftfi-





[mean, SNR, SFNR] = [46163.7 127.0 134.0]










---

## Odd-even difference image

-10042 13499



image min: -10042, image max: 13499



---

### Mean image



image min: 0, image max: 53176.1




---

### Standard Deviation image



image min: 0, image max: 447.713




---

### SFNR image



image min: 0, image max: 286.128



---

### Acquisition parameters

|               |                    |
|---------------|--------------------|
| dimensions    | 106x106x69x100     |
| spacing       | 2mmx2mmx2mmx2000ms |
| gap           | 0mmx0mmx0mmx0ms    |
| scanner       | AWP213018          |
| psdname       |                    |
| examnumber    | 310dc38b-b5e3-41   |
| studyid       | Stability_20260720 |
| seriesnumber  | 28                 |
| runnumber     | 1                  |
| magneticfield | 3                  |

|                                 |                                                                                  |
|---------------------------------|----------------------------------------------------------------------------------|
| description                     | ses-20ch_func-bold_acq-cmrrstd_task-tsnrxacpc                                    |
| scandate                        | 2026-07-20                                                                       |
| scantime                        | 10:55:52                                                                         |
| tr                              | 2000                                                                             |
| te                              | 30                                                                               |
| operator                        |                                                                                  |
| flipangle                       | 79                                                                               |
| prescribedslicespacing          | 2                                                                                |
| frequencydirection              | 1                                                                                |
| receivecoilname                 | HeadNeck_20_TCS                                                                  |
| transmitcoilname                | Body                                                                             |
| institution                     | THE UNIVERSITY OF PENNSYLVANIA                                                   |
| examdescription                 | ACTIVE KIRWAN                                                                    |
| scanner                         | AWP213018                                                                        |
| scannermanufacturer             | Siemens Healthineers                                                             |
| scannermodelname                | MAGNETOM Cima.X                                                                  |
| protocolname                    | ses-20ch_func-bold_acq-cmrrstd_task-tsnrxacpc                                    |
| institutionaddress              | Grays Ferry Ave. BLDG 250 STE 140<br>3401,Philadelphia,69 -<br>KEYSTONE,US,19146 |
| institutionaldepartmentname     | MindCORE Neuroimaging Suite 140                                                  |
| acquisitiondatetime             | 20260720105550.827500                                                            |
| frametype                       | ORIGINAL                                                                         |
| pixelpresentation               | MONOCHROME                                                                       |
| volumetricproperties            | DISTORTED                                                                        |
| volumebasedcalculationtechnique | NONE                                                                             |
| compleximagecomponent           | MAGNITUDE                                                                        |
| acquisitioncontrast             | UNKNOWN                                                                          |
| mracquisitiontype               | 2D                                                                               |
| numaverages                     | 1                                                                                |
| spacingbetweenslices            | 2                                                                                |
| echotrainlength                 | 80                                                                               |
| percentsampling                 | 100                                                                              |
| percentphasefieldofview         | 100                                                                              |
| scannerserialnumber             | 213018                                                                           |
| softwareversions                | syngo MR XA61                                                                    |
| inplanephaseencodingdirection   | COLUMN                                                                           |
| variableflipangleflag           | N                                                                                |
| contentqualification            | RESEARCH                                                                         |
| acquisitionduration             | 217.892                                                                          |

|                                |                                                  |
|--------------------------------|--------------------------------------------------|
| resonantnucleus                | 1H                                               |
| applicablesafetystandardagency | IEC                                              |
| acquisitionnumber              | 1                                                |
| instancenumber                 | 1                                                |
| numtemporalpositions           | 100                                              |
| imagecomments                  | Not for diagnostic use, Unaliased MB3/<br>PE3/LB |
| samplesperpixel                | 1                                                |
| photometricinterpretation      | MONOCHROME2                                      |
| numberofframes                 | 69                                               |
| rows                           | 106                                              |
| columns                        | 106                                              |
| bitsallocated                  | 16                                               |
| bitsstored                     | 16                                               |
| highbit                        | 15                                               |
| lossyimagecompression          | 00                                               |