

AI Employee Support Bot SaaS API

Version 1.0.0 | OpenAPI 3.0.3

API documentation for the multi-tenant employee support bot backend.

The intended production integration is a central LINE bot or legacy bot backend calling the bot-facing `/api/v1/*` endpoints with `x-central-bot-secret`.

Tenant-specific admin operations are protected by Supabase Auth session cookies and role checks.

Servers

- `http://localhost:4000` (Local development)
- `https://your-platform-domain.example` (Production)

Authentication

CentralBotSecret

Type: `apiKey`; Location: header; Name: `x-central-bot-secret`
Shared secret used by the trusted central LINE bot backend.

LegacyApiKey

Type: `apiKey`; Location: header; Name: `x-api-key`
Legacy tenant API key. Not recommended for central LINE bot integration.

SupabaseSession

Type: `apiKey`; Location: cookie; Name: `sb-access-token`
Supabase Auth browser session cookies. Actual cookie names depend on Supabase SSR configuration.

Endpoint Summary

Bot API

Endpoints called by the central bot backend.

- GET `/api/v1/health` - Health check
- POST `/api/v1/register` - Register a LINE user or external user to a tenant using company code
- POST `/api/v1/chat` - Send an employee message to AI/RAG orchestration
- GET `/api/v1/config` - Get resolved tenant bot configuration
- GET `/api/v1/usage` - Get current tenant usage and quota

Admin - Setup

- Initial platform admin setup.
- POST `/api/setup/platform-admin` - Create the initial platform admin and temporary password

Admin - Tenants

- Platform admin tenant management.
- POST `/api/admin/tenants` - Create tenant, company admin, company code, and tenant defaults
- PATCH `/api/admin/tenants/{tenant_id}` - Update tenant plan/status/limits
- DELETE `/api/admin/tenants/{tenant_id}` - Delete tenant and cascaded tenant data

Admin - AI Settings

Platform-admin managed AI settings.

PATCH /api/admin/tenants/{tenant_id}/ai-settings - Update per-tenant AI settings

PATCH /api/admin/platform-ai-settings - Update legacy/global platform AI fallback settings

Admin - Documents

RAG knowledge base document management.

POST /api/admin/documents - Upload and process a RAG knowledge base document

DELETE /api/admin/documents/{document_id} - Delete RAG document

Admin - Playground

RAG playground testing.

POST /api/admin/playground - Test RAG answer for a tenant

Admin - API Keys

Legacy tenant API key management.

POST /api/admin/api-keys - Create legacy tenant API key

DELETE /api/admin/api-keys/{api_key_id} - Revoke legacy tenant API key

Endpoint Details

Bot API

GET /api/v1/health

Health check

Legacy tenant API-key health check. Central bot integrations normally call /api/v1/config or /api/v1/usage for tenant-aware checks.

Auth: LegacyApiKey

Responses:

- 200: Service health response. | object

POST /api/v1/register

Register a LINE user or external user to a tenant using company code

Use when an employee first enters a tenant company code. Stores a link from external_user_id + channel to tenant_id.

Auth: CentralBotSecret

Request: application/json | RegisterUserRequest

Responses:

- 200: User successfully linked to tenant. | RegisterUserResponse
- 400: ValidationError
- 401: Unauthorized
- 404: Invalid or revoked company code. | ErrorResponse
- 500: InternalError

POST /api/v1/chat

Send an employee message to AI/RAG orchestration

Main API for central LINE bot integration.

If the user is not linked yet, send company_code together with the first message. The backend will link the user and answer in the same call.

If the user is already linked, external_user_id + channel is enough.

Auth: CentralBotSecret, LegacyApiKey

Request: application/json | ChatRequest

Responses:

- 200: Successful AI response, quota message, or bot-friendly registration prompt. | ChatSuccessResponse / ChatNeedCompanyCodeResponse
- 400: ValidationError
- 401: Unauthorized
- 500: InternalError

GET /api/v1/config

Get resolved tenant bot configuration

Resolve tenant from central bot secret and external user id, then return display config and feature flags.

Auth: CentralBotSecret, LegacyApiKey

Parameters:

- external_user_id (query, required): Stable external user id, normally LINE user id or legacy user UUID.
- channel (query, optional): Source channel. Use line for LINE bot integration.
- company_code (query, optional): Tenant company code. Needed if user is not linked yet.

Responses:

- 200: Tenant bot config. | BotConfigResponse
- 400: ValidationError
- 401: Unauthorized
- 404: TenantNotResolved

GET /api/v1/usage

Get current tenant usage and quota

Auth: CentralBotSecret, LegacyApiKey

Parameters:

- external_user_id (query, required): Stable external user id, normally LINE user id or legacy user UUID.
- channel (query, optional): Source channel. Use line for LINE bot integration.
- company_code (query, optional): Tenant company code. Needed if user is not linked yet.

Responses:

- 200: Tenant usage summary. | UsageResponse
- 400: ValidationError
- 401: Unauthorized
- 404: TenantNotResolved

Admin - Setup

POST /api/setup/platform-admin

Create the initial platform admin and temporary password

Request: application/json | object

Responses:

- 200: Platform admin created. | object
- 400: ValidationError
- 409: Platform admin already exists. | object

Admin - Tenants

POST /api/admin/tenants

Create tenant, company admin, company code, and tenant defaults

Auth: SupabaseSession

Request: application/json | CreateTenantRequest

Responses:

- 200: Tenant onboarding result. | CreateTenantResponse
- 400: ValidationError
- 401: AdminUnauthorized
- 403: Forbidden

PATCH /api/admin/tenants/{tenant_id}

Update tenant plan/status/limits

Auth: SupabaseSession

Parameters:

- tenant_id (path, required):

Request: application/json | UpdateTenantRequest

Responses:

- 200: Updated tenant. | Tenant
- 400: ValidationError
- 401: AdminUnauthorized
- 403: Forbidden

DELETE /api/admin/tenants/{tenant_id}

Delete tenant and cascaded tenant data

Platform Admin only. Deletes tenant, tenant-scoped relational data, RAG files, and company admin auth users that are not members of any other tenant.

Auth: SupabaseSession

Parameters:

- tenant_id (path, required):

Responses:

- 200: Tenant deleted. | object
- 401: AdminUnauthorized
- 403: Forbidden
- 404: Tenant not found.

Admin - AI Settings

PATCH /api/admin/tenants/{tenant_id}/ai-settings

Update per-tenant AI settings

Platform Admin only. Company Admin cannot edit or see model/system-instruction settings.

Auth: SupabaseSession

Parameters:

- tenant_id (path, required):

Request: application/json | TenantAiSettingsRequest

Responses:

- 200: Updated bot settings row. | TenantAiSettings
- 400: ValidationError
- 401: AdminUnauthorized
- 403: Forbidden

PATCH /api/admin/platform-ai-settings

Update legacy/global platform AI fallback settings

This route is retained as a fallback/default settings endpoint. Current product behavior is per-tenant AI settings managed from /platform/tenants/{tenant_id}/ai-settings.

Auth: SupabaseSession

Request: application/json | TenantAiSettingsRequest

Responses:

- 200: Updated platform bot settings. | TenantAiSettings
- 401: AdminUnauthorized
- 403: Forbidden

Admin - Documents

POST /api/admin/documents

Upload and process a RAG knowledge base document

Accepts PDF, DOCX, TXT, or Markdown. Creates document record, uploads raw file to Supabase Storage, extracts/chunks text, creates embeddings, and stores vectors in document_chunks.

Auth: SupabaseSession

Request: multipart/form-data | DocumentUploadRequest

Responses:

- 200: Uploaded and processed document. | object
- 400: ValidationError
- 401: AdminUnauthorized
- 403: Forbidden

DELETE /api/admin/documents/{document_id}

Delete RAG document

Auth: SupabaseSession

Parameters:

- document_id (path, required):

Responses:

- 200: Document deleted. | object
- 401: AdminUnauthorized
- 403: Forbidden
- 404: Document not found.

Admin - Playground

POST /api/admin/playground

Test RAG answer for a tenant

Auth: SupabaseSession

Request: application/json | PlaygroundRequest

Responses:

- 200: Playground RAG response. | PlaygroundResponse
- 400: ValidationError
- 401: AdminUnauthorized

Admin - API Keys

POST /api/admin/api-keys

Create legacy tenant API key

Legacy compatibility only. Central LINE bot should use x-central-bot-secret.

Auth: SupabaseSession

Request: application/json | object

Responses:

- 200: Created API key. Raw key is returned once. | object
- 401: AdminUnauthorized

DELETE /api/admin/api-keys/{api_key_id}

Revoke legacy tenant API key

Auth: SupabaseSession

Parameters:

- api_key_id (path, required):

Responses:

- 200: API key revoked. | object
- 401: AdminUnauthorized

Schema Reference

RegisterUserRequest

Required: company_code

- external_user_id: string - Stable external user id. Either this or line_user_id is required.
- line_user_id: string - LINE user id. Either this or external_user_id is required.
- channel: string
- company_code: string
- display_name: string
- metadata: object

RegisterUserResponse

Required: success, tenant_id, tenant_name, link_id, external_user_id, channel

- success: boolean
- tenant_id: string
- tenant_name: string
- link_id: string
- external_user_id: string
- channel: string

ChatRequest

Required: external_user_id, message

- external_user_id: string - Stable user id from LINE or legacy system.
- channel: string
- message: string
- company_code: string - Optional. Used to link user to tenant if not linked yet.
- conversation_id: string
- bot_id: string - Legacy field. Current runtime uses tenant AI settings.
- metadata: object

ChatSuccessResponse

Required: success, reply, message_type, safety_level, conversation_id, sources, handoff_required, handoff, quota

- success: boolean
- reply: string
- message_type: string enum(general, rag, mental_health, safety, crisis, out_of_scope, quota_exceeded)
- safety_level: string enum(normal, medium, high, crisis)
- conversation_id: string
- sources: array<SourceDocument>
- handoff_required: boolean
- handoff: Handoff
- quota: QuotaSnapshot
- debug: object

ChatNeedCompanyCodeResponse

Required: success, reply, message_type, safety_level, conversation_id, sources, handoff_required, handoff, quota

- success: boolean
- reply: string
- message_type: string enum(out_of_scope)
- safety_level: string enum(normal)
- conversation_id: string
- sources: array<SourceDocument>
- handoff_required: boolean
- handoff: Handoff
- quota: QuotaSnapshot

SourceDocument

- document_name: string
- category: string enum(benefits, welfare, leave_policy, insurance, hr_faq, other, None)

- section: string
- score: number

Handoff

Required: enabled, url, button_text, message

- enabled: boolean
- url: string
- button_text: string
- message: string

QuotaSnapshot

Required: plan, used, limit, remaining

- plan: string enum(trial, pro)
- used: integer
- limit: integer
- remaining: integer

BotConfigResponse

- company_name: string
- bot_name: string
- default_language: string enum(th, en, th,en)
- features: object
- limits: object

UsageResponse

- plan: string enum(trial, pro)
- status: string enum(active, suspended, expired)
- messages_used: integer
- messages_limit: integer
- messages_remaining: integer
- estimated_cost_usd: number

Tenant

- id: string
- name: string
- slug: string
- plan: string enum(trial, pro)
- status: string enum(active, suspended, expired)
- monthly_message_limit: integer
- storage_limit_mb: integer
- max_files: integer
- max_bots: integer
- trial_started_at: string
- trial_ends_at: string
- created_at: string
- updated_at: string

CreateTenantRequest

Required: name, plan, admin_email, admin_display_name

- name: string
- plan: string enum(trial, pro)
- industry: string
- company_description: string
- hr_contact_name: string
- hr_contact_email: string
- admin_email: string
- admin_display_name: string

CreateTenantResponse

- tenant: Tenant
- adminUser: object
- companyCode: object
- temporaryPassword: string - Returned once for onboarding.

UpdateTenantRequest

- name: string
- plan: string enum(trial, pro)
- status: string enum(active, suspended, expired)
- monthly_message_limit: integer
- storage_limit_mb: integer
- max_files: integer
- max_bots: integer

TenantAiSettingsRequest

Required: name, tone, general_model, rag_model, safety_model, embedding_model

- name: string
- tone: string
- default_language: string enum(th, en, th,en)
- max_sentences: integer
- general_model: string
- rag_model: string
- safety_model: string
- embedding_model: string
- rag_enabled: boolean
- mental_health_enabled: boolean
- safety_enabled: boolean
- handoff_enabled: boolean
- classification_enabled: boolean
- system_instruction: string

TenantAiSettings

Composite schema or free-form object.

DocumentUploadRequest

Required: tenant_id, document_category, file

- tenant_id: string
- document_category: string enum(benefits, welfare, leave_policy, insurance, hr_faq, other)
- file: string

Document

- id: string
- tenant_id: string
- file_name: string
- file_type: string
- file_size_bytes: integer
- document_category: string enum(benefits, welfare, leave_policy, insurance, hr_faq, other)
- status: string enum(uploaded, processing, ready, failed)
- storage_path: string
- processing_error: string

PlaygroundRequest

Required: tenant_id, message

- tenant_id: string
- bot_id: string
- message: string

PlaygroundResponse

- reply: string

- sources: array<SourceDocument>
- model_used: string
- input_tokens: integer
- output_tokens: integer
- total_tokens: integer
- estimated_cost_usd: number
- message_type: string

ErrorResponse

Required: success, error

- success: boolean
- error: object