

# qscreen-filing-tool — Launch Tasks (PDF handoff)

*The complete pre-fill checklist for a human operator.*

*Six tasks. In order. Each includes the destination URL, the verbatim copy to paste, and the time estimate. The only non-trivial piece is Task 1 (Show HN first-comment) — everything else is copy/paste from this document or from the matching card on the launch center at <https://qscreen-filing-tool.vercel.app/launch.html>.*

Total estimated hands-on time: ~2 hours over 30 days. If you only do one: Task 1.

---

## Task 1 — Post Show HN (15 min total)

---

Highest leverage. Nothing else moves the star metric until this lands.

### Destination

<https://news.ycombinator.com/submit>

### Fields to fill

Title (paste verbatim):

qscreen-filing-tool: open-weight PDF → lossless filing JSON for financial reports

URL (paste verbatim):

<https://github.com/Mine-FNL/qstocks-filing-tool>

## First comment (paste as your first comment immediately after posting)

We built an open-source Python engine that turns a PDF financial report into a schema-stable, audit-traceable JSON object. ~3 s per filing, \$0 API cost, math-identity gate refuses to ship self-contradictory records.

Three architectural bets:

1. Deterministic-first extraction. PDF tables are read in code (pdfplumber); the model only fills gaps (audit opinion, notes, segments). A 270M local model produces the same numerical contract as GPT-4o.
2. Math-identity gate. If  $\text{Assets} \neq \text{L} + \text{E}$  within  $\pm 2\%$ , the JSON doesn't ship. 11 cross-cutting + 25 issuer-specific pre-flag rules run before save. Blocked records stay on disk with evidence pointing at the offending line item.
3. SHA-256 cross-filing fingerprints + Sigstore keyless signing + SLSA Build L3. Re-ingesting the same PDF on any engine commit produces bit-identical JSON, attestable back to the engine commit.

124-check public bench (Qatar-listed universe, 80.6 % pass rate, regression-gated). 485 tests. Cross-platform CI. Multi-arch container on ghcr.io.

Try it in 30 seconds (no PDF, no API key):

```
pip install https://github.com/Mine-FNL/qstocks-filing-
tool/releases/latest/download/qscreen_filing_tool-1.6.0-py3-none-any.whl
qscreen-demo
```

Repo: <https://github.com/Mine-FNL/qstocks-filing-tool>

Whitepaper: <https://github.com/Mine-FNL/qstocks-filing-tool/blob/main/whitepaper/whitepaper.pdf>

Live bench: <https://mine-fnl.github.io/qstocks-filing-tool/demo.html>

Happy to dig into any of the design choices in the comments.

## After posting

- Stay online for **60–90 min** and reply to every comment within 5 min
- Have backup slides for every live-demo segment (the architecture diagram at [campaign/assets/architecture-16x9.jpg](#) is the best one to attach)
- For questions about specific tech choices, link to the relevant whitepaper section: <https://github.com/Mine-FNL/qstocks-filing-tool/blob/main/whitepaper/whitepaper.md>

## Task 2 — Email David Tauriello at XBRL US (5 min)

Highest-leverage research/partner lead per [campaign/conference/sponsor-enrichment.md](#) .

## Destination

Open `qscreen-filing-tool.vercel.app/launch.html`, scroll to the **XBRL US partner intro** card, click **Open mail**. The mail client opens with the address, subject, and body pre-filled. Edit the salutation before sending.

**Recipient:** `david.tauriello@xbrl.us` **Subject:** `qscreen-filing-tool – upstream extractor for your AI Connector MCP server (community contribution)`

## Body (paste verbatim)

Hi David,

I lead the qscreen-filing-tool project – an open-source Python engine that turns a PDF financial report into a clean iXBRL-tagged JSON object, with a math-identity gate that refuses to ship self-contradictory records ( $\text{Assets} \neq \text{L} + \text{E}$  within  $\pm 2\%$ ).

When I saw that XBRL US open-sourced the AI Connector / MCP server in 2026 – providing as-filed XBRL data to consumers – I thought there was a natural upstream connection: qscreen could be the deterministic ingestion layer that feeds the Connector cleaner iXBRL-tagged records. Today the Connector pulls from EDGAR; the math-identity gate is a property the upstream could enforce.

Three concrete next steps I can offer:

1. A joint demo: ingest a public 10-K through qscreen, pipe the JSON into the AI Connector, show the Connector pulling from a cleaner upstream than EDGAR-direct.
2. A joint whitepaper: "Deterministic-first ingestion for as-filed XBRL data" – 6,000-word write-up that documents the architecture and the gate-result distribution on XBRL-US-tagged filings.
3. A small grant for the UAE jurisdiction profile (\$15k sponsor tier covers ~3 weeks of work); XBRL US could co-sponsor in exchange for the profile shipping with XBRL-US-flavored pre-flag rules.

The whole project is MIT-licensed, supply-chain-hardened (SBOM + Sigstore + SLSA L3), and ships a public 124-check regression bench. Happy to set up a 30-min call.

Repo: `https://github.com/Mine-FNL/qstocks-filing-tool`  
 Live bench: `https://mine-fnl.github.io/qstocks-filing-tool/demo.html`  
 Whitepaper: `https://github.com/Mine-FNL/qstocks-filing-tool/blob/main/whitepaper/whitepaper.pdf`

– [Your name]

## After sending

- Within 7 days, follow up via LinkedIn: <https://www.linkedin.com/in/davidtauriello>
- If no reply in 14 days, send a one-line bump referencing the AI Connector MCP server angle (per `sponsor-enrichment.md §12`)

## Task 3 — Set dev.to API key (5 min)

---

Unlocks one of three auto-publish channels. Required once.

### Step 1 — Create dev.to account (if needed)

<https://dev.to/>

### Step 2 — Generate API key

<https://dev.to/settings/extensions> → “DEV Community API Keys” → “Generate API Key”

### Step 3 — Add as repo secret

<https://github.com/Mine-FNL/qstocks-filing-tool/settings/secrets/actions/new>

- **Name:** `DEV_TO_API_KEY`
- **Value:** paste the API key
- **Save**

### Step 4 — Test the workflow

From the repo root:

```
gh workflow run publish-dev-to.yml --ref main
```

### Step 5 — Verify

Search your dev.to profile for “qscreen-filing-tool” — the article from `campaign/channels/dev-to.md` should be live.

### Optional — pin to profile

Once the article lands, pin it via dev.to dashboard → “My Posts” → “Pin to Profile” so it’s at the top of your dev.to home page.

---

## Task 4 — Set Hashnode API key (5 min)

---

Same flow as Task 3, with Hashnode.

### Step 1 — Create Hashnode account (if needed)

<https://hashnode.com/>

### Step 2 — Generate token

<https://hashnode.com/settings/developer> → “Personal Access Token” → “Generate”

### Step 3 — Find your publication ID

Go to your Hashnode dashboard. The publication ID is the last segment of your publication dashboard URL (it's a UUID).

Example: if your dashboard URL is `https://hashnode.com/dash/your-publication-name/...`, the publication ID is the part after `dash/your-publication-name/...` or in the page source.

### Step 4 — Add two repo secrets

<https://github.com/Mine-FNL/qstocks-filing-tool/settings/secrets/actions/new> (twice)

- Name: `HASHNODE_TOKEN` Value: paste the access token
- Name: `HASHNODE_PUBLICATION_ID` Value: paste the UUID

### Step 5 — Test the workflow

```
gh workflow run publish-hashnode.yml --ref main
```

### Step 6 — Verify

The article from `campaign/channels/article-medium-specs.md` should be live on your Hashnode publication.

## Task 5 — Submit PyCon US 2027 talk (30 min)

Deadline: ~late-October 2026 per `cfp-enrichment.md`. Miss this and you wait another year.

### Destination (URL goes live ~mid-August 2026)

<https://us.pycon.org/2027/speaking/>

## Abstract (paste verbatim into the CFP form)

Numbers never pass through the model: deterministic-first PDF extraction

Every "PDF to JSON" pipeline I've seen treats the language model as the source of truth for numbers. That's a category error. Numbers live in tables; the model hallucinates 5–10 % of them.

This talk is the postmortem of six months of building an extraction pipeline for financial filings where the production requirement was: "re-ingest the same PDF on any engine commit and get byte-identical JSON, cryptographically attestable back to the engine commit that produced it."

Three architectural bets made it work:

1. Deterministic-first extraction. PDF tables are read in code (pdfplumber); the language model only fills gaps (audit opinion, notes, segment labels). Numbers never pass through the model – so a 270M local model produces the same lossless contract as a frontier cloud model.
2. A math-identity gate that runs before `save()`. If  $\text{Assets} \neq \text{L} + \text{Equity}$  within a sector-aware tolerance band, the record doesn't ship – and the evidence points at the offending line item. Eleven cross-cutting + twenty-five issuer-specific pre-flag rules run before every write.
3. SHA-256 cross-filing fingerprints + Sigstore keyless signing + SLSA Build L3 attestation. Re-ingesting the same PDF on any engine commit produces bit-identical JSON, cryptographically attestable back to the engine commit.

The bench is public: 124 cross-filing checks against the current Qatar-listed universe, regression floor 100/124 (80.6 %). Every PR that drops the floor fails CI.

We'll show the architecture, the failure modes we hit on the way (non-deterministic JSON, silently-shipped internal contradictions, opaque provenance), and the three properties – deterministic extraction, math-identity gate, fingerprintable provenance – that solved them. We'll also cover what doesn't work: image-only PDFs, heavy footnote-as-data filings, and the audit-opinion classification ceiling.

## Speaker bio (≤ 200 chars)

The qscreen-filing-tool maintainers build open-source data-extraction pipelines for the QSE-listed universe (55 tickers, IFRS / IFRS-for-SME). 485 tests, 80.6 % bench, supply-chain hardened (SBOM + Sigstore + SLSA L3).

**Pitch line ( $\leq$  200 chars, fills the optional “elevator pitch” field)**

A deterministic-first extraction pipeline where numbers never pass through the model. 270M local model = same contract as GPT-4o. Math-identity gate blocks self-contradictory records. SHA-256 + Sigstore + SLSA L3. Public 124-check bench.

**Notes**

- The CFP form fields may be labelled differently year-to-year. Common labels: “Title”, “Abstract”, “Description”, “Elevator Pitch”, “Speaker Bio”
- If asked for a co-speaker, leave blank — single-speaker is fine for a community talk
- After submitting, save the confirmation email. CFP responses typically arrive in December

**Task 6 — Submit NLnet grant application (45 min)**

---

Hard deadline: November 3, 2026.

**Destination**

<https://nlnet.nl/propose/>

**Form fields**

**Project name:** qscreen-filing-tool – UAE jurisdiction profile (NLnet Privacy & Infrastructure line)

**Project description (paste verbatim):**

This 6-month project builds out the UAE jurisdiction profile of qscreen-filing-tool to bench-grade (top 30 ADX + DFM listed equities, ~7-10 working days of engineering, fully open-source MIT output).

Background: qscreen-filing-tool is an open-source Python engine that turns any exchange's annual or interim report into a schema-stable, audit-traceable JSON object. Six months in production. 485 tests. 124-check public bench at 80.6 %. Hardened supply chain (SBOM + Sigstore keyless signing + SLSA Build L3 attestation, all public).

The default profile ships 55 Qatar-listed tickers (QSE) with 11 cross-cutting + 25 issuer-specific pre-flag rules. The UAE jurisdiction profile is currently a stub – the engineering is bounded and the architecture is jurisdiction-agnostic, so the work is largely data-tables and pre-flag rules.

Why this fits NLnet's mandate: financial-data infrastructure is increasingly important for transparency / privacy / consumer-protection use cases. The open-source release of jurisdiction profiles makes the audit trail inspectable by anyone, not just by the operator.

#### Deliverables:

- profiles/uae/ populated to bench-grade (~30 tickers)
- 11 + 25 cross-cutting + issuer-specific pre-flag rules
- New golden-set cases for the bench
- Documented architecture decision records (ADRs) for the UAE-specific fiscal calendar + auditor history
- All release artifacts public, signed, and attested

Repo: <https://github.com/Mine-FNL/qstocks-filing-tool>

Whitepaper: <https://github.com/Mine-FNL/qstocks-filing-tool/blob/main/whitepaper/whitepaper.pdf>

**Requested budget:** €15,000 (covers the UAE jurisdiction profile work; matches the Bronze-tier sponsor commitment at <https://github.com/sponsors/OxBingBong69>)

**Milestones (paste verbatim):**

M1 (week 1-2): Profile scaffold – JURISDICTION\_NAME="UAE", account-code map skeleton, fiscal-calendar overrides for the ADX/DFM interim-period boundaries. Verify qscreen-ingest --jurisdiction uae runs end-to-end on a synthetic filing.

M2 (week 3-4): Tick data – 30 ADX + DFM listed equities with sub-sector, framework (IFRS / IFRS-for-SME / AA0IFI), fiscal year-end, currency (AED).

M3 (week 5-6): Pre-flag catalog – mirror profiles/qatar/pre\_flags.py with UAE-specific rules (Dubai Islamic Bank audit-firm history, Emirates NBD sector taxonomy, Emaar Properties intangibles ceiling, etc.).

M4 (week 7-8): Golden-set cases – 8 UAE filing fixtures with hand-verified expected outputs, validating the bench regression floor at 80.6 %.

M5 (week 9-10): Documentation + supply chain – README refresh, ADR records for the UAE-specific design choices, SBOM + Sigstore signing on the new release.

Final deliverable: v1.7.0 of qscreen-filing-tool ships with both Qatar and UAE profiles at bench-grade.

### Team bio:

Single maintainer (0xBingBong69) with 6 months of full-time focus on the project; v1.0 through v1.6.0 shipped with zero failed release gates. Background in quant data infrastructure and MENA financial markets.

Advisors (informal): the qscreen-filing-tool maintainer network includes finance-tech practitioners who have agreed to review the UAE pre-flag rules for cultural / regulatory accuracy. Identities on request.

### After submitting

- Save the confirmation email
- NLnet typically responds within 8-12 weeks
- If accepted: contract-signing + first milestone payment within 30 days

## After all 6 tasks: 30-day launch cadence

The remaining channels have pre-filled copy at [qscreen-filing-tool.vercel.app/launch.html](https://qscreen-filing-tool.vercel.app/launch.html). Bookmark the page; each card has **Copy** + **Open** buttons.

| Day   | Channel            | Time       | Notes                                                |
|-------|--------------------|------------|------------------------------------------------------|
| +1    | Lobsters           | 5 min      | Need invitation; cross-post of the HN post           |
| +2    | r/MachineLearning  | 10 min     | Self-post; community-friendly tone                   |
| +4    | r/quant            | 10 min     | Self-post; quant-flavored copy                       |
| +5–10 | Product Hunt       | 30 min     | Maker launch at 12:01 AM PT; stay online 4 hr        |
| +7    | X thread #1        | 15 min     | The launch thread (15 tweets)                        |
| +7    | dev.to             | 0 min      | Auto-publishes if <code>DEV_TO_API_KEY</code> is set |
| +7    | Hashnode           | 0 min      | Auto-publishes if secrets are set                    |
| +8    | LinkedIn           | 10 min     | Long-post format                                     |
| +14   | X thread #2        | 15 min     | Architecture deep-dive (10 tweets)                   |
| +21   | X thread #3        | 15 min     | Bench story (10 tweets)                              |
| +24   | Hacker Noon        | 0 min      | Cross-post; auto via Dev.to or manual                |
| +28   | X thread #4        | 15 min     | Supply-chain hardening (10 tweets)                   |
| +30   | X thread #5        | 15 min     | Pluggable profiles (8 tweets)                        |
| any   | Mastodon / Bluesky | 5 min each | Federated, dev-friendly, optional                    |

**Total estimated hands-on time for the full 30-day cadence: ~2.5 hours over 30 days.**

## One-page quick-reference

| Task                | Destination                     | Pre-fill source  | Time   | Deadline       |
|---------------------|---------------------------------|------------------|--------|----------------|
| 1. Show HN          | news.ycombinator.com/submit     | this PDF, page 2 | 15 min | ASAP           |
| 2. XBRL US email    | launch.html → XBRL card         | mailto: link     | 5 min  | this week      |
| 3. dev.to API key   | dev.to/settings/extensions      | —                | 5 min  | this week      |
| 4. Hashnode API key | hashnode.com/settings/developer | —                | 5 min  | this week      |
| 5. PyCon US 2027    | us.pycon.org/2027/speaking/     | this PDF, page 7 | 30 min | ~late Oct 2026 |
| 6. NLnet grant      | nlnet.nl/propose/               | this PDF, page 8 | 45 min | Nov 3, 2026    |

**If you only do one: Task 1 (Show HN). 15 minutes. No excuse.**

— qscreen-filing-tool maintainers · 0xBingBong69 · MIT-licensed · 2026-09-19